




































































0.36x Wide Angle Conversion Port for N120 Nikon DSLR System

	LENS	GEAR	EXTENSIONS	LENS PORT	Remarks
NIKON APS-C	Nikon AF-S DX NIKKOR 18-55mm f/3.5-5.6G VR II	 19144 N1855VRII-Z	 21135 N120 Extension Ring 35 with Lock	 85201 0.36x Wide Angle Conversion Port	* 1) Most recommended
	Nikon AF-S 17-35mm f/2.8D IF-ED	 19130 N1735-Z	 21150 Extension ring 50 with lock	 85201 0.36x Wide Angle Conversion Port	* zoom from 18 mm
	Nikon AF-S NIKKOR 16-35mm f/4G ED VR	 19138 N1635-Z	 21170 Extension ring 70 with lock	 85201 0.36x Wide Angle Conversion Port	* zoom from 18 mm
	Nikon AF-S NIKKOR 18-35mm f/3.5-4.5G ED	 19141 N1835-Z	 21140 Extension ring 40 with lock	 85201 0.36x Wide Angle Conversion Port	
NIKON FULL FRAME	Nikon AF-S Nikkor 28mm f/1.8 G		 21120 N120 Extension Ring 20 with Lock	 85201 0.36x Wide Angle Conversion Port	
	Nikon AF Nikkor 28mm f/2.8D			 85201 0.36x Wide Angle Conversion Port	
	Nikon AF Nikkor 28-70mm f/3.5-4.5D	 19148 N287of3.5D-Z	 21135 N120 Extension Ring 35 with Lock	 85201 0.36x Wide Angle Conversion Port	* 1) Most recommended

0.36x Wide Angle Conversion Port For N120 Canon DSLR System





	LENS	GEAR	EXTENSIONS	LENS PORT	Remarks
CANON APS-C	Canon EF-S 18-55mm f/3.5-5.6 IS STM	 19547 C1855ISSTM-Z	 21130 Extension ring 30 with lock	 85201 0.36x Wide Angle Conversion Port	
	Sigma 18-35mm F1.8 DC HSM A	 19552 SC1835f.18-Z	 21130+21135 Extension ring 30 +35 with lock	 85201 0.36x Wide Angle Conversion Port	*1) Most recommended
				 85202 0.36x Wide Angle Conversion Port <i>(Inc.N120 extension 65mm ,N120 to N100 port adapter 35, WACP and buoyancy collar)</i>	
	Canon EF 17-40mm f/4L USM	 19528 C1740-Z	 21120+21125 Extension ring 20 +25 with lock	 85201 0.36x Wide Angle Conversion Port	
	Canon EF 16-35mm F4L IS USM	 19548 C1635f4-Z	 21130+21135 Extension ring 30 +35 with lock	 85201 0.36x Wide Angle Conversion Port	
Canon EF 16-35mm f/2.8L III USM	 19554 C1635III-Z	 21135+21140 Extension ring 35 +40 with lock	 85201 0.36x Wide Angle Conversion Port		
CANON FULL FRAME	Canon EF 28mm f/1.8 USM			 85201 0.36x Wide Angle Conversion Port	
	Canon EF 28mm f/2.8 IS USM			 85201 0.36x Wide Angle Conversion Port	
	Canon EF 28-70mm f/3.5-4.5 II	 19557 C2870f3.5II-Z	 21125 N120 Extension Ring 25 with Lock	 85201 0.36x Wide Angle Conversion Port	*1) Most recommended
	Canon EF 28-80mm f/3.5-5.6 II	 19558 C2880f3.5II-Z	 21130 Extension ring 30 with lock	 85201 0.36x Wide Angle Conversion Port	
	Canon EF 28-80mm f/3.5-5.6 V USM	 19559 C2880f3.5V-Z	 21130 Extension ring 30 with lock	 85201 0.36x Wide Angle Conversion Port	
	Canon EF 35mm f/2 IS USM			 85201 0.36x Wide Angle Conversion Port	

0.36x Wide Angle Conversion Port for N120 C200 & Red™ & EVA1

LENS	ZOOM GEAR	FOCUS GEAR	EXTENSIONS	LENS PORT	
Canon EF-S 18-55mm f/3.5-5.6 IS STM	 16330 RC1855STM-Z	 16330 RC1855STM-F	 21125 N120 Extension Ring 25 with Lock	 85201 0.36x Wide Angle Conversion Port	* zoom from 20mm
Sigma 18-35mm F1.8 DC HSM A	 16326 RSC1835f.18-Z	 16326 RSC1835f.18-F	 21130+21135 Extension ring 30 +35 with lock	 85201 0.36x Wide Angle Conversion Port  85202 0.36x Wide Angle Conversion Port (Inc.N120 extension 65mm ,N120 to N100 port adaptor 35, WACP and buoyancy collar)	* zoom from 20mm *1) Most recommended
Canon EF 16-35mm F4L IS USM	 16317 RC1635f4-Z	 16318 RC1635f4-F	 21160 Extension ring 60 with lock	 85201 0.36x Wide Angle Conversion Port	* zoom from 20mm
Canon EF 16-35mm f/2.8L III USM	 16325 RC1635III-Z	 16325 RC1635III-F	 21170 Extension ring 70 with lock	 85201 0.36x Wide Angle Conversion Port	* zoom from 20mm
Canon EF 28-70mm f/3.5-4.5 II	 16334 RC2870II-Z	 16334 RC2870II-F	 21125 N120 Extension Ring 25 with Lock	 85201 0.36x Wide Angle Conversion Port	*1) Most recommended

Super 35 Sensors (Canon mount)

0.36x Wide Angle Conversion Port for N100 Sony A7RIII/A9/A7II/A7R II/A7S II

LENS	ZOOM GEAR	Port Adaptor	EXTENSIONS	LENS PORT	
Sony SEL2870 FE 28-70mm F3.5-5.6 OSS	 37141 SE2870-Z	 37303 N100 to N120 35.5mm port adaptor with zoom/focus knob	 21120 Extension ring 20 with lock	 85201 0.36x Wide Angle Conversion Port	

Sony A7RIII/A9/A7II