





















































































N120 Port System for Canon EF System

LENS	GEAR	PORT BASE	EXTENSIONS	LENS PORT	OPTIONAL ACCESSORIES
Canon EF-S 60mm f2.8 Macro USM	 19521 C60-F	 18211 Compact port base		 18704 Macro port 41  18303 Compact port 15	 25101 M67 Flip diopter holder for M67 macro ports
Canon MP-E 65mm f/2.8 1-5X	 19539 C65-F	 18211 Compact port base	 18550+18530+18530 Compact port ext. 50+30+30	 18306 Compact port 50 with M67 thread	
Canon EF 100mm f2.8 Macro USM	 19522 C100-F	 18211 Compact port base		 18702 Macro port 87  18302 Compact port 50	 25101 M67 Flip diopter holder for M67 macro ports
Canon EF 100mm f/2.8L Macro IS USM	 19523 C100IS-F	 18211 Compact port base	 18530 Compact port extension 30	 18703 Macro port 94  18301 Compact port 30	 25101 M67 Flip diopter holder for M67 macro ports
Canon EF 180mm f/3.5L Macro USM		 18211 Compact port base	 18530+18540 Compact port ext. 30+40	 18302 Compact port 50	
Sigma 50mm F2.8 EX DG Macro		 18211 Compact port base	 18520 Compact port extension 20	 18303 Compact port 15	
Sigma 70mm F2.8 EX DG Macro		 18211 Compact port base	 18550 Compact port extension 50  18530 Compact port extension 30	 18301 Compact port 30  18302 Compact port 50	
Sigma 105mm F2.8 EX DG OS HSM Macro	 19553 SC105-F		 21130 Extension ring 30 with lock	 18701 Macro port 60	 25101 M67 Flip diopter holder for M67 macro ports
Laowa 24mm f/14 2X Macro Probe	 19155 N120 DSLR gear set		 21271 Extension ring 70 w/ knob for Canon EF 11-24mm f4L USM	 16336 N120 Port Adaptor for Laowa 24mm f/14 2x Macro Probe	 25101 M67 Flip diopter holder for M67 macro ports

MACRO







































* Iris gear and focus gear are included.
* Support both standard and Cine version

N120 Port System for Canon System

LENS	GEAR	PORT BASE	EXTENSIONS	LENS PORT	OPTIONAL ACCESSORIES
Canon EF-S 18-55mm f/3.5-5.6 IS	 19532 C1855IS-Z	 18211 Compact port base		 18303 Compact port 15	
Canon EF-S 18-55mm f/3.5-5.6 IS STM	 19547 C1855ISSTM-Z	 18211 Compact port base		 18303 Compact port 15	
Canon EF-S 18-135mm f/3.5-5.6 IS	 19524 C18135IS-Z		 21160 Extension ring 60 with lock	 18802 8.5" acrylic dome port	
Canon EF 24mm f/1.4L II USM			 21140 Extension ring 40 with lock	 18802 8.5" acrylic dome port	
Canon EF 24-70mm f/2.8L II USM	 19543 C2470II-Z		 21170 Extension ring 70 with lock	 18802 8.5" acrylic dome port	
Canon EF 24-70mm f/4L IS USM	 19544 C2470f4-Z		 21170 Extension ring 70 with lock	 18802 8.5" acrylic dome port	
Canon EF 24-105mm f/4L IS USM	 19545 C24105-Z		 21170 Extension ring 70 with lock	 18802 8.5" acrylic dome port	
Canon EF 24-105mm f/4L IS II USM	 19562 C24105II-Z		 21170 Extension ring 70 with lock	 18802 8.5" acrylic dome port	
			 21170 Extension ring 70 with lock	 18812 230mm optical glass fisheye port II	
			 21170 Extension ring 70 with lock	 18809 (*1) 180mm optical glass wide angle port	
Sigma 17-70mm F2.8-4.5 DC Macro	 19533 SC1770-Z		 21150 Extension ring 50 with lock	 18802 8.5" acrylic dome port	
Sigma 17-70mm F2.8-4 DC Macro OS HSM	 19534 SC1770OS-Z		 21150 Extension ring 50 with lock	 18802 8.5" acrylic dome port	
Sigma 17-70mm F2.8-4 DC Macro OS HSM C	 19540 SC1770OSC-Z		 21140 Extension ring 40 with lock	 18802 8.5" acrylic dome port	
Sigma 18-35mm F1.8 DC HSM A	 19552 SC1835f.18-Z		 21180 Extension ring 80 with lock	 18802 8.5" acrylic dome port	
			 21150+21150 Extension ring 50+50	 18815 250mm optical glass wide angle port II	
			 21180 Extension ring 80 with lock	 18812 230mm optical glass fisheye port II	
			 21180 Extension ring 80 with lock	 18809 (*1) 180mm optical glass wide angle port	


STANDARD/ZOOM

N120 Port System for Canon System

LENS	GEAR	PORT BASE	EXTENSIONS	LENS PORT	OPTIONAL ACCESSORIES
Canon EF-S 10-18mm f/4.5-5.6 IS STM	 19549 C1018-Z	---	 21150 Extension ring 50 with lock	 18802 8.5" acrylic dome port	
			 21150 Extension ring 50 with lock	 18815 250mm optical glass wide angle port II	
			 21150 Extension ring 50 with lock	 18812 (*1) 230mm optical glass fisheye port II	
			 21140 Extension ring 40 with lock	 18809 180mm optical glass wide angle port	
Canon EF-S 10-22mm f/3.5-4.5 USM	 19525 C1022-Z	---	 21160 Extension ring 60 with lock	 18802 8.5" acrylic dome port	
			 21160 Extension ring 60 with lock	 18815 250mm optical glass wide angle port II	
			 21160 Extension ring 60 with lock	 18812 (*1) 230mm optical glass fisheye port II	
			 21150 Extension ring 50 with lock	 18809 180mm optical glass wide angle port	
Canon EF 11-24mm f/4L USM	 19550 C1124-Z	---	 21150* Extension ring 50 with lock <i>*Compatible from SN:A213191 onwards</i>	 18815 (*1) 250mm optical glass wide angle port II	
			 21170* Extension ring 70 with lock <i>*Compatible from SN:A201966 onwards</i>	 18812 230mm optical glass fisheye port II	
			 19551 C1124-F	 21271 Extension ring 70 with focus knob for Canon EF 11-24mm f4L USM	 18812 230mm optical glass fisheye port II
Canon EF 16-35mm f/2.8L II USM	 19527 C1635II-Z	---	 21170 Extension ring 70 with lock	 18802 8.5" acrylic dome port	
			 21180 Extension ring 80 with lock	 18815 250mm optical glass wide angle port II	
			 21180 Extension ring 80 with lock	 18812 (*1) 230mm optical glass fisheye port II	
			 21170 Extension ring 70 with lock	 18809 180mm optical glass wide angle port	
	 19542 C1635II-F	---	 21270 Extension ring 70 with Focus knob	 18802 8.5" acrylic dome port	

































WIDE/ZOOM

N120 Port System for Canon System



N120 Port System for Canon System

N120 Port System for Canon System









































LENS	GEAR	PORT BASE	EXTENSIONS	LENS PORT	OPTIONAL ACCESSORIES
Sigma 8-16mm F4.5-5.6 DC HSM	 19536 SC816-Z		 21150 Extension ring 50 with lock	 18802 8.5" acrylic dome port	
			 21150 Extension ring 50 with lock	 18815 250mm optical glass wide angle port II	
			 21150 Extension ring 50 with lock	 18812 (*1) 230mm optical glass fisheye port II	
			 21140 Extension ring 40 with lock	 18809 180mm optical glass wide angle port	
Sigma 14mm F1.8 DG HSM Art	 19563 SC14A-F		 21170 Extension ring 70 with lock <i>*Compatible from SN:A201966 onwards</i>	 18802 8.5" acrylic dome port	
			 21170 Extension ring 70 with lock <i>*Compatible from SN:A201966 onwards</i>	 18812 (*1) 230mm optical glass fisheye port II	
Sigma 14-24mm F2.8 DG HSM Art	 19564 SC1424A-Z		 21170 Extension ring 70 with lock <i>*Compatible from SN:A201966 onwards</i>	 18802 8.5" acrylic dome port	
			 21170 Extension ring 70 with lock <i>*Compatible from SN:A201966 onwards</i>	 18815 250mm optical glass wide angle port II	
			 21160 Extension ring 60 with lock <i>*Compatible from SN:A143566 onwards</i>	 18812 (*1) 230mm optical glass fisheye port II	
			 21160 Extension ring 60 with lock <i>*Compatible from SN:A143566 onwards</i>	 18809 180mm optical glass wide angle port	
Sigma 12-24mm F4 DG HSM Art	 19556 SC1224A-Z		 21160* Extension ring 60 with lock <i>*Compatible from SN:A143566 onwards</i>	 18812 (*1) 230mm optical glass fisheye port II	
			 21150* Extension ring 50 with lock <i>*Compatible from SN:A213191 onwards</i>	 18815 250mm optical glass wide angle port II	

N120 Port System for Canon System

N120 Port System for Canon System

LENS	GEAR	PORT BASE	EXTENSIONS	LENS PORT	OPTIONAL ACCESSORIES
WIDE/ZOOM	Sigma 10-20mm F4-5.6 EX DC HSM	19535 SC1020-Z	21150 Extension ring 50 with lock	18802 8.5" acrylic dome port	
			21150 Extension ring 50 with lock	18815 250mm optical glass wide angle port II	
			21150 Extension ring 50 with lock	18812 (*1) 230mm optical glass fisheye port II	
			21140 Extension ring 40 with lock	18809 180mm optical glass wide angle port	
	Sigma 20mm F1.4 DG HSM A	19530 TC1116-Z	21170 Extension ring 70 with lock	18802 8.5" acrylic dome port	
			21170 Extension ring 70 with lock	18815 250mm optical glass wide angle port II	
			21170 Extension ring 70 with lock	18812 (*1) 230mm optical glass fisheye port II	
			21160 Extension ring 60 with lock	18809 180mm optical glass wide angle port	
	Tokina AT-X 116 PRO DX AF 11-16mm f/2.8	19530 TC1116-Z	21160 Extension ring 60 with lock	18802 8.5" acrylic dome port	
			21160 Extension ring 60 with lock	18815 250mm optical glass wide angle port II	
			21160 Extension ring 60 with lock	18812 (*1) 230mm optical glass fisheye port II	
			21160 Extension ring 60 with lock	18809 180mm optical glass wide angle port	
Tokina AT-X 124 AF PRO DX AF 12-24mm f/4	19531 TC1224-Z	21150 Extension ring 50 with lock	18802 8.5" acrylic dome port		
		21160 Extension ring 60 with lock	18815 250mm optical glass wide angle port II		
		21160 Extension ring 60 with lock	18812 (*1) 230mm optical glass fisheye port II		
		21160 Extension ring 60 with lock	18809 180mm optical glass wide angle port		
Zeiss Distagon T* 2,8/15 ZE	16319 ZC15-F	21155* Extension ring 55 with lock <i>*Compatible from SN:AO55053 onwards</i>	18812 230mm optical glass fisheye port II		
Zeiss Milvus 2.8/18 ZE	16329 ZMC-F	21150 Extension ring 50 with lock	18812 230mm optical glass fisheye port II		
Zeiss Milvus 2.8/21 ZE	16329 ZMC-F	21150 Extension ring 50 with lock	18809 180mm optical glass wide angle port		
		21150 Extension ring 50 with lock	18812 230mm optical glass fisheye port II		
		21150 Extension ring 50 with lock	18809 180mm optical glass wide angle port		

N120 Port System for Canon System

LENS	GEAR	PORT BASE	EXTENSIONS	LENS PORT	OPTIONAL ACCESSORIES
Canon EF 8-15mm f/4L Fisheye USM		---	 21130 Extension ring 30 with lock	 18802 8.5" acrylic dome port	***Remove shade when used on a full frame camera
			 21130 Extension ring 30 with lock	 18812 230mm optical glass fisheye port	***Remove shade when used on a full frame camera
			 21130 Extension ring 30 with lock	 18811 (*1) N120 140mm optical glass fisheye port with removable shade	***Remove shade when used on a full frame camera
Canon EF 8-15mm f/4L Fisheye USM with Kenko 1.4x Teleplus Pro 300 DGX	 	---	 21230 Extension ring 30 with Focus knob	 18802 8.5" acrylic dome port	***Remove shade when used on a full frame camera
			 21150 Extension ring 50 with lock	 18802 8.5" acrylic dome port	
			 21150 Extension ring 50 with lock	 18812 230mm optical glass fisheye port II	
Canon EF 15mm f/2.8 Fisheye		---	 21110 Extension ring 10 with screws	 18802 8.5" acrylic dome port	
Sigma 10mm F2.8 EX DC HSM Fisheye			 21110 Extension ring 10 with screws	 18802 8.5" acrylic dome port	
Sigma 15mm F2.8 EX DG Diagonal Fisheye					 18802 8.5" acrylic dome port
Tokina AT-X 107 AF DX Fisheye AF 10-17mm f/3.5-4.5		---		 18812 230mm optical glass fisheye port II	
				 18810 (*1) N120 140mm optical glass fisheye port	
				 18804 4.33" acrylic dome port For Tokina 10-17 Lens	
Tokina AT-X 107 AF DX Fisheye with Kenko 1.4x Teleplus Pro 300 DGX		---	 21120 Extension ring 20 with lock	 18802 8.5" acrylic dome port	
			 21120 Extension ring 20 with lock	 18812 230mm optical glass fisheye port II	
			 21110 Extension ring 10 with screws	 18810 (*1) N120 140mm optical glass fisheye port	
			 21120 Extension ring 20 with lock	 18804 4.33" acrylic dome port For Tokina 10-17 Lens	
		---	 21140 Extension ring 40 with lock	 18802 8.5" acrylic dome port	
			 21140 Extension ring 40 with lock	 18812 230mm optical glass fisheye port II	
			 21130 Extension ring 30 with lock	 18810 (*1) N120 140mm optical glass fisheye port	

FISHEYE/ZOOM

N120 Port System for Canon RF System

