

	LENS	GEAR	PORT BASE	EXTENSION RING	LENS / PORT
MACRO	Nikon AF Micro 60mm f/2.8D		18211 Compact port base		18304 Compact port 30
	Nikon AF-S Micro NIKKOR 60mm f/2.8G ED	19121 N60G-F			18701 Macro port 60
			18211 Compact port base		18304 Compact port 30
	Nikon AF-S DX Micro NIKKOR 85mm f/3.5G ED VR	19129 N85VR-F	18211 Compact port base		18304 Compact port 30
	Nikon AF Micro 105mm f/2.8D		18211 Compact port base	18540 Compact port extension 40	18304 Compact port 30
				18520 Compact port extension 20	18305 Compact port 50
	Nikon AF-S VR Micro Nikkor 105mm f/2.8G IF-ED	19122 N105VR-F			18702 Macro port 87
				21130 Extension ring 30 with lock	18701 Macro port 60
			18211 Compact port base		18305 Compact port 50
	Sigma 50mm F2.8 EX DG Macro		18211 Compact port base	18520 Compact port extension 20	18306 Compact port 15
Sigma 70mm F2.8 EX DG Macro		18211 Compact port base	18550 Compact port extension 50	18304 Compact port 30	
			18530 Compact port extension 30	18305 Compact port 50	
Sigma 105mm F2.8 EX DG OS HSM Macro	19147 SN105-F		21130 Extension ring 30 with lock	18701 Macro port 60	
Laowa 24mm f/14 2X Macro Probe	19155 N120 DSLR gear set <i>*Support both standard and Cine version</i>		21271 Extension ring 70 w/ knob for Canon EF 11-24mm f4L USM	16336 N120 Port Adaptor for Laowa 24mm f/14 2x Macro Probe	
MACRO/WIDE	Nikon AF-S DX Micro NIKKOR 40mm f/2.8D DX	19152 N40G-F		18705 Macro port 45	86201 Macro to Wideangle Lens 1 (MWL-1)
	Nikon AF-S Micro NIKKOR 60mm f/2.8G ED	19121 N60G-F		18701 Macro port 60	86201 Macro to Wideangle Lens 1 (MWL-1)
STANDARD/ZOOM	Nikon AF-S DX NIKKOR 18-55mm f/3.5-5.6G VR	19123 N1855VR-Z	18211 Compact port base		18304 Compact port 30
	Nikon AF-S DX Zoom-Nikkor 18-55mm f/3.5-5.6G ED II	19124 N1855II-Z	18211 Compact port base		18304 Compact port 30
	Nikon AF-S DX NIKKOR 18-55mm f/3.5-5.6G VR II	19144 N1855VR II-Z	18211 Compact port base		18306 Compact port 15
				21135 N120 Extension Ring 35 with Lock	85201(*1) 0.36x Wide Angle Conversion Port
	Nikon AF-S NIKKOR 24-85mm f/3.5-4.5G ED VR	19139 N2485-Z		21150 Extension ring 50 with lock	18802 8.5" acrylic dome port
	Sigma 17-70mm F2.8-4.5 DC Macro HSM	19132 SN1770-Z		21150 Extension ring 50 with lock	18802 8.5" acrylic dome port
Sigma 17-70mm F2.8-4 DC Macro OS HSM	19133 SN1770OS-Z		21150 Extension ring 50 with lock	18802 8.5" acrylic dome port	

	LENS	GEAR	PORT BASE	EXTENSION RING	LENS PORT
STANDARD ZOOM	Sigma 17-70mm F2.8-4 DC Macro OS HSM C	19140 SN1770OSC-Z		21140 Extension ring 40 with lock	18802 8.5" acrylic dome port
	Sigma 18-35mm F1.8 DC HSM A	19146 SN1835f1.8-Z		21180 Extension ring 80 with lock	18802 8.5" acrylic dome port
				21150+21150 Extension ring 50+50	18815 250mm optical glass wide angle port II
				21180 Extension ring 80 with lock	18812 230mm optical glass fisheye port II
			21180 Extension ring 80 with lock	18809 (*1) 180mm optical glass wide angle port	
	Nikon AF Nikkor 28-70mm f/3.5-4.5D	19148 N2870f3.5D-Z		21135 N120 Extension Ring 35 with Lock	85201 0.36x Wide Angle Conversion Port
WIDE	Nikon AF-S Nikkor 28mm f/1.8 G			21120 N120 Extension Ring 20 with Lock	85201 0.36x Wide Angle Conversion Port
	Nikon AF Nikkor 28mm f/2.8D				85201 0.36x Wide Angle Conversion Port
WIDE/ZOOM	Nikon AF-S DX NIKKOR 10-24mm f/3.5-4.5G ED	19135 N1024-Z		21150 Extension ring 50 with lock	18802 8.5" acrylic dome port
	Nikon AF-S DX NIKKOR 12-24mm f/4G IF-ED	19125 N1224-Z		21160 Extension ring 60 with lock	18802 8.5" acrylic dome port
	Nikon AF-S NIKKOR 14-24mm f/2.8G ED	19131 N1424-Z		21170 Extension ring 70 with lock	18802 8.5" acrylic dome port
				21180 Extension ring 80 with lock	18815 (*1) 250mm optical glass wide angle port II
				21180 Extension ring 80 with lock	18812 230mm optical glass fisheye port II
	Nikon AF-S NIKKOR 16-35mm f/4G ED VR	19138 N1635-Z		21170 Extension ring 70 with lock	18802 8.5" acrylic dome port
				21190 Extension ring 90 with lock	18815 250mm optical glass wide angle port II
				21190 Extension ring 90 with lock	18812 (*1) 230mm optical glass fisheye port II
				21180 Extension ring 80 with lock	18809 180mm optical glass wide angle port
				21170 Extension ring 70 with lock	85201 0.36x Wide Angle Conversion Port * zoom from 18 mm
	19142 N1635-F		21270 Extension ring 70 with Focus knob	18802 8.5" acrylic dome port	
Nikon AF-S 17-35mm f/2.8D IF-ED	19130 N1735-Z		21170 Extension ring 70 with lock	18802 8.5" acrylic dome port	
			21170 Extension ring 70 with lock	18815 250mm optical glass wide angle port II	
			21170 Extension ring 70 with lock	18812 (*1) 230mm optical glass fisheye port II	
			21150 Extension ring 50 with lock	85201 0.36x Wide Angle Conversion Port * zoom from 18 mm	

	LENS	GEAR	PORT BASE	EXTENSION RING	LENS / PORT
WIDE/ZOOM	Nikon AF-S NIKKOR 18-35mm f/3.5-4.5G ED	19141 N1835-Z		21160 Extension ring 60 with lock	18802 8.5" acrylic dome port
				21160 Extension ring 60 with lock	18815 250mm optical glass wide angle port II
				21160 Extension ring 60 with lock	18812 (*1) 230mm optical glass fisheye port II
				21160 Extension ring 60 with lock	18809 180mm optical glass wide angle port
				21140 Extension ring 40 with lock	85201 0.36x Wide Angle Conversion Port
WIDE/ZOOM	Sigma 8-16mm F4.5-5.6 DC HSM	19136 SN816-Z		21150 Extension ring 50 with lock	18802 8.5" acrylic dome port
				21150 Extension ring 50 with lock	18815 250mm optical glass wide angle port II
				21150 Extension ring 50 with lock	18812 (*1) 230mm optical glass fisheye port II
				21140 Extension ring 40 with lock	18809 180mm optical glass wide angle port
WIDE/ZOOM	Sigma 10-20mm F4-5.6 EX DC HSM	19126 SN1020-Z		21150 Extension ring 50 with lock	18802 8.5" acrylic dome port
				21150 Extension ring 50 with lock	18815 250mm optical glass wide angle port II
				21150 Extension ring 50 with lock	18812 (*1) 230mm optical glass fisheye port II
				21140 Extension ring 40 with lock	18809 180mm optical glass wide angle port
WIDE/ZOOM	Sigma 14-24mm F2.8 DG HSM Art	19153 SN1424A-Z		21170 Extension ring 70 with lock <i>*Compatible from SN:A201966 onwards</i>	18802 8.5" acrylic dome port
				21170 Extension ring 70 with lock <i>*Compatible from SN:A201966 onwards</i>	18815 250mm optical glass wide angle port II
				21170 Extension ring 70 with lock <i>*Compatible from SN:A201966 onwards</i>	18812 (*1) 230mm optical glass fisheye port II
				21160 Extension ring 60 with lock <i>*Compatible from SN:A143566 onwards</i>	18809 180mm optical glass wide angle port
WIDE/ZOOM	Sigma 12-24mm F4 DG HSM Art	19149 SN1224A-Z		21160 Extension ring 60 with lock <i>*Compatible from SN:A143566 onwards</i>	18812 (*1) 230mm optical glass fisheye port II
				21150 Extension ring 50 with lock <i>*Compatible from SN:A213191 onwards</i>	18815 250mm optical glass wide angle port II
WIDE/ZOOM	Sigma 20mm F1.4 DG HSM A			21170 Extension ring 70 with lock	18802 8.5" acrylic dome port
				21170 Extension ring 70 with lock	18815 250mm optical glass wide angle port II
				21170 Extension ring 70 with lock	18812 (*1) 230mm optical glass fisheye port II
				21160 Extension ring 60 with lock	18809 180mm optical glass wide angle port

	LENS	GEAR	PORT BASE	EXTENSION RING	LENS / PORT
WIDE/ZOOM	Tokina AT-X 116 PRO DX AF 11-16mm f/2.8	19128 TN1116-Z		21150 Extension ring 50 with lock	18802 8.5" acrylic dome port
				21160 Extension ring 60 with lock	18815 250mm optical glass wide angle port II
				21160 Extension ring 60 with lock	18812 (*1) 230mm optical glass fisheye port II
				21150 Extension ring 50 with lock	18809 180mm optical glass wide angle port
	Tokina AT-X 124 AF PRO DX AF 12-24mm f/4	19134 TN1224-Z		21150 Extension ring 50 with lock	18802 8.5" acrylic dome port
				21160 Extension ring 60 with lock	18815 250mm optical glass wide angle port II
				21160 Extension ring 60 with lock	18812 (*1) 230mm optical glass fisheye port II
				21160 Extension ring 60 with lock	18809 180mm optical glass wide angle port
	Zeiss Distagon T* 2,8/15 ZF.2	19145 ZN15-F		21155* Extension ring 55 with lock <i>*Compatible from SN:A055053 onwards</i>	18812 230mm optical glass fisheye port II
	FISHEYE/ZOOM	Nikon AF-S Fisheye NIKKOR 8-15mm f/3.5-4.5E ED	19150 N815-Z		21120 Extension ring 20 with lock
21130 Extension ring 30 with lock					18803 4.33" acrylic dome port
21120 Extension ring 20 with lock					18812 230mm optical glass fisheye port II
21120 Extension ring 20 with lock					18811 (*1) N120 140mm optical glass fisheye port with removable shade
Nikon AF-S Fisheye 8-15mm f/3.5-4.5E ED with Kenko 1.4x Teleplus Pro 300 DGX		19151 N815-Z + 1.4		21140 Extension ring 40 with lock	18802 8.5" acrylic dome port
				21150 Extension ring 50 with lock	18803 4.33" acrylic dome port
				21140 Extension ring 40 with lock	18812 230mm optical glass fisheye port II
				21140 Extension ring 40 with lock	18811 (*1) N120 140mm optical glass fisheye port with removable shade
Nikon AF DX Fisheye 10.5mm f/2.8G ED		19137 N10.5-F			18802 8.5" acrylic dome port
				21110 Extension ring 10 with screws	18803 4.33" acrylic dome port
				18812 230mm optical glass fisheye port II	
				18810 (*1) N120 140mm optical glass fisheye port	
Nikon AF Fisheye 16mm f/2.8D				18802 8.5" acrylic dome port	
				18812 230mm optical glass fisheye port II	
				18810 (*1) N120 140mm optical glass fisheye port	

	LENS	GEAR	PORT BASE	EXTENSION RING	LENS / PORT
FISHEYE/ZOOM	Sigma 10mm F2.8 EX DC HSM Fisheye			21110 Extension ring 10 with screws	18802 8.5" acrylic dome port
	Sigma 15mm F2.8 EX DG Diagonal Fisheye	19143 SN15-F			18802 8.5" acrylic dome port
					18812 230mm optical glass fisheye port II
					18810 (*1) N120 140mm optical glass fisheye port
	Tokina AT-X 107 AF DX Fisheye AF 10-17mm f/3.5-4.5	19127 TN1017-Z			18804 4.33" acrylic dome port For Tokina AT-X 107 AF DX Fisheye
				21120 Extension ring 20 with lock	18802 8.5" acrylic dome port
				21120 Extension ring 20 with lock	18812 230mm optical glass fisheye port II
				21110 Extension ring 10 with screws	18810 (*1) N120 140mm optical glass fisheye port
	Tokina AT-X 107 AF DX Fisheye with Kenko 1.4x Teleplus Pro 300 DGX	19227 TN1017-Z+1.4		21120 Extension ring 20 with lock	18804 4.33" acrylic dome port For Tokina AT-X 107 AF DX Fisheye
				21140 Extension ring 40 with lock	18802 8.5" acrylic dome port
				21140 Extension ring 40 with lock	18812 230mm optical glass fisheye port II
				21130 Extension ring 30 with lock	18810 (*1) N120 140mm optical glass fisheye port

	LENS	GEAR	PORT BASE	EXTENSIONS	LENS PORT
MACRO	Canon EF-S 60mm f2.8 Macro USM	19521 C60-F	18211 Port base		18704 Macro port 41
					18306 Compact port 15
	Canon MP-E 65mm f/2.8 1-5X	19539 C65-F	18211 Port base	18550+18530+18530 Compact port ext. 50+30+30	18306 Compact port 50 with M67 thread
	Canon EF 100mm f2.8 Macro USM	19522 C100-F	18211 Port base		18702 Macro port 87
					18305 Compact port 50
	Canon EF 100mm f/2.8L Macro IS USM	19523 C100IS-F	18211 Port base	18530 Compact port extension 30	18703 Macro port 94
					18304 Compact port 30
	Canon EF 180mm f/3.5L Macro USM		18211 Port base	18530+18540 Compact port ext. 30+40	18305 Compact port 50
	Sigma 50mm F2.8 EX DG Macro		18211 Port base	18520 Compact port extension 20	18306 Compact port 15
Sigma 70mm F2.8 EX DG Macro		18211 Port base	18550 Compact port extension 50	18304 Compact port 30	
			18530 Compact port extension 30	18305 Compact port 50	
Sigma 105mm F2.8 EX DG OS HSM Macro	19553 SC105-F		21130 Extension ring 30 with lock	18701 Macro port 60	
Laowa 24mm f/14 2X Macro Probe	19155 N120 DSLR gear set *Support both standard and Cine version		21271 Extension ring 70 w/ knob for Canon EF 11-24mm f4L USM	16336 N120 Port Adaptor for Laowa 24mm f/14 2x Macro Probe	
MACRO/WIDE	Canon EF 40mm f2.8 STM		18706 N120 Macro Port 12	86201 Macro to Wideangle Lens 1 (MWL-1) <i>OPTIONAL ACCESSORIES</i> 86222 Double Flip Holder for MWL-1 *compatible for APS-C system	
STANDARD/ZOOM	Canon EF-S 18-55mm f/3.5-5.6 IS	19532 C1855IS-Z	18211 Port base		18306 Compact port 15
	Canon EF-S 18-55mm f/3.5-5.6 IS STM	19547 C1855ISSTM-Z	18211 Port base	21130 Extension ring 30 with lock	18306 Compact port 15
					85201 0.36x Wide Angle Conversion Port
	Canon EF-S 18-135mm f/3.5-5.6 IS	19524 C18135IS-Z		21160 Extension ring 60 with lock	18802 8.5" acrylic dome port
	Canon EF 24mm f/1.4L II USM			21140 Extension ring 40 with lock	18802 8.5" acrylic dome port
	Canon EF 24-70mm f/2.8L II USM	19543 C2470II-Z		21170 Extension ring 70 with lock	18802 8.5" acrylic dome port
Canon EF 24-70mm f/4L IS USM	19544 C2470f4-Z		21170 Extension ring 70 with lock	18802 8.5" acrylic dome port	
Canon EF 24-105mm f/4L IS USM	19545 C24105-Z		21170 Extension ring 70 with lock	18802 8.5" acrylic dome port	

Remarks: * 1) Most recommended

Optional accessory: #25101 M67 Flip Diopter Holder for M67 Macro Ports is recommended to use with macro ports

Update: 2019-5-30

	LENS	GEAR	PORT BASE	EXTENSIONS	LENS PORT	
STANDARD/ZOOM	Canon EF 24-105mm f/4L IS II USM	19562 C24105II-Z		21170 Extension ring 70 with lock	18802 8.5" acrylic dome port	
				21170 Extension ring 70 with lock	18812 230mm optical glass fisheye port II	
				21170 Extension ring 70 with lock	18809 (*1) 180mm optical glass wide angle port	
	Sigma 17-70mm F2.8-4.5 DC Macro	19533 SC1770-Z		21150 Extension ring 50 with lock	18802 8.5" acrylic dome port	
				21150 Extension ring 50 with lock	18802 8.5" acrylic dome port	
	Sigma 17-70mm F2.8-4 DC Macro OS HSM	19534 SC1770OS-Z		21140 Extension ring 40 with lock	18802 8.5" acrylic dome port	
				21140 Extension ring 40 with lock	18802 8.5" acrylic dome port	
	Sigma 18-35mm F1.8 DC HSM A	19552 SC1835f.18-Z		21180 Extension ring 80 with lock	18802 8.5" acrylic dome port	
				21150+21150 Extension ring 50+50	18815 250mm optical glass wide angle port II	
				21180 Extension ring 80 with lock	18812 230mm optical glass fisheye port II	
21180 Extension ring 80 with lock				18809 (*1) 180mm optical glass wide angle port		
21130+21135 Extension ring 30 +35 with lock				85201(*1) 0.36x Wide Angle Conversion Port		
85202 0.36x Wide Angle Conversion Port				(Inc.N120 extension 65mm ,N120 to N100 port adapter 35, WACP and buoyancy collar)		
WIDE/ZOOM	Canon EF-S 10-18mm f/4.5-5.6 IS STM	19549 C1018-Z		21150 Extension ring 50 with lock	18802 8.5" acrylic dome port	
				21150 Extension ring 50 with lock	18815 250mm optical glass wide angle port II	
				21150 Extension ring 50 with lock	18812 (*1) 230mm optical glass fisheye port II	
				21140 Extension ring 40 with lock	18809 180mm optical glass wide angle port	
	Canon EF-S 10-22mm f/3.5-4.5 USM	19525 C1022-Z			21160 Extension ring 60 with lock	18802 8.5" acrylic dome port
					21160 Extension ring 60 with lock	18815 250mm optical glass wide angle port II
					21160 Extension ring 60 with lock	18812 (*1) 230mm optical glass fisheye port II
					21150 Extension ring 50 with lock	18809 180mm optical glass wide angle port
	Canon EF 11-24mm f/4L USM	19550 C1124-Z			21150* Extension ring 50 with lock <i>*Compatible from SN:A213191 onwards</i>	18815 (*1) 250mm optical glass wide angle port II
					21170* Extension ring 70 with lock <i>*Compatible from SN:A201966 onwards</i>	18812 230mm optical glass fisheye port II
	19551 C1124-F			21271 Extension ring 70 with focus knob	18812 230mm optical glass fisheye port II	

Remarks: * 1) Most recommended

Optional accessory: #25101 M67 Flip Diopter Holder for M67 Macro Ports is recommended to use with macro ports

Update: 2019-5-30

N120 PORT SYSTEM FOR CANON SYSTEM

LENS	GEAR	PORT BASE	EXTENSIONS	LENS PORT	
Canon EF 16-35mm f/2.8L II USM	19527 C1635II-Z		21170 Extension ring 70 with lock	18802 8.5" acrylic dome port	
			21180 Extension ring 80 with lock	18815 250mm optical glass wide angle port II	
			21180 Extension ring 80 with lock	18812 (*1) 230mm optical glass fisheye port II	
			21170 Extension ring 70 with lock	18809 180mm optical glass wide angle port	
	19542 C1635II-F		21270 Extension ring 70 with Focus knob	18802 8.5" acrylic dome port	
	Canon EF 16-35mm F4L IS USM	19548 C1635f4-Z		21170 Extension ring 70 with lock	18802 8.5" acrylic dome port
				21180 Extension ring 80 with lock	18815 250mm optical glass wide angle port II
				21180 Extension ring 80 with lock	18812 (*1) 230mm optical glass fisheye port II
21170 Extension ring 70 with lock				18809 180mm optical glass wide angle port	
21130+21135 Extension ring 30 +35 with lock				85201 0.36x Wide Angle Conversion Port	
19560 C1635f4-F			21271 Extension ring 70 w/ knob for Canon EF 11-24mm f4L USM	18812 230mm optical glass fisheye port II	
Canon EF 16-35mm f/2.8L III USM	19554 C1635III-Z		21190 Extension ring 90 with lock	18802 8.5" acrylic dome port	
			Extension ring 90 with lock	18815 250mm optical glass wide angle port II	
			Extension ring 90 with lock	18812 (*1) 230mm optical glass fisheye port II	
			21180 Extension ring 80 with lock	18809 180mm optical glass wide angle port	
	19555 C1635III-F		21135+21140 Extension ring 35 +40 with lock	85201 0.36x Wide Angle Conversion Port	
			21271 + 21120 Extension ring 70 w/ knob for Canon EF 11-24mm f4L USM + Extension ring 20 with lock	18812 (*1) 230mm optical glass fisheye port II	
Canon EF 17-40mm f/4L USM	19528 C1740-Z		21150 Extension ring 50 with lock	18802 8.5" acrylic dome port	
			21170 Extension ring 70 with lock	18815 250mm optical glass wide angle port II	
			21170 Extension ring 70 with lock	18812 (*1) 230mm optical glass fisheye port II	
			21160 Extension ring 60 with lock	18809 180mm optical glass wide angle port	
			21120+21125 Extension ring 20 +25 with lock	85201 0.36x Wide Angle Conversion Port	

WIDE//ZOOM

Remarks: * 1) Most recommended

Optional accessory: #25101 M67 Flip Diopter Holder for M67 Macro Ports is recommended to use with macro ports

	LENS	GEAR	PORT BASE	EXTENSIONS	LENS PORT
STANDARD/WIDE	Canon EF 28mm f/1.8 USM				85201 0.36x Wide Angle Conversion Port
	Canon EF 28mm f/2.8 IS USM				85201 0.36x Wide Angle Conversion Port
	Canon EF 28-70mm f/3.5-4.5 II	19557	C2870f3.5II-Z	21125 N120 Extension Ring 25 with Lock	85201(*1) 0.36x Wide Angle Conversion Port
	Canon EF 28-80mm f/3.5-5.6 II	19558	C2880f3.5II-Z	21130 Extension ring 30 with lock	85201 0.36x Wide Angle Conversion Port
	Canon EF 28-80mm f/3.5-5.6 V USM	19559	C2880f3.5V-Z	21130 Extension ring 30 with lock	85201 0.36x Wide Angle Conversion Port
	Canon EF 35mm f/2 IS USM				85201 0.36x Wide Angle Conversion Port
WIDE/ZOOM	Sigma 8-16mm F4.5-5.6 DC HSM	19536	SC816-Z	21150 Extension ring 50 with lock	18802 8.5" acrylic dome port
				21150 Extension ring 50 with lock	18815 250mm optical glass wide angle port II
				21150 Extension ring 50 with lock	18812 (*1) 230mm optical glass fisheye port II
				21140 Extension ring 40 with lock	18809 180mm optical glass wide angle port
	Sigma 14mm F1.8 DG HSM Art	19563	SC14A-F	21170 Extension ring 70 with lock <i>*Compatible from SN:A201966 onwards</i>	18802 8.5" acrylic dome port
				21170 Extension ring 70 with lock <i>*Compatible from SN:A201966 onwards</i>	18812 (*1) 230mm optical glass fisheye port II
	Sigma 14-24mm F2.8 DG HSM Art	19564	SC1424A-Z	21170 Extension ring 70 with lock <i>*Compatible from SN:A201966 onwards</i>	18802 8.5" acrylic dome port
				21170 Extension ring 70 with lock <i>*Compatible from SN:A201966 onwards</i>	18815 250mm optical glass wide angle port II
				21170 Extension ring 70 with lock <i>*Compatible from SN:A201966 onwards</i>	18812 (*1) 230mm optical glass fisheye port II
				21160 Extension ring 60 with lock <i>*Compatible from SN:A143566 onwards</i>	18809 180mm optical glass wide angle port
Sigma 12-24mm F4 DG HSM Art	19556	SC1224A-Z	21160* Extension ring 60 with lock <i>*Compatible from SN:A143566 onwards</i>	18812 (*1) 230mm optical glass fisheye port II	
			21150* Extension ring 50 with lock <i>*Compatible from SN:A213191 onwards</i>	18815 250mm optical glass wide angle port II	

Remarks: * 1) Most recommended

Optional accessory: #25101 M67 Flip Diopter Holder for M67 Macro Ports is recommended to use with macro ports

Update: 2019-5-30

N120 PORT SYSTEM FOR CANON SYSTEM

LENS	GEAR	PORT BASE	EXTENSIONS	LENS PORT
Sigma 10-20mm F4-5.6 EX DC HSM	19535 SC1020-Z		21150 Extension ring 50 with lock	18802 8.5" acrylic dome port
			21150 Extension ring 50 with lock	18815 250mm optical glass wide angle port II
			21150 Extension ring 50 with lock	18812 (*1) 230mm optical glass fisheye port II
			21140 Extension ring 40 with lock	18809 180mm optical glass wide angle port
Sigma 20mm F1.4 DG HSM A			21170 Extension ring 70 with lock	18802 8.5" acrylic dome port
			21170 Extension ring 70 with lock	18815 250mm optical glass wide angle port II
			21170 Extension ring 70 with lock	18812 (*1) 230mm optical glass fisheye port II
			21160 Extension ring 60 with lock	18809 180mm optical glass wide angle port
Tokina AT-X 116 PRO DX AF 11-16mm f/2.8	19530 TC1116-Z		21160 Extension ring 60 with lock	18802 8.5" acrylic dome port
			21160 Extension ring 60 with lock	18815 250mm optical glass wide angle port II
			21160 Extension ring 60 with lock	18812 (*1) 230mm optical glass fisheye port II
			21160 Extension ring 60 with lock	18809 180mm optical glass wide angle port
Tokina AT-X 124 AF PRO DX AF 12-24mm f/4	19531 TC1224-Z		21150 Extension ring 50 with lock	18802 8.5" acrylic dome port
			21160 Extension ring 60 with lock	18815 250mm optical glass wide angle port II
			21160 Extension ring 60 with lock	18812 (*1) 230mm optical glass fisheye port II
			21160 Extension ring 60 with lock	18809 180mm optical glass wide angle port
Zeiss Distagon T* 2.8/15 ZE	16319 ZC15-F		21155* Extension ring 55 with lock <i>*Compatible from SN:A055053 onwards</i>	18812 230mm optical glass fisheye port II
Zeiss Milvus 2.8/18 ZE	16329 ZMC-F		21150 Extension ring 50 with lock	18812 230mm optical glass fisheye port II
			21150 Extension ring 50 with lock	18809 180mm optical glass wide angle port
Zeiss Milvus 2.8/21 ZE	16329 ZMC-F		21150 Extension ring 50 with lock	18812 230mm optical glass fisheye port II
			21150 Extension ring 50 with lock	18809 180mm optical glass wide angle port

WIDE/ZOOM

Remarks: * 1) Most recommended

Optional accessory: #25101 M67 Flip Diopter Holder for M67 Macro Ports is recommended to use with macro ports

N120 PORT SYSTEM FOR CANON SYSTEM


LENS	GEAR	PORT BASE	EXTENSIONS	LENS PORT	
Canon EF 8-15mm f/4L Fisheye USM	19537 C815-Z		21130 Extension ring 30 with lock	18802 8.5" acrylic dome port	
			21130 Extension ring 30 with lock	18812 230mm optical glass fisheye port II	
			21130 Extension ring 30 with lock	18811 (*1) N120 140mm optical glass fisheye port with removable shade	
	19541 C815-F		21230 Extension ring 30 with Focus knob	18802 8.5" acrylic dome port	
	Canon EF 8-15mm f/4L Fisheye USM with Kenko 1.4x Teleplus Pro 300 DGX	19538 C815-Z+1.4		21150 Extension ring 50 with lock	18802 8.5" acrylic dome port
				21150 Extension ring 50 with lock	18812 230mm optical glass fisheye port II
21150 Extension ring 50 with lock				18811 (*1) N120 140mm optical glass fisheye port with removable shade	
Canon EF 15mm f/2.8 Fisheye			21110 Extension ring 10 with screws	18802 8.5" acrylic dome port	
Sigma 10mm F2.8 EX DC HSM Fisheye			21110 Extension ring 10 with screws	18802 8.5" acrylic dome port	
Sigma 15mm F2.8 EX DG Diagonal Fisheye	19546 SC15-F			18802 8.5" acrylic dome port	
				18812 230mm optical glass fisheye port II	
				18810 (*1) N120 140mm optical glass fisheye port	
Tokina AT-X 107 AF DX Fisheye AF 10-17mm f/3.5-4.5	19529 TC1017-Z			18804 4.33" acrylic dome port For Tokina 10-17 Len	
			21120 Extension ring 20 with lock	18802 8.5" acrylic dome port	
			21120 Extension ring 20 with lock	18812 230mm optical glass fisheye port II	
			21110 Extension ring 10 with screws	18810 (*1) N120 140mm optical glass fisheye port	
Tokina AT-X 107 AF DX Fisheye with Kenko 1.4x Teleplus Pro 300 DGX	19629 TC1017-Z+1.4		21120 Extension ring 20 with lock	18804 4.33" acrylic dome port For Tokina 10-17 Len	
			21140 Extension ring 40 with lock	18802 8.5" acrylic dome port	
			21140 Extension ring 40 with lock	18812 230mm optical glass fisheye port II	
			21130 Extension ring 30 with lock	18810 (*1) N120 140mm optical glass fisheye port	

Remarks: * 1) Most recommended








Optional accessory: #25101 M67 Flip Diopter Holder for M67 Macro Ports is recommended to use with macro ports

Update: 2019-5-30






















N120 PORT SYSTEM FOR NIKON Z SYSTEM



N120 PORT SYSTEM FOR CANON RF SYSTEM




























	LENS	GEAR	EXTENSIONS	LENS PORT	OPTIONAL ACCESSORIES
STANDARD/ZOOM	<div style="border: 1px solid black; padding: 2px;"> Canon RF 24-105mm f/4 L IS USM </div>	 19565 CR24105-Z	 21140 Extension ring 40 with lock	 18802 8.5" acrylic dome port	
			 21140 Extension ring 40 with lock	 18812 230mm optical glass fisheye port II	
			 21140 Extension ring 40 with lock	 18809 (*1) 180mm optical glass wide angle port	
EF - MOUNT	<div style="border: 1px solid black; padding: 2px;"> EF mount lenses with Canon mount adaptor EF to EOS R <i>*See N120 Canon EF-mount Port System for available lenses</i> </div>	See N120 Canon EF-mount Port System	See N120 Canon EF-mount Port System	See N120 Canon EF-mount Port System	

N120 PORT SYSTEM FOR PANASONIC S SYSTEM

	LENS	GEAR	EXTENSIONS	LENS PORT	REMARKS
STANDARD/ZOOM	Panasonic Lumix S 24-105 f4	 19721 PS24105-Z	 21150 Extension ring 50 with lock	 18802 8.5" acrylic dome port	
			 21150 Extension ring 50 with lock	 18812 230mm optical glass fisheye port II	
			 21150 Extension ring 50 with lock	 18809 (*1) 180mm optical glass wide angle port	
			 21135 N120 Extension Ring 35 with Lock	 85201 0.36x Wide Angle Conversion Port	
WIDE/ZOOM	Leica Super-Vario-Elmar-SL 16-35mm f/3.5-4.5 ASPH	 19722 LS1635-Z	 21170 Extension ring 70 with lock	 18802 8.5" acrylic dome port	
			 21170 Extension ring 70 with lock	 18812(*1) 230mm optical glass fisheye port II	
			 21170 Extension ring 70 with lock	 18815 250mm optical glass wide angle port II	
			 21160 Extension ring 60 with lock	 18809 180mm optical glass wide angle port	
		 19723 LS1635-F	 21271 Extension ring 70 with focus knob for Canon EF 11-24mm f4L USM	 18812 230mm optical glass fisheye port II	

**work at 28-33mm

N120 PORT SYSTEM FOR PANASONIC S SYSTEM

LENS	GEAR	EXTENSIONS	LENS PORT	REMARKS
Sigma 14mm F1.8 DG HSM Art(*2)	 19563 SC14A-F	 21170 Extension ring 70 with lock <i>*Compatible from SN:A201966 onwards</i>	 18802 8.5" acrylic dome port	
		 21170 Extension ring 70 with lock <i>*Compatible from SN:A201966 onwards</i>	 18812 (*1) 230mm optical glass fisheye port II	
Sigma 20mm F1.4 DG HSM Art(*2)		 21170 Extension ring 70 with lock	 18802 8.5" acrylic dome port	
		 21170 Extension ring 70 with lock	 18815 250mm optical glass wide angle port II	
		 21170 Extension ring 70 with lock	 18812 (*1) 230mm optical glass fisheye port II	
		 21160 Extension ring 60 with lock	 18809 180mm optical glass wide angle port	
Sigma 14-24mm F2.8 DG HSM Art	 19564 SC1424A-Z	 21170 Extension ring 70 with lock <i>*Compatible from SN:A201966 onwards</i>	 18802 8.5" acrylic dome port	
		 21170 Extension ring 70 with lock <i>*Compatible from SN:A201966 onwards</i>	 18815 250mm optical glass wide angle port II	
		 21170 Extension ring 70 with lock <i>*Compatible from SN:A201966 onwards</i>	 18812 (*1) 230mm optical glass fisheye port II	
		 21160 Extension ring 60 with lock <i>*Compatible from SN:A143566 onwards</i>	 18809 180mm optical glass wide angle port	
Sigma 12-24mm F4 DG HSM Art	 19556 SC1224A-Z	 21160* Extension ring 60 with lock <i>*Compatible from SN:A143566 onwards</i>	 18812 (*1) 230mm optical glass fisheye port II	
		 21150 Extension ring 50 with lock <i>*Compatible from SN:A213191 onwards</i>	 18815 250mm optical glass wide angle port II	

SIGMA'S EF MOUNT LENSES WITH MOUNT CONVERTER MC-21(EF-L) *3

Remarks:

*1 Most recommended

*2 MC-21 is not necessary for native L-Mount lenses

*3 MC-21 can not be used in combination with teleconverter, Operations using other non-compatible lenses are not guaranteed.


N100 PORT SYSTEM FOR SONY A7RIII/A9/A7II/A7R II/A7S II SYSTEM

	LENS	GEAR	PORT BASE	EXTENSIONS	LENS PORT	OPTIONAL ACCESSORIES
MACRO	Sony SEL50M28 FE 50mm F2.8 Macro			37402 N100 Extension ring 40	37127 N100 Flat Port 32	* not compatible with wet diopters **slightly vignette at infinity
	Sony SEL90M28G FE 90mm F2.8 Macro G OSS	37147 SE90-F			37126 N100 Macro port 105	25101 M67 Flip diopter holder for M67 macro ports
STANDARD/ZOOM	Sony SEL2470GM FE 24-70mm F2.8 GM	37151 SFE2470GM-Z 37152 SFE2470GM-F	37303 N100 to N120 35.5mm port adaptor with zoom/focus knob	21160 Extension ring 60 with lock	18809 180mm optical glass wide angle port	
	Sony SEL2470Z Vario-Tessar T* FE 24-70mm F4 ZA OSS	37149 SE2470-Z		37401+37401 N100 Extension ring 30+30	37129 N100 180mm optical glass wide angle port	
			37302 N100 to N120 port adaptor with lock for SEL2470Z		18809 180mm optical glass wide angle port	
		37148 SE2470-F	37303 N100 to N120 35.5mm port adaptor with zoom/focus knob	21130 Extension ring 30 with lock	18809 180mm optical glass wide angle port	
	Sony SEL28F20 FE 28mm F2	37150 SE28-F			37127 N100 Flat Port 32	83201 Wet Wide Lens 1 (WWL-1)
	Sony SEL2870 FE 28-70mm F3.5-5.6 OSS	37141 SE2870-Z			37124 Flat Port 66 with M77 thread	25103 M67 flip diopter holder for M77 macro ports
		37303 N100 to N120 35.5mm port adaptor with zoom/focus knob	21120 Extension ring 20 with lock	85201 0.36x Wide Angle Conversion Port		
	Sony SEL35F28Z Sonnar T* FE 35mm F2.8 ZA				37122 4" wide angle port	
					37130 N100 Flat Port 23	83201 Wet Wide Lens 1 (WWL-1)
	Sony SEL55F18Z AE Sonnar T* FE 55mm F1.8 ZA				37123 N100 Macro Port 55	25101 M67 Flip diopter holder for M67 macro ports

N100 PORT SYSTEM FOR SONY A7RIII/A9/A7II/A7R II/A7S II SYSTEM

	LENS	GEAR	PORT BASE	EXTENSIONS	LENS PORT	OPTIONAL ACCESSORIES
WIDE/ZOOM	Sony SEL1224G FE 12-24mm F4 G	37153 SFE1224-Z 37154 SFE1224-F	37303 N100 to N120 35.5mm port adaptor with zoom/focus knob	21140 Extension ring 40 with lock	18812 (*1) 230mm optical glass fisheye port II	
	Sony SEL1635GM FE 16-35mm F2.8 GM	37155 SFE1635GM-Z 37156 SFE1636GM-F	37303 N100 to N120 35.5mm port adaptor with zoom/focus knob	21170 Extension ring 70 with lock 21160 Extension ring 60 with lock	18812 (*1) 230mm optical glass fisheye port II 18809 180mm optical glass wide angle port	
	Sony SEL1635Z Vario-Tessar T* FE 16-35mm F4 ZA OSS	37145 SE1635-Z 37146 SE1635-F	37303 N100 to N120 35.5mm port adaptor with zoom/focus knob	37401+37403 N100 Extension ring 30+50 21160 Extension ring 60 with lock 21150 Extension ring 50 with lock	37129 N100 180mm optical glass wide angle port 18812 (*1) 230mm optical glass fisheye port II 18809 180mm optical glass wide angle port	
WIDE/ZOOM	Zeiss Batis 2.8/18		37303 N100 to N120 35.5mm port adaptor with zoom/focus knob	21120 Extension ring 20 with lock	18809 180mm optical glass wide angle port	
	Sony SEL28F20 + SEL075UWC FE 28mm F2 + FE Ultra wide adaptor		37303 N100 to N120 35.5mm port adaptor with zoom/focus knob	21130 Extension ring 30 with lock	18809 180mm optical glass wide angle port	
FISHEYE/ZOOM	Sony SEL28F20 + SEL057FEC FE 28mm F2 + FE Fisheye adaptor		37303 N100 to N120 35.5mm port adaptor with zoom/focus knob	21130 Extension ring 30 with lock	18810 N120 140mm optical glass fisheye port	
	Metabones EF Lens to NEX Smart Adapter III w/ Sigma 15mm F2.8 EX DG Diagonal Fisheye	19546 SC15-F	37303 N100 to N120 35.5mm port adaptor with zoom/focus knob		18810 N120 140mm optical glass fisheye port	

N100 PORT SYSTEM FOR SONY A7RIII/A9/A7II/A7R II/A7S II SYSTEM



N85 PORT SYSTEM FOR PANASONIC & OLYMPUS & BMPCC M4/3 SYSTEM

	LENS	GEAR	PORT BASE	EXTENSIONS	LENS PORT	OPTIONAL ACCESSORIES
MACRO	Olympus M.Zuiko Digital ED 30mm f3.5 Macro				36135 Macro port 45	# Wet Dioptors are not compatible with this lens
	Olympus M.Zuiko Digital ED 60mm f2.8 Macro	36149 O60-F			36163 Macro port 65	25101 M67 Flip diopter holder for M67 macro ports
				36620 Mini extension ring 20	36135 Macro port 45	25101 M67 Flip diopter holder for M67 macro ports
				36630 Mini extension ring 30	36139 Macro Port 35	25101 M67 Flip diopter holder for M67 macro ports
	Panasonic Lumix G Macro 30mm f/2.8 Asph. Mega O.I.S.				36135 Macro port 45	# Wet Dioptors are not compatible with this lens
	Panasonic LEICA DG MACRO-ELMARIT 45mm F2.8 ASPH. MEGA O.I.S.	36145 P45-F			36135 Macro port 45	25101 M67 Flip diopter holder for M67 macro ports
STANDARD/ZOOM	Olympus M.ZUIKO DIGITAL ED 12-40mm f/2.8 PRO	36045 O1240-Z			36129 7" acrylic dome port	
			36052(*2) N85 to N120 47mm port adaptor with focus knob	21120 Extension ring 20 with lock	18809 (*1) 180mm optical glass wide angle port	
		36065 O1240-F	36401(*3) N85 to N120 55mm port adaptor with knob	21110 Extension ring 10 with screws	18809 180mm optical glass wide angle port	
	Olympus M.ZUIKO DIGITAL ED 12-50mm f/3.5-6.3 EZ	36147* O1250-Z <i>*36059 for use with NA-GH5/EM1X</i>			36161 Macro Port with M77 thread	25103 M67 flip diopter holder for M77 macro ports
					36137 4" wide angle port	25105 M67 Flip diopter holder for 36137
	Olympus M.ZUIKO DIGITAL 14-42mm F3.5-5.6 II R	36143 O1442-Z			36136 Macro port 56	83201 Wet Wide Lens 1 (WWL-1)
				36137 4" wide angle port	25105 M67 Flip diopter holder for 36137	
		36067 O1442-F			36166* N85 Macro Port 56 with Focus Knob **Slightly vignetting in 16501 NA-BMPCCII Housing, zoom from 15mm	83201 Wet Wide Lens 1 (WWL-1)

Remarks:

*1. Most recommended *2. 36052 before SN: A297188 is incompatible with NA-EM1X *3. 36401 before SN: A393237 is incompatible with NA-EM1X *4 Not compatible with wet macro lenses

N85 PORT SYSTEM FOR PANASONIC & OLYMPUS & BMPCC M4/3 SYSTEM

	LENS	GEAR	PORT BASE	EXTENSIONS	LENS PORT	OPTIONAL ACCESSORIES
STANDARD	Olympus M.ZUIKO DIGITAL ED 14-42mm F3.5-5.6 EZ	36047 O1442EZ-Z			36165 N85 Power Zoom Macro Port 29	83201 Wet Wide Lens 1 (WWL-1)
	Panasonic LUMIX G VARIO 12-32mm F3.5-5.6 ASPH. MEGA O.I.S.	36046 P1232-Z		36620 Mini extension ring 20	36131 3.5" wide angle port	
					36165 N85 Power Zoom Macro Port 29	83201 Wet Wide Lens 1 (WWL-1)
MACRO/WIDE	Olympus M.Zuiko Digital ED 30mm f3.5 Macro			36135 Macro port 45	86201 (*4) MWL-1	86221 Flip Holder for MWL-1
	Panasonic Lumix G Macro 30mm f/2.8 Asph. Mega O.I.S.			36135 Macro port 45	86201 (*4) MWL-1	86221 Flip Holder for MWL-1
STANDARD/ZOOM	Panasonic LUMIX G X Vario 12-35mm F2.8 I/ II ASPH. POWER O.I.S.	36148 P1235-Z			36133 6" wide angle port	
		36042* P1235-F			36164 6" wide angle port with Focus knob	# Compatible to Ver.II lens from A107953
			36052(*2) N85 to N120 47mm port adaptor with focus knob	21120 Extension ring 20 with lock	18809 (*1) 180mm optical glass wide angle port	
	Panasonic LEICA DG VARIO-ELMARIT 12-60mm F2.8-4.0 ASPH. POWER O.I.S.	36058 PL1260-Z			36129 7" acrylic dome port	
		36068 PL1260-F	36401(*3) N85 to N120 55mm port adaptor with knob	21110 Extension ring 10 with screws	18809 180mm optical glass wide angle port	
	Panasonic LUMIX G 14mm / F2.5 ASPH				36131 3.5" wide angle port	
					36151 N10 Pancake Port	83201 Wet Wide Lens 1 (WWL-1)
	Panasonic LUMIX G VARIO 14-42mm F3.5-5.6 ASPH. MEGA O.I.S.	36141 P1442-Z			36121 Flat port 72	25104 M67 Flip diopter holder for 36121
					36137 4" wide angle port	25105 M67 Flip diopter holder for 36137

Remarks:

*1. Most recommended *2. 36052 before SN: A297188 is incompatible with NA-EM1X *3. 36401 before SN: A393237 is incompatible with NA-EM1X *4 Not compatible with wet macro lenses

N85 PORT SYSTEM FOR PANASONIC & OLYMPUS & BMPCC M4/3 SYSTEM

	LENS	GEAR	PORT BASE	EXTENSIONS	LENS PORT	OPTIONAL ACCESSORIES
STANDARD/ZOOM	Panasonic LUMIX G VARIO 14-42mm F3.5-5.6 II ASPH. MEGA O.I.S.	36057 P1442II-Z			36139 Macro Port 35	83201 Wet Wide Lens 1 (WWL-1)
	Panasonic LUMIX G X VARIO PZ 14-42mm F3.5-5.6 ASPH. Power O.I.S.	36146 P1442X-PZ <i>*36061 for use with NA-GH5</i>			36165 N85 Power Zoom Macro Port 29	83201 Wet Wide Lens 1 (WWL-1)
	Panasonic LUMIX G VARIO 14-45mm F3.5-5.6 ASPH. MEGA O.I.S.	36053 P1445-Z			36121 Flat port 72 36137 4" wide angle port	25104 M67 Flip diopter holder for 36121 25105 M67 Flip diopter holder for 36137
WIDE/ZOOM	Olympus M.ZUIKO DIGITAL ED 9-18mm F4.0-5.6	36144 O918-Z			36137 4" wide angle port	
			36052(*2) N85 to N120 47mm port adaptor with focus knob	21120 Extension ring 20 with lock	18809 (*1) 180mm optical glass wide angle port	
			36401(*3) N85 to N120 55mm port adaptor with knob	21110 Extension ring 10 with screws	18809 180mm optical glass wide angle port	
	Olympus M.ZUIKO DIGITAL ED 12mm f/2.0			36620 Mini extension ring 20	36048 (*1) N85 140mm optical glass fisheye port	
					36132 4.33" dome port	*Incompatible with NA-EM1X
				36620 Mini extension ring 20	36131 3.5" wide angle port	
	Olympus M.ZUIKO DIGITAL ED 7-14mm F2.8 PRO	36054 O714-Z 36055 O714-F	36401(*3) N85 to N120 55mm port adaptor with knob		18809 (*1) 180mm optical glass wide angle port	
	Panasonic LUMIX G VARIO 7-14mm/F4.0 ASPH	36044 P714-Z 36043 P714-F			36133 6" wide angle port 36164 6" wide angle port with Focus knob	
			36052(*2) N85 to N120 47mm port adaptor		18809 (*1) 180mm optical glass wide angle port	

Remarks:

*1. Most recommended *2. 36052 before SN: A297188 is incompatible with NA-EM1X *3. 36401 before SN: A393237 is incompatible with NA-EM1X *4 Not compatible with wet macro lenses

N85 PORT SYSTEM FOR PANASONIC & OLYMPUS & BMPCC M4/3 SYSTEM

	LENS	GEAR	PORT BASE	EXTENSIONS	LENS PORT	OPTIONAL ACCESSORIES
WIDE/ZOOM	Panasonic Leica DG Vario Elmarit 8-18mm f/2.8-4.0 ASPH	36062 PL818-Z	with focus knob		36129 7" acrylic dome port	
			36063 PL818-F	36401(*3) N85 to N120 55mm port adaptor with knob	21120 Extension ring 20 with lock	18809 (*1) 180mm optical glass wide angle port
FISHEYE/ZOOM	OLYMPUS M.ZUIKO DIGITAL ED 8mm F1.8 Fisheye PRO	36056 O8-F		36617 Mini extension ring 17	36048 (*1) N85 140mm optical glass fisheye port	
				36620 Mini extension ring 20	36132 4.33" dome port	
	Panasonic LUMIX G FISHEYE 8mm / F3.5	36041 P8-F			36132 4.33" dome port	# Incompatible with NA-EM1X
					36131 3.5" wide angle port	Slightly vignetting in 4:3 aspect ratio
					36048 (*1) N85 140mm optical glass fisheye port	# Incompatible with NA-EM1X Vignetting in 4:3 aspect ratio
	Panasonic X VARIO PZ 14-42mm with Fisheye Conversion Lens [DMW-GFC1]	36146 P1442X-PZ		36630 Mini extension ring 30	36132 4.33" dome port	
EF LENSES	EF mount lenses with Metabones EF-MFT mount T Speed Booster ULTRA 0.71x <i>*See Canon N120 Port System for available lenses</i>		36064* N85 to N120 34.7mm port adaptor with knob			# Incompatible with NA-EM1X

Remarks:

*1. Most recommended *2. 36052 before SN: A297188 is incompatible with NA-EM1X *3. 36401 before SN: A393237 is incompatible with NA-EM1X *4 Not compatible with wet macro lenses

N85 PORT SYSTEM FOR SONY E-MOUNT SYSTEM

	LENS	GEAR	PORT BASE	EXTENSIONS	LENS PORT	OPTIONAL ACCESSORIES
MACRO	Sony SEL30M35 E 30mm F3.5 Macro	36171 SE30-F			36128 Macro port 45 with knob	
					36135 Macro port 45	* not compabitle with wet diopters
	Sony SEL50M28 FE 50mm F2.8 Macro		36206(*2) N85 to N120 50mm port adaptor with zoom/focus knob		18704 Macro port 41	* not compabitle with wet diopters
	Sony SEL90M28G FE 90mm F2.8 Macro G OSS	36175 SFE90-F	36205 N85 to N100 65mm port adaptor with zoom/focus knob		37123* N100 Macro Port 55 <i>*Compatible from SN:A175724 onwards</i>	25101 M67 Flip diopter holder for M67 macro ports
			36204(*2) N85 to N120 60mm port adaptor		18701 Macro port 60	25101 M67 Flip diopter holder for M67 macro ports
			36206(*2) N85 to N120 50mm port adaptor with zoom/focus knob	21110 Extension ring 10 with screws	18701 Macro port 60	25101 M67 Flip diopter holder for M67 macro ports
Sony A-mount Adaptor [LA-EA1] with SAL30M28 DT 30mmF2.8 Macro SAM				36202 EA30 port	* not compabitle with wet diopters	
Metabones EF Lens to NEX Smart Adapter II with Canon EF-S 60mm f/2.8 Macro USM	36203 EEF60-F			36203 EEF60 port	25101 M67 Flip diopter holder for M67 macro ports	
Carl Zeiss Touit 2.8/50M			36630 Mini extension ring 30	36135 Macro port 45	25101 M67 Flip diopter holder for M67 macro ports	
STANDARD/ZOOM	Sony SEL16F28 E 16mm F2.8				36126 E16 pancake port	
					36125 E mount 4.33" fisheye port	
	Sony SELP1650 E PZ 16-50mm F3.5-5.6 OSS	36172 SE1650-PZ			36128 Macro port 45 with knob	25101 M67 Flip diopter holder for M67 macro ports

Remarks:

*1). most recommended

*2). Sea and Sea style fiber optic cable adaptors are not usable on NA-NEX5/5N/5R.

N85 PORT SYSTEM FOR SONY E-MOUNT SYSTEM

	LENS	GEAR	PORT BASE	EXTENSIONS / PORT	LENS / PORT	OPTIONAL ACCESSORIES
STANDARD/ZOOM	Sony SEL1670Z Vario-Tessar T* E 16-70mm F4 ZA OSS	36174 SE1670-Z			36129 7" acrylic dome port	
			36206(*2) N85 to N120 50mm port adaptor with zoom/focus knob	21120 Extension ring 20 with lock	18809 180mm optical glass wide angle port	
MACRO/WIDE	Sony SEL1855 E 18-55mm F3.5-5.6 OSS	36122 SE1855-Z			36121 Flat port 72	25104 M67 Flip diopter holder for 36121
					36137 4" wide angle port	25105 M67 Flip diopter holder for 36137
MACRO/WIDE	Sigma 19mm F2.8 DN A			36135 Macro port 45	Wet Wide Lens 1 (WWL-1)	
	Carl Zeiss Touit 2.8/50M		36630 Mini extension ring 30	36135 Macro port 45	86201 (*1) MWL-1	86222 Double Flip Holder for MWL-1
WIDE/ZOOM	Sony SEL1018 E 10-18mm F4 OSS	36173 SE1018-Z			36129 7" acrylic dome port	
			36204(*2) N85 to N120 60mm port adaptor		18809 (*1) 180mm optical glass wide angle port	
			36206(*2) N85 to N120 50mm port adaptor with zoom/focus knob	21110 Extension ring 10 with screws	18809 180mm optical glass wide angle port	
	Carl Zeiss Touit 2.8/12		36204(*2) N85 to N120 60mm port adaptor		18809 180mm optical glass wide angle port	
		36206(*2) N85 to N120 50mm port adaptor with zoom/focus knob	21110 Extension ring 10 with screws	18809 180mm optical glass wide angle port		

Remarks:

*1). most recommended

*2). Sea and Sea style fiber optic cable adaptors are not usable on NA-NEX5/5N/5R.

N85 PORT SYSTEM FOR SONY E-MOUNT SYSTEM

	LENS	GEAR	PORT BASE	EXTENSIONS / PORT	LENS / PORT	OPTIONAL ACCESSORIES
WIDE / ZOOM	Sony SEL16F28 with Ultra-wide Converter [VCL-ECU1]				36125	E mount 4.33" fisheye port
	Sony SEL16F28 with Fisheye Converter [VCL-ECF1]				36125	E mount 4.33" fisheye port
	Tokina AT-X 107 AF DX Fisheye AF 10-17mm f/3.5-4.5 (Canon mount) with Metabones EF Lens to NEX Smart Adapter III / IV	19529 TC1017-Z	36206(*2) N85 to N120 50mm port adaptor with zoom/focus knob			18804
NIKONOS	U/W Nikkor 15 mm f/2.8					
	U/W Nikkor 20 mm f/2.8					
	U/W Nikkor 28 mm f/3.5					
	U/W NIKkor 35mm f/2.5					
	U/W Nikkor 80mm f/4					
	Sea & Sea 12mm f/3.5 Fisheye for Nikonos					
		36201 Nikonos to NEX adaptor				36317 Filter holder for Nikonos adaptor

Remarks:

*1). most recommended

*2). Sea and Sea style fiber optic cable adaptors are not usable on NA-NEX5/5N/5R.

0.36x WIDE ANGLE CONVERSION PORT FOR N120 NIKON DSLR SYSTEM

	LENS	GEAR	EXTENSIONS	LENS PORT	Remarks
NIKON APS-C	Nikon AF-S DX NIKKOR 18-55mm f/3.5-5.6G VR II	19144 N1855VR II-Z	21135 N120 Extension Ring 35 with Lock	85201 0.36x Wide Angle Conversion Port	* 1) Most recommended
	Nikon AF-S 17-35mm f/2.8D IF-ED	19130 N1735-Z	21150 Extension ring 50 with lock	85201 0.36x Wide Angle Conversion Port	* zoom from 18 mm
	Nikon AF-S NIKKOR 16-35mm f/4G ED VR	19138 N1635-Z	21170 Extension ring 70 with lock	85201 0.36x Wide Angle Conversion Port	* zoom from 18 mm
	Nikon AF-S NIKKOR 18-35mm f/3.5-4.5G ED	19141 N1835-Z	21140 Extension ring 40 with lock	85201 0.36x Wide Angle Conversion Port	
NIKON FULL FRAME	Nikon AF-S Nikkor 28mm f/1.8 G		21120 N120 Extension Ring 20 with Lock	85201 0.36x Wide Angle Conversion Port	
	Nikon AF Nikkor 28mm f/2.8D			85201 0.36x Wide Angle Conversion Port	
	Nikon AF Nikkor 28-70mm f/3.5-4.5D	19148 N287of3.5D-Z	21135 N120 Extension Ring 35 with Lock	85201 0.36x Wide Angle Conversion Port	* 1) Most recommended

0.36x WIDE ANGLE CONVERSION PORT FOR N120 CANON DSLR SYSTEM

	LENS	GEAR	EXTENSIONS	LENS PORT	Remarks
CANON APS-C	Canon EF-S 18-55mm f/3.5-5.6 IS STM	19547 C1855ISSTM-Z	21130 Extension ring 30 with lock	85201 0.36x Wide Angle Conversion Port	
	Sigma 18-35mm F1.8 DC HSM A	19552 SC1835f.18-Z	21130+21135 Extension ring 30 +35 with lock	85201 0.36x Wide Angle Conversion Port	*1) Most recommended
			85202 0.36x Wide Angle Conversion Port		
	Canon EF 17-40mm f/4L USM	19528 C1740-Z	21120+21125 Extension ring 20 +25 with lock	85201 0.36x Wide Angle Conversion Port	
	Canon EF 16-35mm F4L IS USM	19548 C1635f4-Z	21130+21135 Extension ring 30 +35 with lock	85201 0.36x Wide Angle Conversion Port	
Canon EF 16-35mm f/2.8L III USM	19554 C1635III-Z	21135+21140 Extension ring 35 +40 with lock	85201 0.36x Wide Angle Conversion Port		
CANON FULL FRAME	Canon EF 28mm f/1.8 USM			85201 0.36x Wide Angle Conversion Port	
	Canon EF 28mm f/2.8 IS USM			85201 0.36x Wide Angle Conversion Port	
	Canon EF 28-70mm f/3.5-4.5 II	19557 C2870f3.5II-Z	21125 N120 Extension Ring 25 with Lock	85201 0.36x Wide Angle Conversion Port	*1) Most recommended
	Canon EF 28-80mm f/3.5-5.6 II	19558 C2880f3.5II-Z	21130 Extension ring 30 with lock	85201 0.36x Wide Angle Conversion Port	
	Canon EF 28-80mm f/3.5-5.6 V USM	19559 C2880f3.5V-Z	21130 Extension ring 30 with lock	85201 0.36x Wide Angle Conversion Port	
	Canon EF 35mm f/2 IS USM			85201 0.36x Wide Angle Conversion Port	

0.36x WACP FOR N120 C200 & RED™ & EVA1

	LENS	ZOOM GEAR	FOCUS GEAR	EXTENSIONS	LENS PORT	REMARKS
Super 35 Sensors (Canon mount)	Canon EF-S 18-55mm f/3.5-5.6 IS STM	16330 RC1855STM-Z	16330 RC1855STM-F	21125 N120 Extension Ring 25 with Lock	85201 0.36x Wide Angle Conversion Port	* zoom from 20mm
	Sigma 18-35mm F1.8 DC HSM A	16326 RSC1835f.18-Z	16326 RSC1835f.18-F	21130+21135 Extension ring 30 +35 with lock	85201 0.36x Wide Angle Conversion Port 85202 0.36x Wide Angle Conversion Port	* zoom from 20mm *1) Most recommended
	Canon EF 16-35mm F4L IS USM	16317 RC1635f4-Z	16318 RC1635f4-F	21160 Extension ring 60 with lock	85201 0.36x Wide Angle Conversion Port	* zoom from 20mm
	Canon EF 16-35mm f/2.8L III USM	16325 RC1635III-Z	16325 RC1635III-F	21170 Extension ring 70 with lock	85201 0.36x Wide Angle Conversion Port	* zoom from 20mm
	Canon EF 28-70mm f/3.5-4.5 II	16334 RC2870II-Z	16334 RC2870II-F	21125 N120 Extension Ring 25 with Lock	85201 0.36x Wide Angle Conversion Port	*1) Most recommended

0.36x WACP FOR N100 Sony A7RIII/A9/A7II/A7R II/A7S II

	LENS	ZOOM GEAR	ADAPTOR	EXNTESIIONS	LENS PORT	
SONY	Sony SEL2870 FE 28-70mm F3.5-5.6 OSS	37141 SE2870-Z	37303 N100 to N120 35.5mm port adaptor	21120 Extension ring 20 with lock	85201 0.36x Wide Angle Conversion Port	

0.36x WACP FOR NN100 PORT SYSTEM FOR FUJIFILM XH1/XT3 SYSTEM

	LENS	ZOOM	FOCUS	EXTENSION	LENS PORT	REMARKS
Sony A7RIII/A9/A7II	FUJINON XF18-55F2.8-4.0	36474 X1855-Z3		37401 N100 Extension ring 30	85203 N100 0.36x Wide Angle Conversion Port (Inc. N100 Extension ring 35,WACP and buoyancy collar)	*work range from 18-30mm

	LENS	EXTENSION/ADAPTORS	LENS PORT	MAX. FOV	Remarks	
N12 NIKON	Nikon AF-S DX Micro NIKKOR 40mm f/2.8G DX	19152 N40G-F	18705 Macro port 45	150°	* Not compatible with wet macro lenses	
	Nikon AF-S Micro NIKKOR 60mm f/2.8G ED	19121 N60G-F	18701 Macro port 60	150°	* 1) Most recommended	
* Not compatible with Nikon AF-S Nikkor 105mm f/2.8G						
N120 CANON	Canon EF 40mm f2.8 STM		18706 N120 Macro Port 12	approx. 135°	* 1) Most recommended	
* Not compatible with Canon EF-S 60mm f2.8 USM						
N85 M4/3	Olympus M.Zuiko Digital ED 30mm f3.5 Macro		36135 Macro port 45	150°	* Not compatible with wet macro lenses	
	Panasonic Lumix G Macro 30mm f/2.8 Asph. Mega O.I.S.		36135 Macro port 45	150°	* Not compatible with wet macro lenses	
* Not compatible with Olympus 60mm f2.8 lens, Panasonic leica 45mm f2.8						
N85 FUJIFILM X	Carl Zeiss Touit 2.8/50M	36422 XZ50-A	36620 Mini extension ring 20	36135 Macro port 45	approx. 115°	* 1) Most recommended
			36630 Mini extension ring 30	36139 Macro Port 35	approx. 115°	
N100 XE1	Carl Zeiss Touit 2.8/50M(X-mount)		37401 N100 Extension ring 30	37127 N100 Flat Port 32	approx. 115°	* 1) Most recommended
			36471 N100 to N85 20mm port adaptor	36135 Macro port 45	approx. 115°	
N85 SONY	Carl Zeiss Touit 2.8/50M	36630 Mini extension ring 30	36135 Macro port 45	approx. 115°	* 1) Most recommended	
COMPACT	Sony Cyber-shot DSC-RX100 III 17413 NA-RX100III			approx. 130°	Zoom from 65mm	
	Sony Cyber-shot DSC-RX100 IV 17415 NA-RX100IV			approx. 130°	Zoom from 65mm	
	Sony Cyber-shot DSC-RX100 V 17418 NA-RX100V			approx. 130°	Zoom from 65mm	
	Sony Cyber-shot DSC-RX100 VI 17421 NA-RX100VI		38703 N50 Short Port with Bayonet Mount	150°	* 1) Most recommended Zoom from 60 to 65mm	
	Canon PowerShot G7X 17318 NA-G7X housing			approx. 130°	Zoom from 65mm	
	Canon PowerShot G7XII 17324 NA-G7XII Housing			approx. 130°	Zoom from 65mm	
	PANASONIC Panasonic Lumix DMC-LX10 17414 NA-LX10 Housing			approx. 130°	Zoom from 65mm	

P/N: 86201

Macro to Wide angle Lens 1 (MWL-1) 150 deg. FOV with full frame 60mm macro lens

Specification

Model: 86201 MWL-1
Outer diameter x Length: DIA108 mm x 120 mm
Weight (air / underwater): 1.20kg / 0.58kg
Body construction: Hard-anodized aluminium alloy
Lens construction: 7 elements in 5 groups (inc. one aspherical element)
Lens coatings: Both side anti-reflection coating
Focal distance: From front element of lens to infinity
Field of view (underwater): 150° (Ref. 60mm equiv.)
Mount system: NA Bayonet or M67
Depth rating: 100m

Included in Box:

M67 to Bayonet Mount Converter (83213)
Rear lens cap for WWL-1/MWL-1 (83221)
Bayonet Mounting Ring for MWL-1
Neoprene cover
Carrying Bag
Cleaning Cloth

Optional accessories:

86221 M67 Flip holder for MWL-1
86222 Double Flip Holder for MWL-1
Bayonet Mount Holder for SMC/CMC (83214)
Bayonet Mount Lens Holder for Arms (83222)
Bayonet Mount Double Lens Holder for Arms (83223)
Single Bayonet Holder for Ø70 Float Arm (72231)
Double Bayonet Holder for Ø70 Float Arm (72232)
Single Bayonet Holder for Ø90 Float Arm (72241)
Double Bayonet Holder for Ø90 Float Arm (72242)
Bayonet Mount Lens Holder for Inon Float Arms (83227)

N85 PORT SYSTEM FOR CANON EF-M SYSTEM

	LENS	GEAR	PORT BASE	EXTENSIONS	LENS PORT	OPTIONAL ACCESSORIES
MACRO	EF-EOS M adaptor with Canon EF-S 60mm f2.8 Macro USM	36192 CMEF60-F			36182 Macro port for CMEF60	25101 M67 Flip diopter holder for M67 macro ports
		19521 C60-F	36184* N85 to N120 41.5mm port adaptor		18704 Macro port 41	25101 M67 Flip diopter holder for M67 macro ports
	EF-EOS M adaptor with Canon EF 100mm f/2.8L Macro IS USM	19523 C100IS-F	36184* N85 to N120 41.5mm port adaptor		18703 Macro port 94	25101 M67 Flip diopter holder for M67 macro ports
		36204 N85 to N120 60mm port adaptor	21130 Extension ring 30 with lock	18704 Macro port 41	25101 M67 Flip diopter holder for M67 macro ports	
STANDARD/ZOOM	Canon EF-M 15-45mm f/3.5-6.3 IS STM	36195 CM1545-Z			36135 Macro port 45	83201 Wet Wide Lens 1 (WWL-1)
	Canon EF-M 18-55mm f/3.5-5.6 IS STM	36191 CM1855-Z			36181 4" semi-dome port	
	Canon EF-M 22mm f/2 STM				36131 3.5" wide angle port 36126 E16 pancake port	83201 Wet Wide Lens 1 (WWL-1)
WIDE/ZOOM	Canon EF-M 11-22mm f/4-5.6 IS STM	36194 CM1122-Z			36129 7" acrylic dome port 36133 6" wide angle port 36181 4" semi-dome port	
			36204 N85 to N120 60mm port adaptor		18809 (*1) 180mm optical glass wide angle port	
	EF-EOS M adaptor with Canon EF 8-15mm f/4L Fisheye USM	36193 CMEF815-Z			36183 4.33" dome port for CMEF815	
		19537 C815-Z	36184* N85 to N120 41.5mm port adaptor	21130 Extension ring 30 with lock	18811 (*1) N120 140mm optical glass fisheye port with removable shade	
EF MOUNT	Canon EF mount lenses with Canon EF-EOS M adaptor <i>*See Canon N120 Port System for available lenses</i>		36184* N85 to N120 41.5mm port adaptor			

N85 PORT SYSTEM FOR FUJIFILM XT1&XT2 SYSTEM

	LENS	GEAR	PORT BASE	EXTENSIONS	LENS PORT	OPTIONAL ACCESSORIES
MACRO	Carl Zeiss Touit 2.8/50M	36422 XZ50-A		36620 Mini extension ring 20	36135 Macro port 45	25101 M67 Flip diopter holder for M67 macro ports
				36630 Mini extension ring 30	36139 Macro Port 35	25101 M67 Flip diopter holder for M67 macro ports
MACRO	FUJINON XF60mmF2.4 R Macro	36423 X60-A			36163 Macro port 65	25101 M67 Flip diopter holder for M67 macro ports
				36620 Mini extension ring 20	36135 Macro port 45	25101 M67 Flip diopter holder for M67 macro ports
STANDARD/ZOOM	FUJINON XF18-55F2.8-4.0	36442 X1855-A				
		36443 X1855-Z1	36401 N85 to N120 55mm port adaptor with knob		18809 (*1) 180mm optical glass wide angle port	
		36444 X1855-Z2			36164 6" wide angle port with Focus knob	
WIDE/ZOOM	FUJINON XF10-24mmF4 R OIS	36421 X1024-A				
		36441 X1024-Z	36401 N85 to N120 55mm port adaptor		18809 180mm optical glass wide angle port	
	FUJINON XF18mmF2	36445 X18-A			36126 E16 pancake port	83201 Wet Wide Lens 1 (WWL-1)
WIDE/ZOOM	FUJINON XF23mmF2	36446 X23-A			36139 Macro Port 35	83201 Wet Wide Lens 1 (WWL-1)
				36617 Mini extension ring 17	36126 E16 pancake port	83201 Wet Wide Lens 1 (WWL-1)
MACRO/WIDE	Carl Zeiss Touit 2.8/50M		36620 Mini extension ring 20	36135 Macro port 45	86201(*1) MWL-1	86222 Double Flip Holder for MWL-1
			36630 Mini extension ring 30	36139 Macro Port 35	86201 MWL-1	86222 Double Flip Holder for MWL-1

Remarks: * 1) Most recommended

N100 PORT SYSTEM FOR FUJIFILM XH1/XT3 SYSTEM

	LENS	GEAR	PORT BASE	EXTENSIONS	LENS PORT	OPTIONAL ACCESSORIES
MACRO	Carl Zeiss Touit 2.8/50M			37401 N100 Extension ring 30	37127 N100 Flat Port 32	25101 M67 Flip diopter holder for M67 macro ports
				36471 N100 to N85 20mm port adaptor	36135 Macro port 45	25101 M67 Flip diopter holder for M67 macro ports
	FUJINON XF60mmF2.4 R Macro			37401 N100 Extension ring 30	37127 N100 Flat Port 32	25101 M67 Flip diopter holder for M67 macro ports
				36471 N100 to N85 20mm port adaptor	36135 Macro port 45	25101 M67 Flip diopter holder for M67 macro ports
	FUJINON XF80mm	36473 X80-F			37125 N100 Macro port 110	25101 M67 Flip diopter holder for M67 macro ports
STANDARD/ZOOM	FUJINON XF18-55F2.8-4.0	36474 X1855-Z3		37403 N100 Extension ring 50	37129 N100 180mm optical glass wide angle port	
				37304 N100 to N120 55mm port adaptor	18809 180mm optical glass wide angle port	
				37401 N100 Extension ring 30	85203 N100 0.36x Wide Angle Conversion Port	* Work range from 18-30mm
	Fujifilm XC 15-45mm f3.5-5.6 OIS PZ	36476 X1545PZ-Z			36478 N100 Flat Port 40	83201 Wet Wide Lens 1 (WWL-1)
WIDE/ZOOM	FUJINON XF10-24mmF4 R OIS	36475 X1024-Z		37403 N100 Extension ring 50	37129 N100 180mm optical glass wide angle port	
				37304 N100 to N120 55mm port adaptor	18809 180mm optical glass wide angle port	
	FUJINON XF18mmF2				36472 N100 Flat Port 13	83201 Wet Wide Lens 1 (WWL-1)
	FUJINON XF23mmF2				37127 N100 Flat Port 32	83201 Wet Wide Lens 1 (WWL-1)
	FUJIFILM XF 8-16mm f2.8 R LM WR	36477 X816-Z	37304 N100 to N120 55mm port adaptor	21110 Extension ring 10 with screws	18809 180mm optical glass wide angle port	*N100 Extensions with 37129 is incompatible
				21130 Extension ring 30 with lock	18812(*1) 230mm optical glass fisheye port II	
MACRO/WIDE	Carl Zeiss Touit 2.8/50M		37401 N100 Extension ring 30		37127 N100 Flat Port 32	86222 Double Flip Holder for MWL-1
			36471 N100 to N85 20mm port adaptor		36135 Macro port 45	86222 Double Flip Holder for MWL-1

N120 PORT SYSTEM FOR FUJIFILM GF-MOUNT SYSTEM

	LENS	GEAR	EXTENSIONS	LENS PORT
MACRO	Fujinon GF 120mm f4R macro Lens	19823 GF120-F	21160 Extension ring 60 with lock	18701 Macro port 60
STANDARD/ZOOM	Fujinon GF 32-64mm F4	19822 GF3264-Z	21170 Extension ring 70 with lock	18802 8.5" acrylic dome port
			21170 Extension ring 70 with lock	18812 230mm optical glass fisheye port II
			21170 Extension ring 70 with lock	18809 180mm optical glass wide angle port
	Fujinon GF 63mm f2.8R			18701 Macro port 60
WIDE/ZOOM	FUJINON GF 23mmF4 R LM WR		21155 Extension ring 55 with lock	18815 250mm optical glass wide angle port II <i>*Close focus distance is 0.24m</i>
			21135 Extension ring 35 with lock	18802 8.5" acrylic dome port <i>*Close focus distance is 0.55m</i>
			21135 Extension ring 35 with lock	18812 230mm optical glass fisheye port II <i>*Close focus distance is 0.46m</i>
	FUJINON GF 45mmF2.8 R WR		21130 Extension ring 30 with lock	85201 0.36x Wide Angle Conversion Port
				18701 Macro port 60

N120 PORT SYSTEM FOR C200 & EVA1 & RED™ SYSTEM (Canon mount)

	LENS	ZOOM GEAR	FOCUS GEAR	EXTENSIONS	LENS PORT
MACRO	Canon EF-S 60mm f2.8 Macro USM		19521 C60-F		18704 Macro port 41
	Canon EF 100mm f/2.8L Macro IS USM		19523 C100IS-F		18703 Macro port 94
	Laowa 24mm f/14 2X Macro Probe		16335* Cine gear set <small>*Support both standard and Cine version lenses</small>	21170 Extension ring 70 with lock <small>*Compatible from SN:A201966 onwards</small>	16336 N120 Port Adaptor for Laowa 24mm f/14 2x Macro Probe
STANDARD/ZOOM	Canon EF 24-70mm f/2.8L II USM	16313 RC2470II-Z	16314 RC2470II-F	21170 Extension ring 70 with lock	18802 8.5" acrylic dome port 18812 (*1) 230mm optical glass fisheye port II
	Sigma 17-70mm F2.8-4 DC Macro OS HSM C	16331 RSC1770OSC-Z	16331 RSC1770OSC-F	21140 Extension ring 40 with lock	18802 8.5" acrylic dome port 18812 (*1) 230mm optical glass fisheye port II
	Sigma 18-35mm F1.8 DC HSM A	16326 RSC1835f.18-Z	16326 RSC1835f.18-F	21180 Extension ring 80 with lock 21150+21150 Extension ring 100 with lock 21180 Extension ring 80 with lock 21180 Extension ring 80 with lock 21130+21135 Extension ring 30 +35 with lock	18802 8.5" acrylic dome port 18815 250mm optical glass wide angle port II 18812 230mm optical glass fisheye port II 18809 (*1) 180mm optical glass wide angle port 85201 (*1) 0.36x Wide Angle Conversion Port * zoom from 20mm 85202 0.36x Wide Angle Conversion Port
	Canon EF-S 18-55mm f/3.5-5.6 IS STM	16330 RC1855STM-Z	16330 RC1855STM-F	21125 N120 Extension Ring 25 with Lock	85201 0.36x Wide Angle Conversion Port * zoom from 20mm
	Canon EF 28-70mm f/3.5-4.5 II	16334 RC2870II-Z	16334 RC2870II-F	21125 N120 Extension Ring 25 with Lock	85201(*1) 0.36x Wide Angle Conversion Port
	Canon EF 24-105mm f/4L IS USM	16337 RC24105-Z	16337 RC24105-F	21170 Extension ring 70 with lock	18802 8.5" acrylic dome port 18812 230mm optical glass fisheye port II 18809 (*1) 180mm optical glass wide angle port
	Canon EF-S 10-22mm f/3.5-4.5 USM	16303 RC1022-Z	16304 RC1022-F	21160 Extension ring 60 with lock 21120 Extension ring 20 with lock 21160 Extension ring 60 with lock 21160 Extension ring 60 with lock	18802 8.5" acrylic dome port 23211 8.5" white balance acrylic dome port 18815 250mm optical glass wide angle port II 18812 (*1) 230mm optical glass fisheye port II
	Canon EF 11-24mm f/4L USM	16315 RC1124-Z	16316 RC1124-F	21150 Extension ring 50 with lock <small>*Compatible from SN:A213191 onwards</small> 21170 Extension ring 70 with lock <small>*Compatible from SN:A201966 onwards</small> 21271 Extension ring 70 for Canon EF 11-24mm f4L USM	18815 (*1) 250mm optical glass wide angle port II 18812 230mm optical glass fisheye port II 18812 230mm optical glass fisheye port

N120 PORT SYSTEM FOR C200 & EVA1 & RED™ SYSTEM (Canon mount)

LENS	ZOOM GEAR	FOCUS GEAR	EXTENSIONS	LENS PORT
Canon EF 16-35mm f/2.8L II USM	16311 RC1635II-Z	16312 RC1635II-F	21170 Extension ring 70 with lock	18802 8.5" acrylic dome port
			21180 Extension ring 80 with lock	18815 250mm optical glass wide angle port II
			21180 Extension ring 80 with lock	18812 (*1) 230mm optical glass fisheye port II
			21170 Extension ring 70 with lock	18809 180mm optical glass wide angle port
Canon EF 16-35mm F4L IS USM	16317 RC1635f4-Z	16318 RC1635f4-F	21170 Extension ring 70 with lock	18802 8.5" acrylic dome port
			21180 Extension ring 80 with lock	18815 250mm optical glass wide angle port II
			21180 Extension ring 80 with lock	18812 (*1) 230mm optical glass fisheye port II
			21170 Extension ring 70 with lock	18809 180mm optical glass wide angle port
			21160 Extension ring 60 with lock	85201 0.36x Wide Angle Conversion Port * zoom from 20mm
Canon EF 16-35mm f/2.8L III USM	16325 RC1635III-Z	16325 RC1635III-F	21190 Extension ring 90 with lock	18802 8.5" acrylic dome port
			21190 Extension ring 90 with lock	18815 250mm optical glass wide angle port II
			21190 Extension ring 90 with lock	18812 (*1) 230mm optical glass fisheye port II
			21180 Extension ring 80 with lock	18809 180mm optical glass wide angle port
			21170 Extension ring 70 with lock	85201 0.36x Wide Angle Conversion Port * zoom from 20mm
Zeiss Distagon T* 2,8/15 ZE		16319 ZC15-F	21155* Extension ring 55 with lock <i>*Compatible from SN:A055053 onwards</i>	18812 230mm optical glass fisheye port II
Zeiss Milvus 2.8/18 ZE		16329 ZMC-F	21150 Extension ring 50 with lock	18812 230mm optical glass fisheye port II
			21150 Extension ring 50 with lock	18809 180mm optical glass wide angle port
Zeiss Milvus 2.8/21 ZE		16329 ZMC-F	21150 Extension ring 50 with lock	18812 230mm optical glass fisheye port II
			21150 Extension ring 50 with lock	18809 180mm optical glass wide angle port
Sigma 8-16mm F4.5-5.6 DC HSM	16305 RSC816-Z	16306 RSC816-F	21150 Extension ring 50 with lock	18802 8.5" acrylic dome port
			21150 Extension ring 50 with lock	18815 250mm optical glass wide angle port II
			21150 Extension ring 50 with lock	18812 (*1) 230mm optical glass fisheye port II
			21140 Extension ring 40 with lock	18809 180mm optical glass wide angle port
Sigma 12-24mm F4 DG HSM Art	16327 RSC1224A-Z	16327 RSC1224A-F	21160 Extension ring 60 with lock <i>*Compatible from SN:A143566 onwards</i>	18812 (*1) 230mm optical glass fisheye port II
			21150 Extension ring 50 with lock <i>*Compatible from SN:A213191 onwards</i>	18815 250mm optical glass wide angle port II

WIDE/ZOOM

N120 PORT SYSTEM FOR C200 & EVA1 & RED™ SYSTEM (Canon mount)

	LENS	ZOOM GEAR	FOCUS GEAR	EXTENSIONS	LENS PORT
WIDE / ZOOM	Tokina AT-X 116 PRO DX AF 11-16mm f/2.8	16309 RTC1116-Z	16310 RTC1116-F	21160 Extension ring 60 with lock	18802 8.5" acrylic dome port
				21160 Extension ring 60 with lock	18815 250mm optical glass wide angle port II
				21160 Extension ring 60 with lock	18812 (*1) 230mm optical glass fisheye port II
				21160 Extension ring 60 with lock	18809 180mm optical glass wide angle port
	Tokina AT-X 11-20 F2.8 PRO DX AF 11-20mm F2.8	16328 RTC1120-Z	16328 RTC1120-F	21160 Extension ring 60 with lock	18802 8.5" acrylic dome port
				21160 Extension ring 60 with lock	18815 250mm optical glass wide angle port II
				21160 Extension ring 60 with lock	18812 (*1) 230mm optical glass fisheye port II
				21160 Extension ring 60 with lock	18809 180mm optical glass wide angle port
	Sigma 14-24mm F2.8 DG HSM Art	16333 RSC1424A-Z	16333 RSC1424A-F	21170 Extension ring 70 with lock <i>*Compatible from SN:A201966 onwards</i>	18802 8.5" acrylic dome port
				21170 Extension ring 70 with lock <i>*Compatible from SN:A201966 onwards</i>	18815 250mm optical glass wide angle port II
				21170 Extension ring 70 with lock <i>*Compatible from SN:A201966 onwards</i>	18812 (*1) 230mm optical glass fisheye port II
				21160 Extension ring 60 with lock <i>*Compatible from SN:A143566 onwards</i>	18809 180mm optical glass wide angle port
FISHEYE/ZOOM	Canon EF 8-15mm f/4L Fisheye USM	16301 RC815-Z	16302 RC815-F	21130 Extension ring 30 with lock	18802 8.5" acrylic dome port
				21130 Extension ring 30 with lock	18812 230mm optical glass fisheye port II
				21130 Extension ring 30 with lock	18810 (*1) N120 140mm optical glass fisheye port
	Canon EF 8-15mm f/4L Fisheye USM with Kenko 1.4x Teleplus Pro 300 DGX	16322 RC815-Z+1.4	16323 RC815-F+1.4	21150 Extension ring 50 with lock	18802 8.5" acrylic dome port
				21150 Extension ring 50 with lock	18812 230mm optical glass fisheye port II
				21150 Extension ring 50 with lock	18810 (*1) N120 140mm optical glass fisheye port
	Tokina AT-X 107 AF DX Fisheye AF 10-17mm f/3.5-4.5	16307 RTC1017-Z	16308 RTC1017-F		18804 4.33" acrylic dome port
				21120 Extension ring 20 with lock	18802 8.5" acrylic dome port
				21120 Extension ring 20 with lock	18812 230mm optical glass fisheye port II
				21110 Extension ring 10 with screws	18810 (*1) N120 140mm optical glass fisheye port
	Tokina AT-X 107 AF DX Fisheye with Kenko 1.4x Teleplus Pro 300 DGX	16320 RTC1017-Z+1.4	16321 RTC1017-F+1.4	21120 Extension ring 20 with lock	18804 4.33" acrylic dome port
				21140 Extension ring 40 with lock	18802 8.5" acrylic dome port
			21140 Extension ring 40 with lock	18812 230mm optical glass fisheye port II	
			21130 Extension ring 30 with lock	18810 (*1) N120 140mm optical glass fisheye port	