

## N120 PORT SYSTEM FOR NIKON F SYSTEM

|                 | LENS                                               | GEAR                                                                              | PORT BASE                  | EXTENSION RING                            | LENS / PORT                                                      |
|-----------------|----------------------------------------------------|-----------------------------------------------------------------------------------|----------------------------|-------------------------------------------|------------------------------------------------------------------|
| MACRO           | Nikon AF Micro 60mm f/2.8D                         |                                                                                   | 18211<br>Compact port base |                                           | 18301<br>Compact port 30                                         |
|                 | Nikon AF-S Micro NIKKOR 60mm f/2.8G ED             | 19121<br>N60G-F                                                                   | 18211<br>Compact port base |                                           | 18701<br>Macro port 60                                           |
|                 | Nikon AF-S DX Micro NIKKOR 85mm f/3.5G ED VR       | 19129<br>N85VR-F                                                                  | 18211<br>Compact port base |                                           | 18305<br>Compact port 30 with M67 thread                         |
|                 | Nikon AF Micro 105mm f/2.8D                        |                                                                                   | 18211<br>Compact port base | 18540<br>Compact port extension 40        | 18301<br>Compact port 30                                         |
|                 |                                                    |                                                                                   |                            | 18520<br>Compact port extension 20        | 18302<br>Compact port 50                                         |
|                 | Nikon AF-S VR Micro Nikkor 105mm f/2.8G IF-ED      | 19122<br>N105VR-F                                                                 |                            |                                           | 18702<br>Macro port 87                                           |
|                 |                                                    |                                                                                   |                            | 21130<br>Extension ring 30 with lock      | 18701<br>Macro port 60                                           |
|                 |                                                    |                                                                                   | 18211<br>Compact port base |                                           | 18306<br>Compact port 50 with M67 thread                         |
|                 | Sigma 50mm F2.8 EX DG Macro                        |                                                                                   | 18211<br>Compact port base | 18520<br>Compact port extension 20        | 18303<br>Compact port 15                                         |
|                 | Sigma 70mm F2.8 EX DG Macro                        |                                                                                   | 18211<br>Compact port base | 18550<br>Compact port extension 50        | 18301<br>Compact port 30                                         |
| MACRO / WIDE    |                                                    |                                                                                   |                            | 18530<br>Compact port extension 30        | 18302<br>Compact port 50                                         |
|                 | Sigma 105mm F2.8 EX DG OS HSM Macro                | 19147<br>SN105-F                                                                  |                            | 21130<br>Extension ring 30 with lock      | 18701<br>Macro port 60                                           |
|                 | Laowa 24mm f/14 2X Macro Probe                     | 19155<br>N120 DSLR gear set<br><i>*Support both<br/>Standard and Cine version</i> |                            | 21271<br>Extension ring 70 w/ knob        | 16336<br>N120 Port adaptor<br>for Laowa 24mm f/14 2x macro probe |
|                 | Nikon AF-S DX Micro NIKKOR 40mm f/2.8D DX          | 19152<br>N40G-F                                                                   |                            | 18705<br>Macro port 45                    | 86201<br>Macro to Wideangle Lens 1 (MWL-1)                       |
|                 | Nikon AF-S Micro NIKKOR 60mm f/2.8G ED             | 19121<br>N60G-F                                                                   |                            | 18701<br>Macro port 60                    | 86201<br>Macro to Wideangle Lens 1 (MWL-1)                       |
|                 |                                                    |                                                                                   |                            |                                           | OPTIONAL ACCESSORIES<br>86222<br>Double flip holder for MWL-1    |
|                 | Nikon AF-S DX NIKKOR 18-55mm f/3.5-5.6G VR         | 19123<br>N1855VR-Z                                                                | 18211<br>Compact port base |                                           | 18301<br>Compact port 30                                         |
|                 | Nikon AF-S DX Zoom-Nikkor 18-55mm f/3.5-5.6G ED II | 19124<br>N1855II-Z                                                                | 18211<br>Compact port base |                                           | 18301<br>Compact port 30                                         |
|                 | Nikon AF-S DX NIKKOR 18-55mm f/3.5-5.6G VR II      | 19144<br>N1855VRII-Z                                                              | 18211<br>Compact port base |                                           | 18304<br>Compact port 15 with M67 thread                         |
|                 |                                                    |                                                                                   |                            | 21135<br>N120 Extension ring 35 with lock | 85201(*)<br>0.36x Wide Angle Conversion Port                     |
| STANDARD / ZOOM | Nikon AF-S NIKKOR 24-85mm f/3.5-4.5G ED VR         | 19139<br>N2485-Z                                                                  |                            | 21150<br>Extension ring 50 with lock      | 18802<br>8.5" Acrylic dome port                                  |
|                 | Sigma 17-70mm F2.8-4.5 DC Macro HSM                | 19132<br>SN1770-Z                                                                 |                            | 21150<br>Extension ring 50 with lock      | 18802<br>8.5" Acrylic dome port                                  |
|                 | Sigma 17-70mm F2.8-4 DC Macro OS HSM               | 19133<br>SN1770OS-Z                                                               |                            | 21150<br>Extension ring 50 with lock      | 18802<br>8.5" Acrylic dome port                                  |
|                 |                                                    |                                                                                   |                            |                                           |                                                                  |
|                 |                                                    |                                                                                   |                            |                                           |                                                                  |

Remarks: (\*) Most recommended

Optional accessory:

#25101 M67 Flip Diopter Holder is recommended to use with macro ports

Update: 2020-03-30

## N120 PORT SYSTEM FOR NIKON F SYSTEM

|                 | LENS                                          | GEAR                  | PORT BASE | EXTENSION RING                                     | LENS / PORT                                                    |
|-----------------|-----------------------------------------------|-----------------------|-----------|----------------------------------------------------|----------------------------------------------------------------|
| STANDARD / ZOOM | Sigma 17-70mm<br>F2.8-4 DC Macro OS HSM C     | 19140<br>SN17700SC-Z  |           | 21140<br>Extension ring 40 with lock               | 18802<br>8.5" Acrylic dome port                                |
|                 | Sigma 18-35mm<br>F1.8 DC HSM   A              | 19146<br>SN1835f1.8-Z |           | 21180<br>Extension ring 80 with lock               | 18802<br>8.5" Acrylic dome port                                |
|                 |                                               |                       |           | 21150+21150<br>Extension ring 50+50                | 18815<br>250mm Optical glass wide angle port II                |
|                 |                                               |                       |           | 21180<br>Extension ring 80 with lock               | 18812<br>230mm Optical glass fisheye port II                   |
|                 |                                               |                       |           | 21180<br>Extension ring 80 with lock               | 18809 (*1)<br>180mm Optical glass wide angle port              |
|                 | Nikon AF Nikkor 28-70mm f/3.5-4.5D            | 19148<br>N2870f3.5D-Z |           | 21135<br>N120 Extension ring 35<br>with lock       | 85201(*1)<br>0.36x Wide Angle Conversion Port                  |
| WIDE            | Nikon AF-S Nikkor 28mm f/1.8 G                |                       |           | 21120<br>N120 Extension ring 20<br>with lock       | 85201<br>0.36x Wide Angle Conversion Port                      |
|                 | Nikon AF Nikkor 28mm f/2.8D                   |                       |           |                                                    | 85201<br>0.36x Wide Angle Conversion Port                      |
| WIDE / ZOOM     | Nikon AF-S DX NIKKOR 10-24mm<br>f/3.5-4.5G ED | 19135<br>N1024-Z      |           | 21150<br>Extension ring 50 with lock               | 18802<br>8.5" Acrylic dome port                                |
|                 | Nikon AF-S DX NIKKOR 12-24mm<br>f/4G IF-ED    | 19125<br>N1224-Z      |           | 21160<br>Extension ring 60 with lock               | 18802<br>8.5" Acrylic dome port                                |
|                 | Nikon AF-S NIKKOR 14-24mm<br>f/2.8G ED        | 19131<br>N1424-Z      |           | 21170<br>Extension ring 70 with lock               | 18802<br>8.5" Acrylic dome port                                |
|                 |                                               |                       |           | 21180<br>Extension ring 80 with lock               | 18815 (*1)<br>250mm Optical glass wide angle port II           |
|                 |                                               |                       |           | 21180<br>Extension ring 80 with lock               | 18812<br>230mm Optical glass fisheye port II                   |
|                 | Nikon AF-S NIKKOR 16-35mm<br>f/4G ED VR       | 19138<br>N1635-Z      |           | 21170<br>Extension ring 70 with lock               | 18802<br>8.5" Acrylic dome port                                |
|                 |                                               |                       |           | 21190<br>Extension ring 90 with lock               | 18815<br>250mm Optical glass wide angle port II                |
|                 |                                               |                       |           | 21190<br>Extension ring 90 with lock               | 18812 (*1)<br>230mm Optical glass fisheye port II              |
|                 |                                               |                       |           | 21180<br>Extension ring 80 with lock               | 18809<br>180mm Optical glass wide angle port                   |
|                 |                                               |                       |           | 21170<br>Extension ring 70 with lock               | 85201<br>0.36x Wide Angle Conversion Port<br>* zoom from 18 mm |
|                 |                                               |                       |           | 21120+21125<br>Extension ring 20 +25 with lock     | 85204<br>Wide Angle Conversion Port - 2                        |
|                 |                                               | 19142<br>N1635-F      |           | 21270<br>Extension ring 70 with lock               | 18802<br>8.5" Acrylic dome port                                |
|                 |                                               |                       |           | 21240<br>N120 Extension ring 40 with focus knob    | 85204<br>Wide Angle Conversion Port - 2                        |
|                 | Nikon AF-S 17-35mm<br>f/2.8D IF-ED            | 19130<br>N1735-Z      |           | 21170<br>Extension ring 70 with lock               | 18802<br>8.5" Acrylic dome port                                |
|                 |                                               |                       |           | 21170<br>Extension ring 70 with lock               | 18815<br>250mm Optical glass wide angle port II                |
|                 |                                               |                       |           | 21170<br>Extension ring 70 with lock               | 18812 (*1)<br>230mm Optical glass fisheye port II              |
|                 |                                               |                       |           | 21150<br>Extension ring 50 with lock               | 85201<br>0.36x Wide Angle Conversion Port<br>* zoom from 18 mm |
|                 |                                               |                       |           | 21125<br>N120 Extension ring 25 with lock          | 85204<br>Wide Angle Conversion Port - 2                        |
|                 |                                               | 19159<br>N1735-F      |           | 21230<br>N120 Extension ring 30<br>with focus knob | 85204<br>Wide Angle Conversion Port - 2                        |

Remarks: (\*1) Most recommended

Optional accessory:

#25101 M67 Flip Diopter Holder is recommended to use with macro ports

Update: 2020-03-30

## N120 PORT SYSTEM FOR NIKON F SYSTEM

|             | LENS                                       | GEAR               | PORT BASE | EXTENSION RING                                                                     | LENS / PORT                                       |
|-------------|--------------------------------------------|--------------------|-----------|------------------------------------------------------------------------------------|---------------------------------------------------|
| WIDE / ZOOM | Nikon AF-S NIKKOR 18-35mm<br>f/3.5-4.5G ED | 19141<br>N1835-Z   |           | 21160<br>Extension ring 60 with lock                                               | 18802<br>8.5" Acrylic dome port                   |
|             |                                            |                    |           | 21160<br>Extension ring 60 with lock                                               | 18815<br>250mm Optical glass wide angle port II   |
|             |                                            |                    |           | 21160<br>Extension ring 60 with lock                                               | 18812 (*1)<br>230mm Optical glass fisheye port II |
|             |                                            |                    |           | 21160<br>Extension ring 60 with lock                                               | 18809<br>180mm Optical glass wide angle port      |
|             |                                            |                    |           | 21140<br>Extension ring 40 with lock                                               | 85201<br>0.36x Wide Angle Conversion Port         |
|             | Sigma 8-16mm<br>F4.5-5.6 DC HSM            | 19136<br>SN816-Z   |           | 21150<br>Extension ring 50 with lock                                               | 18802<br>8.5" Acrylic dome port                   |
|             |                                            |                    |           | 21150<br>Extension ring 50 with lock                                               | 18815<br>250mm Optical glass wide angle port II   |
|             |                                            |                    |           | 21150<br>Extension ring 50 with lock                                               | 18812 (*1)<br>230mm Optical glass fisheye port II |
|             |                                            |                    |           | 21140<br>Extension ring 40 with lock                                               | 18809<br>180mm Optical glass wide angle port      |
|             | Sigma 10-20mm<br>F4-5.6 EX DC HSM          | 19126<br>SN1020-Z  |           | 21150<br>Extension ring 50 with lock                                               | 18802<br>8.5" Acrylic dome port                   |
|             |                                            |                    |           | 21150<br>Extension ring 50 with lock                                               | 18815<br>250mm Optical glass wide angle port II   |
|             |                                            |                    |           | 21150<br>Extension ring 50 with lock                                               | 18812 (*1)<br>230mm Optical glass fisheye port II |
|             |                                            |                    |           | 21140<br>Extension ring 40 with lock                                               | 18809<br>180mm Optical glass wide angle port      |
|             | Sigma 14-24mm<br>F2.8 DG HSM   Art         | 19153<br>SN1424A-Z |           | 21170<br>Extension ring 70 with lock<br><i>*Compatible from SN:A201966 onwards</i> | 18802<br>8.5" Acrylic dome port                   |
|             |                                            |                    |           | 21170<br>Extension ring 70 with lock<br><i>*Compatible from SN:A201966 onwards</i> | 18815<br>250mm Optical glass wide angle port II   |
|             |                                            |                    |           | 21170<br>Extension ring 70 with lock<br><i>*Compatible from SN:A201966 onwards</i> | 18812 (*1)<br>230mm Optical glass fisheye port II |
|             |                                            |                    |           | 21160<br>Extension ring 60 with lock<br><i>*Compatible from SN:A143566 onwards</i> | 18809<br>180mm Optical glass wide angle port      |
|             | Sigma 12-24mm<br>F4 DG HSM   Art           | 19149<br>SN1224A-Z |           | 21160<br>Extension ring 60 with lock<br><i>*Compatible from SN:A143566 onwards</i> | 18812 (*1)<br>230mm Optical glass fisheye port II |
|             |                                            |                    |           | 21150<br>Extension ring 50 with lock<br><i>*Compatible from SN:A213191 onwards</i> | 18815<br>250mm Optical glass wide angle port II   |
| WIDE / ZOOM | Sigma 20mm<br>F1.4 DG HSM   A              |                    |           | 21170<br>Extension ring 70 with lock                                               | 18802<br>8.5" Acrylic dome port                   |
|             |                                            |                    |           | 21170<br>Extension ring 70 with lock                                               | 18815<br>250mm Optical glass wide angle port II   |
|             |                                            |                    |           | 21170<br>Extension ring 70 with lock                                               | 18812 (*1)<br>230mm Optical glass fisheye port II |
|             |                                            |                    |           | 21160<br>Extension ring 60 with lock                                               | 18809<br>180mm Optical glass wide angle port      |

Remarks: (\*1) Most recommended

Optional accessory:

#25101 M67 Flip Diopter Holder is recommended to use with macro ports

Update: 2020-03-30

## N120 PORT SYSTEM FOR NIKON F SYSTEM

|                | LENS                                                                            | GEAR                  | PORT BASE | EXTENSION RING                                                                      | LENS / PORT                                                                 |
|----------------|---------------------------------------------------------------------------------|-----------------------|-----------|-------------------------------------------------------------------------------------|-----------------------------------------------------------------------------|
| WIDE / ZOOM    | Tokina AT-X 116 PRO DX<br>AF 11-16mm f/2.8                                      | 19128<br>TN1116-Z     |           | 21150<br>Extension ring 50 with lock                                                | 18802<br>8.5" Acrylic dome port                                             |
|                |                                                                                 |                       |           | 21160<br>Extension ring 60 with lock                                                | 18815<br>250mm Optical glass wide angle port II                             |
|                |                                                                                 |                       |           | 21160<br>Extension ring 60 with lock                                                | 18812 (*1)<br>230mm Optical glass fisheye port II                           |
|                |                                                                                 |                       |           | 21150<br>Extension ring 50 with lock                                                | 18809<br>180mm Optical glass wide angle port                                |
|                | Tokina AT-X 124 AF PRO DX<br>AF 12-24mm f/4                                     | 19134<br>TN1224-Z     |           | 21150<br>Extension ring 50 with lock                                                | 18802<br>8.5" Acrylic dome port                                             |
|                |                                                                                 |                       |           | 21160<br>Extension ring 60 with lock                                                | 18815<br>250mm Optical glass wide angle port II                             |
|                |                                                                                 |                       |           | 21160<br>Extension ring 60 with lock                                                | 18812 (*1)<br>230mm Optical glass fisheye port II                           |
|                |                                                                                 |                       |           | 21160<br>Extension ring 60 with lock                                                | 18809<br>180mm Optical glass wide angle port                                |
|                | Zeiss Distagon T* 2.8/15 ZF.2                                                   | 19145<br>ZN15-F       |           | 21155*<br>Extension ring 55 with lock<br><i>*Compatible from SN:A055053 onwards</i> | 18812<br>230mm Optical glass fisheye port II                                |
| FISHEYE / ZOOM | Nikon AF-S Fisheye NIKKOR 8-15mm<br>f/3.5-4.5E ED                               | 19150<br>N815-Z       |           | 21120<br>Extension ring 20 with lock                                                | 18802<br>8.5" Acrylic dome port                                             |
|                |                                                                                 |                       |           | 21130<br>Extension ring 30 with lock                                                | 18803<br>4.33" Acrylic dome port                                            |
|                |                                                                                 |                       |           | 21120<br>Extension ring 20 with lock                                                | 18812<br>230mm Optical glass fisheye port II                                |
|                |                                                                                 |                       |           | 21120<br>Extension ring 20 with lock                                                | 18811 (*1)<br>N120 140mm Optical glass fisheye<br>port with removable shade |
|                | Nikon AF-S Fisheye 8-15mm f/3.5-4.5E ED<br>with Kenko 1.4x Teleplus Pro 300 DGX | 19151<br>N815-Z + 1.4 |           | 21140<br>Extension ring 40 with lock                                                | 18802<br>8.5" Acrylic dome port                                             |
|                |                                                                                 |                       |           | 21150<br>Extension ring 50 with lock                                                | 18803<br>4.33" Acrylic dome port                                            |
|                |                                                                                 |                       |           | 21140<br>Extension ring 40 with lock                                                | 18812<br>230mm Optical glass fisheye port II                                |
|                |                                                                                 |                       |           | 21140<br>Extension ring 40 with lock                                                | 18811 (*1)<br>N120 140mm Optical glass fisheye<br>port with removable shade |
|                | Nikon AF DX Fisheye 10.5mm<br>f/2.8G ED                                         | 19137<br>N10.5-F      |           |                                                                                     | 18802<br>8.5" Acrylic dome port                                             |
|                |                                                                                 |                       |           | 21110<br>Extension ring 10 with screws                                              | 18803<br>4.33" Acrylic dome port                                            |
|                |                                                                                 |                       |           |                                                                                     | 18812<br>230mm Optical glass fisheye port II                                |
|                | Nikon AF Fisheye 16mm<br>f/2.8D                                                 |                       |           |                                                                                     | 18810 (*1)<br>N120 140mm Optical glass fisheye port                         |
|                |                                                                                 |                       |           |                                                                                     | 18802<br>8.5" Acrylic dome port                                             |
|                |                                                                                 |                       |           |                                                                                     | 18812<br>230mm Optical glass fisheye port II                                |
|                |                                                                                 |                       |           |                                                                                     | 18810 (*1)<br>N120 140mm Optical glass fisheye port                         |

Remarks: (\*1) Most recommended

Optional accessory:

#25101 M67 Flip Diopter Holder is recommended to use with macro ports

Update: 2020-03-30

## N120 PORT SYSTEM FOR NIKON F SYSTEM

|                | LENS                                                                  | GEAR                         | PORT BASE | EXTENSION RING                                | LENS / PORT                                                                  |
|----------------|-----------------------------------------------------------------------|------------------------------|-----------|-----------------------------------------------|------------------------------------------------------------------------------|
| FISHEYE / ZOOM | Sigma 10mm<br>F2.8 EX DC HSM Fisheye                                  |                              |           | <b>21110</b><br>Extension ring 10 with screws | <b>18802</b><br>8.5" Acrylic dome port                                       |
|                | Sigma 15mm<br>F2.8 EX DG Diagonal Fisheye                             | <b>19143</b><br>SN15-F       |           |                                               | <b>18802</b><br>8.5" Acrylic dome port                                       |
|                |                                                                       |                              |           |                                               | <b>18812</b><br>230mm Optical glass fisheye port II                          |
|                |                                                                       |                              |           |                                               | <b>18810 (*1)</b><br>N120 140mm Optical glass fisheye port                   |
|                | Tokina AT-X 107 AF DX Fisheye<br>AF 10-17mm f/3.5-4.5                 | <b>19127</b><br>TN1017-Z     |           |                                               | <b>18804</b><br>4.33" Acrylic dome port for Tokina<br>AT-X 107 AF DX fisheye |
|                |                                                                       |                              |           | <b>21120</b><br>Extension ring 20 with lock   | <b>18802</b><br>8.5" Acrylic dome port                                       |
|                |                                                                       |                              |           | <b>21120</b><br>Extension ring 20 with lock   | <b>18812</b><br>230mm Optical glass fisheye port II                          |
|                |                                                                       |                              |           | <b>21110</b><br>Extension ring 10 with screws | <b>18810 (*1)</b><br>N120 140mm Optical glass fisheye port                   |
|                | Tokina AT-X 107 AF DX Fisheye<br>with Kenko 1.4x Teleplus Pro 300 DGX | <b>19227</b><br>TN1017-Z+1.4 |           | <b>21120</b><br>Extension ring 20 with lock   | <b>18804</b><br>4.33" Acrylic dome port for Tokina<br>AT-X 107 AF DX fisheye |
|                |                                                                       |                              |           | <b>21140</b><br>Extension ring 40 with lock   | <b>18802</b><br>8.5" Acrylic dome port                                       |
|                |                                                                       |                              |           | <b>21140</b><br>Extension ring 40 with lock   | <b>18812</b><br>230mm Optical glass fisheye port II                          |
|                |                                                                       |                              |           | <b>21130</b><br>Extension ring 30 with lock   | <b>18810 (*1)</b><br>N120 140mm Optical glass fisheye port                   |

## N120 PORT SYSTEM FOR CANON SYSTEM

|                 | LENS                                | GEAR                                                                          | PORT BASE          | EXTENSION RING                                  | LENS / PORT                                                                                  |
|-----------------|-------------------------------------|-------------------------------------------------------------------------------|--------------------|-------------------------------------------------|----------------------------------------------------------------------------------------------|
| MACRO           | Canon EF-S 60mm f/2.8 Macro USM     | 19521<br>C60-F                                                                | 18211<br>Port base |                                                 | 18704<br>Macro port 41                                                                       |
|                 |                                     |                                                                               |                    |                                                 | 18303<br>Compact port 15                                                                     |
|                 | Canon MP-E 65mm f/2.8 1-5X          | 19539<br>C65-F                                                                | 18211<br>Port base | 18550+18530+18530<br>Compact port ext. 50+30+30 | 18306<br>Compact port 50 with M67 thread                                                     |
|                 | Canon EF 100mm f/2.8 Macro USM      | 19522<br>C100-F                                                               | 18211<br>Port base |                                                 | 18702<br>Macro port 87                                                                       |
|                 |                                     |                                                                               |                    |                                                 | 18306<br>Compact port 50 with M67 thread                                                     |
|                 | Canon EF 100mm f/2.8L Macro IS USM  | 19523<br>C100IS-F                                                             | 18211<br>Port base |                                                 | 18703<br>Macro port 94                                                                       |
|                 |                                     |                                                                               |                    | 18530<br>Compact port extension 30              | 18305<br>Compact port 30 with M67 thread                                                     |
|                 | Canon EF 180mm f/3.5L Macro USM     |                                                                               | 18211<br>Port base | 18530+18540<br>Compact port ext. 30+40          | 18302<br>Compact port 50                                                                     |
|                 | Sigma 50mm F2.8 EX DG Macro         |                                                                               | 18211<br>Port base | 18520<br>Compact port extension 20              | 18303<br>Compact port 15                                                                     |
|                 | Sigma 70mm F2.8 EX DG Macro         |                                                                               | 18211<br>Port base | 18550<br>Compact port extension 50              | 18301<br>Compact port 30                                                                     |
| MACRO / WIDE    |                                     |                                                                               |                    | 18530<br>Compact port extension 30              | 18302<br>Compact port 50                                                                     |
|                 | Sigma 105mm F2.8 EX DG OS HSM Macro | 19553<br>SC105-F                                                              |                    | 21130<br>Extension ring 30 with lock            | 18701<br>Macro port 60                                                                       |
|                 | Laowa 24mm f/14 2X Macro Probe      | 19155<br>N120 DSLR gear set<br><i>*Support both standard and Cine version</i> |                    | 21271<br>Extension ring 70 w/ knob              | 16336<br>N120 Port adaptor for Laowa 24mm f/14 2x macro probe                                |
|                 | Canon EF 40mm f2.8 STM              |                                                                               |                    | 18706<br>N120 Macro port 12                     | 86201<br>Macro to Wideangle Lens 1 (MWL-1)<br><i>*Compatible for APS-C system, FOV: 135°</i> |
|                 |                                     |                                                                               |                    |                                                 | OPTIONAL ACCESSORIES                                                                         |
|                 |                                     |                                                                               |                    |                                                 | 86222<br>Double flip holder for MWL-1                                                        |
|                 |                                     |                                                                               |                    |                                                 |                                                                                              |
|                 |                                     |                                                                               |                    |                                                 |                                                                                              |
|                 |                                     |                                                                               |                    |                                                 |                                                                                              |
|                 |                                     |                                                                               |                    |                                                 |                                                                                              |
| STANDARD / ZOOM | Canon EF-S 18-55mm f/3.5-5.6 IS     | 19532<br>C1855IS-Z                                                            | 18211<br>Port base |                                                 | 18303<br>Compact port 15                                                                     |
|                 | Canon EF-S 18-55mm f/3.5-5.6 IS STM | 19547<br>C1855ISSTM-Z                                                         | 18211<br>Port base |                                                 | 18303<br>Compact port 15                                                                     |
|                 |                                     |                                                                               |                    | 21130<br>Extension ring 30 with lock            | 85201<br>0.36x Wide Angle Conversion Port                                                    |
|                 | Canon EF-S 18-135mm f/3.5-5.6 IS    | 19524<br>C18135IS-Z                                                           |                    | 21160<br>Extension ring 60 with lock            | 18802<br>8.5" Acrylic dome port                                                              |
|                 | Canon EF 24mm f/1.4L II USM         |                                                                               |                    | 21140<br>Extension ring 40 with lock            | 18802<br>8.5" Acrylic dome port                                                              |
|                 | Canon EF 24-70mm f/2.8L II USM      | 19543<br>C2470II-Z                                                            |                    | 21170<br>Extension ring 70 with lock            | 18802<br>8.5" Acrylic dome port                                                              |
|                 | Canon EF 24-70mm f/4L IS USM        | 19544<br>C2470f4-Z                                                            |                    | 21170<br>Extension ring 70 with lock            | 18802<br>8.5" Acrylic dome port                                                              |
|                 | Canon EF 24-105mm f/4L IS USM       | 19545<br>C24105-Z                                                             |                    | 21170<br>Extension ring 70 with lock            | 18802<br>8.5" Acrylic dome port                                                              |
|                 |                                     |                                                                               |                    |                                                 |                                                                                              |
|                 |                                     |                                                                               |                    |                                                 |                                                                                              |

## N120 PORT SYSTEM FOR CANON SYSTEM

|                 | LENS                                      | GEAR                         | PORT BASE | EXTENSION RING                                                                     | LENS / PORT                                                 |
|-----------------|-------------------------------------------|------------------------------|-----------|------------------------------------------------------------------------------------|-------------------------------------------------------------|
| STANDARD / ZOOM | Canon EF 24-105mm<br>f/4L IS II USM       | <b>19562</b><br>C24105II-Z   |           | <b>21170</b><br>Extension ring 70 with lock                                        | <b>18802</b><br>8.5" Acrylic dome port                      |
|                 |                                           |                              |           | <b>21170</b><br>Extension ring 70 with lock                                        | <b>18812</b><br>230mm Optical glass fisheye port II         |
|                 |                                           |                              |           | <b>21170</b><br>Extension ring 70 with lock                                        | <b>18809 (*1)</b><br>180mm Optical glass wide angle port    |
|                 | Sigma 17-70mm<br>F2.8-4.5 DC Macro        | <b>19533</b><br>SC1770-Z     |           | <b>21150</b><br>Extension ring 50 with lock                                        | <b>18802</b><br>8.5" Acrylic dome port                      |
|                 | Sigma 17-70mm<br>F2.8-4 DC Macro OS HSM   | <b>19534</b><br>SC1770OS-Z   |           | <b>21150</b><br>Extension ring 50 with lock                                        | <b>18802</b><br>8.5" Acrylic dome port                      |
|                 | Sigma 17-70mm<br>F2.8-4 DC Macro OS HSM C | <b>19540</b><br>SC1770OSC-Z  |           | <b>21140</b><br>Extension ring 40 with lock                                        | <b>18802</b><br>8.5" Acrylic dome port                      |
|                 | Sigma 18-35mm<br>F1.8 DC HSM   A          | <b>19552</b><br>SC1835f.18-Z |           | <b>21180</b><br>Extension ring 80 with lock                                        | <b>18802</b><br>8.5" Acrylic dome port                      |
|                 |                                           |                              |           | <b>21150+21150</b><br>Extension ring 50+50                                         | <b>18815</b><br>250mm Optical glass wide angle port II      |
|                 |                                           |                              |           | <b>21180</b><br>Extension ring 80 with lock                                        | <b>18812</b><br>230mm Optical glass fisheye port II         |
|                 |                                           |                              |           | <b>21180</b><br>Extension ring 80 with lock                                        | <b>18809 (*1)</b><br>180mm Optical glass wide angle port    |
| WIDE / ZOOM     | Canon EF-S 10-18mm<br>f/4.5-5.6 IS STM    | <b>19549</b><br>C1018-Z      |           | <b>21150</b><br>Extension ring 50 with lock                                        | <b>18802</b><br>8.5" Acrylic dome port                      |
|                 |                                           |                              |           | <b>21150</b><br>Extension ring 50 with lock                                        | <b>18815</b><br>250mm Optical glass wide angle port II      |
|                 |                                           |                              |           | <b>21150</b><br>Extension ring 50 with lock                                        | <b>18812 (*1)</b><br>230mm Optical glass fisheye port II    |
|                 |                                           |                              |           | <b>21140</b><br>Extension ring 40 with lock                                        | <b>18809</b><br>180mm Optical glass wide angle port         |
|                 | Canon EF-S 10-22mm<br>f/3.5-4.5 USM       | <b>19525</b><br>C1022-Z      |           | <b>21160</b><br>Extension ring 60 with lock                                        | <b>18802</b><br>8.5" Acrylic dome port                      |
|                 |                                           |                              |           | <b>21160</b><br>Extension ring 60 with lock                                        | <b>18815</b><br>250mm Optical glass wide angle port II      |
|                 |                                           |                              |           | <b>21160</b><br>Extension ring 60 with lock                                        | <b>18812 (*1)</b><br>230mm Optical glass fisheye port II    |
|                 |                                           |                              |           | <b>21150</b><br>Extension ring 50 with lock                                        | <b>18809</b><br>180mm Optical glass wide angle port         |
|                 | Canon EF 11-24mm<br>f/4L USM              | <b>19550</b><br>C1124-Z      |           | <b>21150</b><br>Extension ring 50 with lock<br>*Compatible from SN:A213191 onwards | <b>18815 (*1)</b><br>250mm Optical glass wide angle port II |
|                 |                                           | <b>19551</b><br>C1124-F      |           | <b>21170</b><br>Extension ring 70 with lock<br>*Compatible from SN:A201966 onwards | <b>18812</b><br>230mm Optical glass fisheye port II         |
|                 |                                           |                              |           | <b>21271</b><br>Extension ring 70<br>with focus knob                               | <b>18812</b><br>230mm Optical glass fisheye port II         |

## N120 PORT SYSTEM FOR CANON SYSTEM

| LENS                               | GEAR                | PORT BASE | EXTENSION RING                                  | LENS / PORT                                       |
|------------------------------------|---------------------|-----------|-------------------------------------------------|---------------------------------------------------|
| Canon EF 16-35mm<br>f/2.8L II USM  | 19527<br>C1635II-Z  |           | 21170<br>Extension ring 70 with lock            | 18802<br>8.5" Acrylic dome port                   |
|                                    |                     |           | 21180<br>Extension ring 80 with lock            | 18815<br>250mm Optical glass wide angle port II   |
|                                    |                     |           | 21180<br>Extension ring 80 with lock            | 18812 (*1)<br>230mm Optical glass fisheye port II |
|                                    |                     |           | 21170<br>Extension ring 70 with lock            | 18809<br>180mm Optical glass wide angle port      |
|                                    |                     |           | 21130<br>Extension Ring 30                      | 85204<br>Wide Angle Conversion Port - 2           |
|                                    | 19542<br>C1635II-F  |           | 21270<br>Extension ring 70 with Focus knob      | 18802<br>8.5" Acrylic dome port                   |
|                                    |                     |           | 21230<br>N120 Extension ring 30 with focus knob | 85204<br>Wide Angle Conversion Port - 2           |
| Canon EF 16-35mm<br>f/4L IS USM    | 19548<br>C1635f4-Z  |           | 21170<br>Extension ring 70 with lock            | 18802<br>8.5" Acrylic dome port                   |
|                                    |                     |           | 21180<br>Extension ring 80 with lock            | 18815<br>250mm Optical glass wide angle port II   |
|                                    |                     |           | 21180<br>Extension ring 80 with lock            | 18812 (*1)<br>230mm Optical glass fisheye port II |
|                                    |                     |           | 21170<br>Extension ring 70 with lock            | 18809<br>180mm Optical glass wide angle port      |
|                                    |                     |           | 21130+21135<br>Extension ring 30 +35 with lock  | 85201<br>0.36x Wide Angle Conversion Port         |
|                                    | 19560<br>C1635f4-F  |           | 21130<br>Extension ring 30 with lock            | 85204<br>Wide Angle Conversion Port - 2           |
|                                    |                     |           | 21271<br>Extension ring 70 w/ knob              | 18812<br>230mm Optical glass fisheye port II      |
|                                    |                     |           | 21230<br>N120 Extension ring 30 with focus knob | 85204<br>Wide Angle Conversion Port - 2           |
| Canon EF 16-35mm<br>f/2.8L III USM | 19554<br>C1635III-Z |           | 21190<br>Extension ring 90 with lock            | 18802<br>8.5" Acrylic dome port                   |
|                                    |                     |           | 21190<br>Extension ring 90 with lock            | 18815<br>250mm Optical glass wide angle port II   |
|                                    |                     |           | 21190<br>Extension ring 90 with lock            | 18812 (*1)<br>230mm Optical glass fisheye port II |
|                                    |                     |           | 21180<br>Extension ring 80 with lock            | 18809<br>180mm Optical glass wide angle port      |
|                                    |                     |           | 21135+21140<br>Extension ring 35 + 40           | 85201<br>0.36x Wide Angle Conversion Port         |
|                                    | 19555<br>C1635III-F |           | 21120+21125<br>Extension ring 20 +25 with lock  | 85204<br>Wide Angle Conversion Port - 2           |
|                                    |                     |           | 21271 + 21120<br>Extension ring 70 + 20         | 18812 (*1)<br>230mm Optical glass fisheye port II |
|                                    |                     |           | 21250<br>N120 Extension ring 50 with focus knob | 85204<br>Wide Angle Conversion Port - 2           |
| Canon EF 17-40mm<br>f/4L USM       | 19528<br>C1740-Z    |           | 21150<br>Extension ring 50 with lock            | 18802<br>8.5" Acrylic dome port                   |
|                                    |                     |           | 21170<br>Extension ring 70 with lock            | 18815<br>250mm Optical glass wide angle port II   |
|                                    |                     |           | 21170<br>Extension ring 70 with lock            | 18812 (*1)<br>230mm Optical glass fisheye port II |
|                                    |                     |           | 21160<br>Extension ring 60 with lock            | 18809<br>180mm Optical glass wide angle port      |
|                                    |                     |           | 21120+21125<br>Extension ring 20 +25            | 85201<br>0.36x Wide Angle Conversion Port         |
|                                    |                     |           |                                                 |                                                   |

WIDE / ZOOM



## N120 PORT SYSTEM FOR CANON SYSTEM

|                 | LENS                             | GEAR                          | PORT BASE | EXTENSION RING                                                                      | LENS / PORT                                                                  |
|-----------------|----------------------------------|-------------------------------|-----------|-------------------------------------------------------------------------------------|------------------------------------------------------------------------------|
| STANDARD / WIDE | Canon EF 28mm f/1.8 USM          |                               |           |                                                                                     | <b>85201</b><br>0.36x Wide Angle Conversion Port                             |
|                 | Canon EF 28mm f/2.8 IS USM       |                               |           |                                                                                     | <b>85201</b><br>0.36x Wide Angle Conversion Port                             |
|                 | Canon EF 28-70mm f/3.5-4.5 II    | <b>19557</b><br>C2870f3.5II-Z |           | <b>21125</b><br>N120 Extension ring 25                                              | <b>85201(*1)</b><br>0.36x Wide Angle Conversion Port                         |
|                 |                                  | <b>19566</b><br>C2870f3.5II-F |           | <b>21230</b><br>Extension ring 30 with focus knob                                   | <b>85201</b><br>0.36x Wide Angle Conversion Port<br>*zoom from 30mm          |
|                 | Canon EF 28-80mm f/3.5-5.6 II    | <b>19558</b><br>C2880f3.5II-Z |           | <b>21130</b><br>Extension ring 30 with lock                                         | <b>85201</b><br>0.36x Wide Angle Conversion Port                             |
|                 |                                  |                               |           | <b>21120</b><br>Extension ring 20 with lock                                         | <b>18705 + 86201</b><br>Macro port 45<br>+ Macro to Wideangle Lens 1 (MWL-1) |
| WIDE / ZOOM     | Canon EF 28-80mm f/3.5-5.6 V USM | <b>19559</b><br>C2880f3.5V-Z  |           | <b>21130</b><br>Extension ring 30 with lock                                         | <b>85201</b><br>0.36x Wide Angle Conversion Port                             |
|                 |                                  |                               |           | <b>21120</b><br>Extension ring 20 with lock                                         | <b>18705 + 86201</b><br>Macro port 45<br>+ Macro to Wideangle Lens 1 (MWL-1) |
|                 | Canon EF 35mm f/2 IS USM         |                               |           |                                                                                     | <b>85201</b><br>0.36x Wide Angle Conversion Port                             |
|                 | Sigma 8-16mm F4.5-5.6 DC HSM     | <b>19536</b><br>SC816-Z       |           | <b>21150</b><br>Extension ring 50 with lock                                         | <b>18802</b><br>8.5" Acrylic dome port                                       |
|                 |                                  |                               |           | <b>21150</b><br>Extension ring 50 with lock                                         | <b>18815</b><br>250mm Optical glass wide angle port II                       |
|                 |                                  |                               |           | <b>21150</b><br>Extension ring 50 with lock                                         | <b>18812 (*1)</b><br>230mm Optical glass fisheye port II                     |
| WIDE / ZOOM     |                                  |                               |           | <b>21140</b><br>Extension ring 40 with lock                                         | <b>18809</b><br>180mm Optical glass wide angle port                          |
|                 | Sigma 14mm F1.8 DG HSM   Art     | <b>19563</b><br>SC14A-F       |           | <b>21170</b><br>Extension ring 70 with lock<br>*Compatible from SN:A201966 onwards  | <b>18802</b><br>8.5" Acrylic dome port                                       |
|                 |                                  |                               |           | <b>21170</b><br>Extension ring 70 with lock<br>*Compatible from SN:A201966 onwards  | <b>18812 (*1)</b><br>230mm Optical glass fisheye port II                     |
|                 | Sigma 14-24mm F2.8 DG HSM   Art  | <b>19564</b><br>SC1424A-Z     |           | <b>21170</b><br>Extension ring 70 with lock<br>*Compatible from SN:A201966 onwards  | <b>18802</b><br>8.5" Acrylic dome port                                       |
|                 |                                  |                               |           | <b>21170</b><br>Extension ring 70 with lock<br>*Compatible from SN:A201966 onwards  | <b>18815</b><br>250mm Optical glass wide angle port II                       |
|                 |                                  |                               |           | <b>21170</b><br>Extension ring 70 with lock<br>*Compatible from SN:A201966 onwards  | <b>18812 (*1)</b><br>230mm Optical glass fisheye port II                     |
| WIDE / ZOOM     |                                  |                               |           | <b>21160</b><br>Extension ring 60 with lock<br>*Compatible from SN:A143566 onwards  | <b>18809</b><br>180mm Optical glass wide angle port                          |
|                 | Sigma 12-24mm F4 DG HSM   Art    | <b>19556</b><br>SC1224A-Z     |           | <b>21160*</b><br>Extension ring 60 with lock<br>*Compatible from SN:A143566 onwards | <b>18812 (*1)</b><br>230mm Optical glass fisheye port II                     |
|                 |                                  |                               |           | <b>21150*</b><br>Extension ring 50 with lock<br>*Compatible from SN:A213191 onwards | <b>18815</b><br>250mm Optical glass wide angle port II                       |

## N120 PORT SYSTEM FOR CANON SYSTEM

| LENS                                        | GEAR              | PORT BASE | EXTENSION RING                                                                      | LENS / PORT                                       |
|---------------------------------------------|-------------------|-----------|-------------------------------------------------------------------------------------|---------------------------------------------------|
| Sigma 10-20mm<br>F4-5.6 EX DC HSM           | 19535<br>SC1020-Z |           | 21150<br>Extension ring 50 with lock                                                | 18802<br>8.5" Acrylic dome port                   |
|                                             |                   |           | 21150<br>Extension ring 50 with lock                                                | 18815<br>250mm Optical glass wide angle port II   |
|                                             |                   |           | 21150<br>Extension ring 50 with lock                                                | 18812 (*1)<br>230mm Optical glass fisheye port II |
|                                             |                   |           | 21140<br>Extension ring 40 with lock                                                | 18809<br>180mm Optical glass wide angle port      |
| Sigma 20mm<br>F1.4 DG HSM   A               |                   |           | 21170<br>Extension ring 70 with lock                                                | 18802<br>8.5" Acrylic dome port                   |
|                                             |                   |           | 21170<br>Extension ring 70 with lock                                                | 18815<br>250mm Optical glass wide angle port II   |
|                                             |                   |           | 21170<br>Extension ring 70 with lock                                                | 18812 (*1)<br>230mm Optical glass fisheye port II |
|                                             |                   |           | 21160<br>Extension ring 60 with lock                                                | 18809<br>180mm Optical glass wide angle port      |
| Tokina AT-X 116 PRO DX<br>AF 11-16mm f/2.8  | 19530<br>TC1116-Z |           | 21160<br>Extension ring 60 with lock                                                | 18802<br>8.5" Acrylic dome port                   |
|                                             |                   |           | 21160<br>Extension ring 60 with lock                                                | 18815<br>250mm Optical glass wide angle port II   |
|                                             |                   |           | 21160<br>Extension ring 60 with lock                                                | 18812 (*1)<br>230mm Optical glass fisheye port II |
|                                             |                   |           | 21160<br>Extension ring 60 with lock                                                | 18809<br>180mm Optical glass wide angle port      |
| Tokina AT-X 124 AF PRO DX<br>AF 12-24mm f/4 | 19531<br>TC1224-Z |           | 21150<br>Extension ring 50 with lock                                                | 18802<br>8.5" Acrylic dome port                   |
|                                             |                   |           | 21160<br>Extension ring 60 with lock                                                | 18815<br>250mm Optical glass wide angle port II   |
|                                             |                   |           | 21160<br>Extension ring 60 with lock                                                | 18812 (*1)<br>230mm Optical glass fisheye port II |
|                                             |                   |           | 21160<br>Extension ring 60 with lock                                                | 18809<br>180mm Optical glass wide angle port      |
| Zeiss Distagon T* 2.8/15 ZE                 | 16319<br>ZC15-F   |           | 21155*<br>Extension ring 55 with lock<br><i>*Compatible from SN:A055053 onwards</i> | 18812<br>230mm Optical glass fisheye port II      |
| Zeiss Milvus 2.8/18 ZE                      | 16329<br>ZMC-F    |           | 21150<br>Extension ring 50 with lock                                                | 18812<br>230mm Optical glass fisheye port II      |
|                                             |                   |           | 21150<br>Extension ring 50 with lock                                                | 18809<br>180mm Optical glass wide angle port      |
| Zeiss Milvus 2.8/21 ZE                      | 16329<br>ZMC-F    |           | 21150<br>Extension ring 50 with lock                                                | 18812<br>230mm Optical glass fisheye port II      |
|                                             |                   |           | 21150<br>Extension ring 50 with lock                                                | 18809<br>180mm Optical glass wide angle port      |

WIDE / ZOOM

## N120 PORT SYSTEM FOR CANON SYSTEM

| LENS                                                                  | GEAR                  | PORT BASE | EXTENSION RING                         | LENS / PORT                                                              |
|-----------------------------------------------------------------------|-----------------------|-----------|----------------------------------------|--------------------------------------------------------------------------|
| Canon EF 8-15mm f/4L Fisheye USM                                      | 19537<br>C815-Z       |           | 21130<br>Extension ring 30 with lock   | 18802<br>8.5" Acrylic dome port                                          |
|                                                                       |                       |           | 21130<br>Extension ring 30 with lock   | 18812<br>230mm Optical glass fisheye port II                             |
|                                                                       |                       |           | 21130<br>Extension ring 30 with lock   | 18811 (*1)<br>N120 140mm Optical glass fisheye port with removable shade |
|                                                                       | 19541<br>C815-F       |           | 21230<br>Extension ring 30             | 18802<br>8.5" Acrylic dome port                                          |
|                                                                       |                       |           |                                        |                                                                          |
|                                                                       |                       |           |                                        |                                                                          |
| Canon EF 8-15mm f/4L Fisheye USM with Kenko 1.4x Teleplus Pro 300 DGX | 19538<br>C815-Z+1.4   |           | 21150<br>Extension ring 50 with lock   | 18802<br>8.5" Acrylic dome port                                          |
|                                                                       |                       |           | 21150<br>Extension ring 50 with lock   | 18812<br>230mm Optical glass fisheye port II                             |
|                                                                       |                       |           | 21150<br>Extension ring 50 with lock   | 18811 (*1)<br>N120 140mm Optical glass fisheye port with removable shade |
| Canon EF 15mm f/2.8 Fisheye                                           | 19546<br>SC15-F       |           | 21110<br>Extension ring 10 with screws | 18802<br>8.5" Acrylic dome port                                          |
| Sigma 10mm F2.8 EX DC HSM Fisheye                                     |                       |           | 21110<br>Extension ring 10 with screws | 18802<br>8.5" Acrylic dome port                                          |
| Sigma 15mm F2.8 EX DG Diagonal Fisheye                                |                       |           |                                        | 18802<br>8.5" Acrylic dome port                                          |
|                                                                       |                       |           |                                        | 18812<br>230mm Optical glass fisheye port II                             |
|                                                                       |                       |           |                                        | 18810 (*1)<br>N120 140mm Optical glass fisheye port                      |
| Tokina AT-X 107 AF DX Fisheye AF 10-17mm f/3.5-4.5                    | 19529<br>TC1017-Z     |           |                                        | 18804<br>4.33" Acrylic dome port for Tokina 10-17 Le                     |
|                                                                       |                       |           | 21120<br>Extension ring 20 with lock   | 18802<br>8.5" Acrylic dome port                                          |
|                                                                       |                       |           | 21120<br>Extension ring 20 with lock   | 18812<br>230mm Optical glass fisheye port II                             |
|                                                                       |                       |           | 21110<br>Extension ring 10 with screws | 18810 (*1)<br>N120 140mm Optical glass fisheye port                      |
| Tokina AT-X 107 AF DX Fisheye with Kenko 1.4x Teleplus Pro 300 DGX    | 19629<br>TC1017-Z+1.4 |           | 21120<br>Extension ring 20 with lock   | 18804<br>4.33" Acrylic dome port for Tokina 10-17 Le                     |
|                                                                       |                       |           | 21140<br>Extension ring 40 with lock   | 18802<br>8.5" Acrylic dome port                                          |
|                                                                       |                       |           | 21140<br>Extension ring 40 with lock   | 18812<br>230mm Optical glass fisheye port II                             |
|                                                                       |                       |           | 21130<br>Extension ring 30 with lock   | 18810 (*1)<br>N120 140mm Optical glass fisheye port                      |

## N120 PORT SYSTEM FOR NIKON Z SYSTEM

|                 | LENS                                                                                                 | GEAR                                       | EXTENSION RING                         | LENS / PORT                                                            |
|-----------------|------------------------------------------------------------------------------------------------------|--------------------------------------------|----------------------------------------|------------------------------------------------------------------------|
| STANDARD / ZOOM | Nikkor Z 35mm f1.8 S                                                                                 |                                            | 21110<br>Extension ring 10 with screws | 18706<br>N120 Macro port 12                                            |
|                 |                                                                                                      |                                            |                                        | 83201<br>Wet Wide Lens 1 (WWL-1)<br><i>Slight vignetting</i>           |
|                 |                                                                                                      |                                            |                                        | 85201(*1)<br>0.36x Wide Angle Conversion Port                          |
|                 | Nikkor Z 24-70mm f/4 S                                                                               | 19154<br>NZ2470-Z                          | 21140<br>Extension ring 40 with lock   | 18802<br>8.5" Acrylic dome port                                        |
| WIDE / ZOOM     |                                                                                                      |                                            | 21140<br>Extension ring 40 with lock   | 18812<br>230mm Optical glass fisheye port II                           |
|                 |                                                                                                      |                                            | 21140<br>Extension ring 40 with lock   | 18809 (*1)<br>180mm Optical glass wide angle port                      |
|                 |                                                                                                      |                                            | 21120<br>Extension ring 20 with lock   | 85201<br>0.36x Wide Angle Conversion Port<br><i>*work from 28-32mm</i> |
|                 | Nikkor Z 14-30mm f/4 S                                                                               | 19156<br>NZ1430-Z<br><i>*same as 19154</i> | 21150<br>Extension ring 50 with lock   | 18802<br>8.5" Acrylic dome port                                        |
| F-MOUNT         |                                                                                                      |                                            | 21150<br>Extension ring 50 with lock   | 18812(*1)<br>230mm Optical glass fisheye port II                       |
|                 |                                                                                                      |                                            |                                        | 85204<br>Wide Angle Conversion Port - 2                                |
| F-MOUNT         | F mount lenses<br>with Nikon FTZ mount adapter                                                       | See N120 Nikon F-mount Port System         |                                        |                                                                        |
| SONY E-MOUNT    |                                                                                                      |                                            |                                        |                                                                        |
|                 | Techart Sony E to Nikon Z Autofocus Adapter<br>(TZE-01) with Sony SEL2870<br>FE 28-70mm F3.5-5.6 OSS | 19158<br>NE2870-Z                          | 21120<br>Extension ring 20 with lock   | 85201<br>0.36x Wide Angle Conversion Port                              |

## N120 PORT SYSTEM FOR CANON RF SYSTEM

|                 | LENS                                                    | GEAR                                | EXTENSION RING                                                                            | LENS / PORT                                              |
|-----------------|---------------------------------------------------------|-------------------------------------|-------------------------------------------------------------------------------------------|----------------------------------------------------------|
| STANDARD / ZOOM | Canon RF 24-70mm<br>f/2.8L IS USM                       | <b>19567</b><br>CR2470-Z            | <b>21160</b><br>Extension ring 60 with lock                                               | <b>18802</b><br>8.5" Acrylic dome port                   |
|                 |                                                         |                                     | <b>21150+21125</b><br>Extension ring 50+25 with lock                                      | <b>18815</b><br>250mm Optical glass wide angle port II   |
|                 |                                                         |                                     | <b>21160</b><br>Extension ring 60 with lock                                               | <b>18812</b><br>230mm Optical glass fisheye port II      |
|                 |                                                         |                                     | <b>21160</b><br>Extension ring 60 with lock                                               | <b>18809 (*1)</b><br>180mm Optical glass wide angle port |
|                 |                                                         | <b>19568</b><br>CR2470-F            | <b>21250+21110</b><br>Extension ring 50 with focus knob<br>+Extension ring 10 with screws | <b>18809</b><br>180mm Optical glass wide angle port      |
|                 |                                                         |                                     |                                                                                           |                                                          |
| WIDE / ZOOM     | Canon RF 24-105mm<br>f/4L IS USM                        | <b>19565</b><br>CR24105-Z           | <b>21140</b><br>Extension ring 40 with lock                                               | <b>18802</b><br>8.5" Acrylic dome port                   |
|                 |                                                         |                                     | <b>21140</b><br>Extension ring 40 with lock                                               | <b>18812</b><br>230mm Optical glass fisheye port II      |
|                 |                                                         |                                     | <b>21140</b><br>Extension ring 40 with lock                                               | <b>18809 (*1)</b><br>180mm Optical glass wide angle port |
|                 |                                                         |                                     |                                                                                           |                                                          |
|                 |                                                         | <b>19569</b><br>CR1535-Z            | <b>21170</b><br>Extension ring 70 with lock                                               | <b>18802</b><br>8.5" Acrylic dome port                   |
|                 |                                                         |                                     | <b>21180</b><br>Extension ring 80 with lock                                               | <b>18815</b><br>250mm Optical glass wide angle port II   |
| EF - MOUNT      | Canon RF 15-35mm<br>f/2.8L IS USM                       | <b>19570</b><br>CR1535-F            | <b>21170</b><br>Extension ring 70 with lock                                               | <b>18812(*1)</b><br>230mm Optical glass fisheye port II  |
|                 |                                                         |                                     | <b>21170</b><br>Extension ring 70 with lock                                               | <b>18809</b><br>180mm Optical glass wide angle port      |
|                 |                                                         |                                     | <b>21135</b><br>N120 Extension Ring 35 with lock                                          | <b>85204</b><br>Wide Angle Conversion Port - 2           |
|                 |                                                         |                                     | <b>21271</b><br>Extension ring 70 with focus knob                                         | <b>18812</b><br>230mm Optical glass fisheye port II      |
|                 |                                                         | <b>19571</b><br>WCR1535-F           | <b>21235</b><br>N120 Extension ring 35 with focus knob                                    | <b>85204</b><br>Wide Angle Conversion Port - 2           |
|                 |                                                         |                                     |                                                                                           |                                                          |
| EF - MOUNT      | EF mount lenses<br>with Canon mount adaptor EF to EOS R | See N120 Canon EF-mount Port System |                                                                                           |                                                          |
|                 |                                                         |                                     |                                                                                           |                                                          |

## N120 PORT SYSTEM FOR PANASONIC L SYSTEM

|                                                             | LENS                                                     | GEAR               | EXTENSION RING                                                              | LENS / PORT                                                       |
|-------------------------------------------------------------|----------------------------------------------------------|--------------------|-----------------------------------------------------------------------------|-------------------------------------------------------------------|
| STANDARD / ZOOM                                             | Panasonic Lumix S 24-105 f4                              | 19721<br>PS24105-Z | 21150<br>Extension ring 50 with lock                                        | 18802<br>8.5" Acrylic dome port                                   |
|                                                             |                                                          |                    | 21150<br>Extension ring 50 with lock                                        | 18812<br>230mm Optical glass fisheye port II                      |
|                                                             |                                                          |                    | 21150<br>Extension ring 50 with lock                                        | 18809 (*1)<br>180mm Optical glass wide angle port                 |
|                                                             |                                                          |                    | 21135<br>N120 Extension Ring 35 with lock                                   | 85201<br>0.36x Wide Angle Conversion Port<br>*work from 28-33mm   |
|                                                             |                                                          | 19724<br>PS24105-F | 21250<br>N120 Extension Ring 50 with focus knob                             | 18809<br>180mm Optical glass wide angle port                      |
|                                                             | Canon EF 28-70mm f/3.5-4.5 II with Sigma MC-21 Converter | 19725<br>Gear Set  | 21230<br>Extension ring 30 with focus knob                                  | 85201(*1)<br>0.36x Wide Angle Conversion Port<br>* zoom from 30mm |
| WIDE / ZOOM                                                 | Leica Super-Vario-Elmar-SL 16-35mm f/3.5-4.5 ASPH        | 19722<br>LS1635-Z  | 21170<br>Extension ring 70 with lock                                        | 18802<br>8.5" Acrylic dome port                                   |
|                                                             |                                                          |                    | 21170<br>Extension ring 70 with lock                                        | 18812(*1)<br>230mm Optical glass fisheye port II                  |
|                                                             |                                                          |                    | 21170<br>Extension ring 70 with lock                                        | 18815<br>250mm Optical glass wide angle port II                   |
|                                                             |                                                          |                    | 21160<br>Extension ring 60 with lock                                        | 18809<br>180mm Optical glass wide angle port                      |
|                                                             |                                                          | 19723<br>LS1635-F  | 21271<br>Extension ring 70 with focus knob                                  | 18812<br>230mm Optical glass fisheye port II                      |
|                                                             | Panasonic Lumix S PRO 16-35mm f/4                        | 19728<br>PL1635-Z  |                                                                             | 85204 (*1)<br>Wide Angle Conversion Port - 2                      |
| SIGMA'S EF MOUNT LENSES WITH MOUNT CONVERTER MC-21(EF-L) *3 |                                                          | 19729<br>PL1635-F  | 21250<br>N120 Extension Ring 50 with focus knob                             | 18812<br>230mm Optical glass fisheye port II                      |
|                                                             | Sigma 14mm F1.8 DG HSM   Art(*2)                         | 19563<br>SC14A-F   | 21170<br>Extension ring 70 with lock<br>*Compatible from SN:A201966 onwards | 18802<br>8.5" Acrylic dome port                                   |
|                                                             |                                                          |                    | 21170<br>Extension ring 70 with lock<br>*Compatible from SN:A201966 onwards | 18812 (*1)<br>230mm Optical glass fisheye port II                 |
|                                                             | Sigma 20mm F1.4 DG HSM   Art(*2)                         |                    | 21170<br>Extension ring 70 with lock                                        | 18802<br>8.5" Acrylic dome port                                   |
|                                                             |                                                          |                    | 21170<br>Extension ring 70 with lock                                        | 18815<br>250mm Optical glass wide angle port II                   |
|                                                             |                                                          |                    | 21170<br>Extension ring 70 with lock                                        | 18812 (*1)<br>230mm Optical glass fisheye port II                 |
|                                                             |                                                          |                    | 21160<br>Extension ring 60 with lock                                        | 18809<br>180mm Optical glass wide angle port                      |
|                                                             | Sigma 14-24mm F2.8 DG HSM   Art                          | 19564<br>SC1424A-Z | 21170<br>Extension ring 70 with lock<br>*Compatible from SN:A201966 onwards | 18802<br>8.5" Acrylic dome port                                   |
|                                                             |                                                          |                    | 21170<br>Extension ring 70 with lock<br>*Compatible from SN:A201966 onwards | 18815<br>250mm Optical glass wide angle port II                   |
|                                                             |                                                          |                    | 21170<br>Extension ring 70 with lock<br>*Compatible from SN:A201966 onwards | 18812 (*1)<br>230mm Optical glass fisheye port II                 |
|                                                             |                                                          |                    | 21160<br>Extension ring 60 with lock<br>*Compatible from SN:A143566 onwards | 18809<br>180mm Optical glass wide angle port                      |
|                                                             |                                                          |                    |                                                                             |                                                                   |

Remarks: (\*1) Most recommended

(\*2) MC-21 is not necessary for native L-Mount lenses

(\*3) MC-21 can not be used in combination with teleconverter, Operations using other non-compatible lenses are not guaranteed.

Update: 2020-03-30

## N120 PORT SYSTEM FOR PANASONIC L SYSTEM

EF - MOUNT

| LENS                                                 | GEAR                                | EXTENSION RING                                                               | LENS / PORT                                                |
|------------------------------------------------------|-------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------|
| Sigma 14-24mm<br>F2.8 DG DN Art                      | 19726<br>SLE1424-Z                  | 21160<br>Extension ring 60 with lock                                         | 18802<br>8.5" Acrylic dome port                            |
|                                                      |                                     | 21160<br>Extension ring 60 with lock                                         | 18815<br>250mm Optical glass wide angle port II            |
|                                                      |                                     | 21160<br>Extension ring 60 with lock                                         | 18812 (*1)<br>230mm Optical glass fisheye port II          |
|                                                      |                                     | 21150<br>Extension ring 50 with lock                                         | 18809<br>180mm Optical glass wide angle port               |
|                                                      |                                     | 21125<br>N120 Extension Ring 25 with Lock                                    | 85204<br>Wide Angle Conversion Port - 2<br>*zoom from 20mm |
|                                                      | 19727<br>SLE1424-F                  | 21250<br>N120 Extension Ring 50<br>with focus knob                           | 18812 (*1)<br>230mm Optical glass fisheye port II          |
| Sigma 12-24mm<br>F4 DG HSM   Art                     | 19556<br>SC1224A-Z                  | 21160*<br>Extension ring 60 with lock<br>*Compatible from SN:A143566 onwards | 18812 (*1)<br>230mm Optical glass fisheye port II          |
|                                                      |                                     | 21150<br>Extension ring 50 with lock<br>*Compatible from SN:A213191 onwards  | 18815<br>250mm Optical glass wide angle port II            |
| EF mount lenses<br>with Sigma MC-21 Converter (EF-L) | See N120 Canon EF-mount Port System |                                                                              |                                                            |

Remarks: (\*1) Most recommended

(\*2) MC-21 is not necessary for native L-Mount lenses

(\*3) MC-21 can not be used in combination with teleconverter, Operations using other non-compatible lenses are not guaranteed.

Update: 2020-03-30

## N100 PORT SYSTEM FOR SONY A7RIII/A9/A7II/A7R II/A7S II/A7RIV SYSTEM

|                 | LENS                                                  | GEAR                                                                                      | PORT ADAPTOR                                            | EXTENSION RING                                            | LENS / PORT                                                                                                                                                       |
|-----------------|-------------------------------------------------------|-------------------------------------------------------------------------------------------|---------------------------------------------------------|-----------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| MACRO           | Sony SEL50M28<br>FE 50mm F2.8 Macro                   |                                                                                           |                                                         | <b>37402</b><br>N100 Extension ring 40                    | <b>37127</b><br>N100 Flat port 32<br><i>*not compatible with wet diopters</i><br><i>*slightly vignette at infinity</i>                                            |
|                 | Sony SEL90M28G<br>FE 90mm F2.8 Macro G OSS            | <b>37147</b><br>SE90-F                                                                    |                                                         |                                                           | <b>37126</b><br>N100 Macro port 105                                                                                                                               |
| MACRO / WIDE    | Laowa 24mm<br>f/14 2X Macro Probe                     | <b>19155</b><br>N120 DSLR gear set<br><i>*Supports both<br/>Standard and Cine version</i> | <b>37305*</b><br>N100 to N120<br>35.5mm Port adaptor II | <b>21271</b><br>Extension ring 70 w/ knob                 | <b>16336</b><br>N120 Port adaptor                                                                                                                                 |
| STANDARD / ZOOM | Sony SEL2470GM<br>FE 24-70mm F2.8 GM                  | <b>37151</b><br>SFE2470GM-Z<br><br><b>37152</b><br>SFE2470GM-F                            | <b>37305*</b><br>N100 to N120<br>35.5mm Port adaptor II | <b>21160</b><br>Extension ring 60 with lock               | <b>18809</b><br>180mm Optical glass wide angle port                                                                                                               |
|                 | Sony SEL2470Z<br>Vario-Tessar T* FE 24-70mm F4 ZA OSS | <b>37149</b><br>SE2470-Z<br><br><b>37148</b><br>SE2470-F                                  |                                                         |                                                           |                                                                                                                                                                   |
|                 | Sony SEL28F20<br>FE 28mm F2                           | <b>37150</b><br>SE28-F                                                                    |                                                         |                                                           | <b>37127 + 83201</b><br>N100 Flat port 32 +<br>Wet Wide Lens 1 (WWL-1)                                                                                            |
|                 | Sony SEL2870<br>FE 28-70mm F3.5-5.6 OSS               | <b>37141</b><br>SE2870-Z                                                                  |                                                         |                                                           | <b>37124</b><br>Flat port 66 with M77 thread<br>OPTIONAL ACCESSORIES<br><b>86201</b><br>Macro to Wideangle Lens 1 (MWL-1)                                         |
|                 |                                                       |                                                                                           | <b>37305*</b><br>N100 to N120<br>35.5mm Port adaptor II | <b>21120</b><br>Extension ring 20 with lock               | <b>85201</b><br>0.36x Wide Angle Conversion Port                                                                                                                  |
|                 | Tamron 28-75mm f/2.8 Di III RXD                       | <b>37159</b><br>STE2875-Z<br><br><b>37160</b><br>STE2875-F                                | <b>37305*</b><br>N100 to N120<br>35.5mm Port adaptor II | <b>21150</b><br>Extension ring 50 with lock               | <b>18802</b><br>8.5" Acrylic dome port<br><br><b>18809</b><br>180mm Optical glass wide angle port<br><br><b>18812 (*1)</b><br>230mm Optical glass fisheye port II |
|                 |                                                       |                                                                                           |                                                         | <b>21135</b><br>Extension ring 35 with lock               | <b>85201</b><br>0.36x Wide Angle Conversion Port                                                                                                                  |
|                 | Sony SEL35F28Z<br>Sonnar T* FE 35mm F2.8 ZA           |                                                                                           |                                                         |                                                           | <b>37122</b><br>4" Wide angle port<br><br><b>37130 + 83201</b><br>N100 Flat port 23 +<br>Wet Wide Lens 1 (WWL-1)                                                  |
|                 | Sony SEL55F18Z AE<br>Sonnar T* FE 55mm F1.8 ZA        |                                                                                           |                                                         |                                                           | <b>37123</b><br>N100 Macro port 55                                                                                                                                |
|                 | Sony SEL1224G<br>FE 12-24mm F4 G                      | <b>37153</b><br>SFE1224-Z<br><br><b>37154</b><br>SFE1224-F                                | <b>37305*</b><br>N100 to N120<br>35.5mm Port adaptor II | <b>21140</b><br>Extension ring 40 with lock               | <b>18812 (*1)</b><br>230mm Optical glass fisheye port II                                                                                                          |
|                 | Sigma 14-24mm<br>F2.8 DG DN                           | <b>19726</b><br>SLE1424-Z<br><br><br><br><br><br><br><br><br><b>19727</b><br>SLE1424-F    |                                                         |                                                           |                                                                                                                                                                   |
| WIDE / ZOOM     |                                                       |                                                                                           | <b>37305*</b><br>N100 to N120<br>35.5mm Port adaptor II | <b>21160</b><br>Extension ring 60 with lock               | <b>18802</b><br>8.5" Acrylic dome port                                                                                                                            |
|                 |                                                       |                                                                                           |                                                         | <b>21150</b><br>Extension ring 50 with lock               | <b>18815</b><br>250mm Optical glass wide angle port II                                                                                                            |
|                 |                                                       |                                                                                           |                                                         | <b>21150</b><br>Extension ring 50 with lock               | <b>18812 (*1)</b><br>230mm Optical glass fisheye port II                                                                                                          |
|                 |                                                       |                                                                                           |                                                         | <b>21140</b><br>Extension ring 40 with lock               | <b>18809</b><br>180mm Optical glass wide angle port                                                                                                               |
|                 |                                                       |                                                                                           |                                                         | <b>21125</b><br>N120 Extension Ring 25 with Lock          | <b>85204</b><br>Wide Angle Conversion Port - 2                                                                                                                    |
|                 |                                                       |                                                                                           | <b>37305*</b><br>N100 to N120<br>35.5mm Port adaptor II | <b>21250</b><br>N120 Extension Ring 50<br>with focus knob | <b>18812 (*1)</b><br>230mm Optical glass fisheye port II<br><i>*zoom from 20mm</i>                                                                                |

Remarks: (\*1) Most recommended

(\*) 37305 is compatible with all Sony A series housings; 37303 is compatible with A7RIII/A9/A7II/A7R II/A7S II, except NA-A7RIV housing.

Update: 2020-03-30



**N100 PORT SYSTEM**  
**FOR SONY A7RIII/A9/A7II/A7R II/A7S II/A7RIV SYSTEM**

|                 | LENS                                                                                    | GEAR                                             | PORT ADAPTOR                                            | EXTENSION RING                                                                                                                                                                 | LENS / PORT                                                                                                                                                                                                   |
|-----------------|-----------------------------------------------------------------------------------------|--------------------------------------------------|---------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| WIDE / ZOOM     | Sony SEL1635GM<br>FE 16-35mm F2.8 GM                                                    | 37155<br>SFE1635GM-Z<br><br>37156<br>SFE1636GM-F | 37305*<br>N100 to N120<br>35.5mm Port adaptor II        | 21170<br>Extension ring 70 with lock<br><br>21160<br>Extension ring 60 with lock<br><br>21130<br>Extension ring 30 with lock                                                   | 18812 (*1)<br>230mm Optical glass fisheye port II<br><br>18809<br>180mm Optical glass wide angle port<br><br>85204<br>Wide Angle Conversion Port - 2                                                          |
|                 | Sony SEL1635Z<br>Vario-Tessar T* FE 16-35mm F4 ZA OSS                                   | 37145<br>SE1635-Z<br><br>37146<br>SE1635-F       | 37305*<br>N100 to N120<br>35.5mm Port adaptor II        | 37401+37403<br>N100 Extension ring 30+50<br><br>21160<br>Extension ring 60 with lock<br><br>21150<br>Extension ring 50 with lock<br><br>21110<br>Extension ring 10 with screws | 37129<br>N100 180mm Optical glass wide angle port<br><br>18812 (*1)<br>230mm Optical glass fisheye port II<br><br>18809<br>180mm Optical glass wide angle port<br><br>85204<br>Wide Angle Conversion Port - 2 |
|                 | Tamron 17-28mm f/2.8 Di III RXD                                                         | 37157<br>STE1728-Z<br><br>37158<br>STE1728-F     | 37305*<br>N100 to N120<br>35.5mm Port adaptor II        | 21140<br>Extension ring 40 with lock                                                                                                                                           | 18802<br>8.5" Acrylic dome port<br><br>18809<br>180mm Optical glass wide angle port<br><br>18812 (*1)<br>230mm Optical glass fisheye port II<br><br>85204<br>Wide Angle Conversion Port - 2                   |
|                 | Zeiss Batis 2.8/18                                                                      |                                                  | 37305*<br>N100 to N120<br>35.5mm Port adaptor II        | 21120<br>Extension ring 20 with lock                                                                                                                                           | 18809<br>180mm Optical glass wide angle port                                                                                                                                                                  |
|                 | Sony SEL28F20 + SEL075UWC<br>FE 28mm F2 + FE Ultra wide adaptor                         |                                                  | 37305*<br>N100 to N120<br>35.5mm Port adaptor II        | 21130<br>Extension ring 30 with lock                                                                                                                                           | 18809<br>180mm Optical glass wide angle port                                                                                                                                                                  |
| FISHEYE / ZOOM  | Sony SEL28F20 + SEL057FEC<br>FE 28mm F2 + FE Fisheye adaptor                            |                                                  | 37305*<br>N100 to N120<br>35.5mm Port adaptor II        | 21130<br>Extension ring 30 with lock                                                                                                                                           | 18810<br>N120 140mm Optical glass fisheye port                                                                                                                                                                |
|                 | Metabones EF Lens to NEX Smart Adapter III<br>w/ Sigma 15mm F2.8 EX DG Diagonal Fisheye | 19546<br>SC15-F                                  | 37305*<br>N100 to N120<br>35.5mm Port adaptor II        |                                                                                                                                                                                | 18810<br>N120 140mm Optical glass fisheye port                                                                                                                                                                |
| NIKONOS         | U/W Nikkor 15 mm f/2.8                                                                  |                                                  |                                                         |                                                                                                                                                                                |                                                                                                                                                                                                               |
|                 | U/W Nikkor 20 mm f/2.8                                                                  |                                                  |                                                         |                                                                                                                                                                                |                                                                                                                                                                                                               |
|                 | U/W Nikkor 80mm f/4                                                                     |                                                  | 37202<br>Nikonos adaptor for<br>NA-A7II/A9/A7RIII/A7RIV |                                                                                                                                                                                | 36317<br>Filter holder for Nikonos adaptor                                                                                                                                                                    |
|                 | Sea & Sea 12mm f/3.5 Fisheye<br>for Nikonos                                             |                                                  |                                                         |                                                                                                                                                                                |                                                                                                                                                                                                               |
| EF mount Lenses | EF mount lenses with Metabones<br>EF Lens to NEX Smart Adapter III / IV/V               |                                                  | 37305*<br>N100 to N120<br>35.5mm Port adaptor II        | See Canon N120 Port System                                                                                                                                                     |                                                                                                                                                                                                               |

## N85 PORT SYSTEM FOR PANASONIC & OLYMPUS & BMPCC M4/3 SYSTEM

|                 | LENS                                                         | GEAR                                                                         | PORT ADAPTOR                                                      | EXTENSION RING                                | LENS / PORT                                                                                                                                                                                                                                                                                    |
|-----------------|--------------------------------------------------------------|------------------------------------------------------------------------------|-------------------------------------------------------------------|-----------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| MACRO           | Olympus M.Zuiko Digital ED 30mm f3.5 Macro                   |                                                                              |                                                                   |                                               | <b>36135</b><br>Macro port 45<br><i>*Incompatible with wet diopters</i>                                                                                                                                                                                                                        |
|                 | Olympus M.Zuiko Digital ED 60mm f2.8 Macro                   | <b>36149</b><br>O60-F                                                        |                                                                   | <b>36620</b><br>Mini extension ring 20        | <b>36163</b><br>Macro port 65                                                                                                                                                                                                                                                                  |
|                 |                                                              |                                                                              |                                                                   | <b>36630</b><br>Mini extension ring 30        | <b>36135</b><br>Macro port 45                                                                                                                                                                                                                                                                  |
|                 | Panasonic Lumix G Macro 30mm f/2.8 Asph. Mega O.I.S.         |                                                                              |                                                                   |                                               | <b>36139</b><br>Macro port 35                                                                                                                                                                                                                                                                  |
|                 | Panasonic LEICA DG MACRO-ELMARIT 45mm F2.8 ASPH. MEGA O.I.S. | <b>36145</b><br>P45-F                                                        |                                                                   |                                               | <b>36135</b><br>Macro port 45<br><i>*Incompatible with wet diopters</i>                                                                                                                                                                                                                        |
| STANDARD / ZOOM | Olympus M.ZUIKO DIGITAL ED 12-40mm f/2.8 PRO                 | <b>36045</b><br>O1240-Z                                                      | <b>36052(*2)</b><br>N85 to N120 47mm Port adaptor with focus knob | <b>21120</b><br>Extension ring 20 with lock   | <b>36129</b><br>7" Acrylic dome port                                                                                                                                                                                                                                                           |
|                 |                                                              | <b>36065</b><br>O1240-F                                                      | <b>36401(*3)</b><br>N85 to N120 55mm Port adaptor with knob       | <b>21110</b><br>Extension ring 10 with screws | <b>18809 (*1)</b><br>180mm Optical glass wide angle port                                                                                                                                                                                                                                       |
|                 | Olympus M.ZUIKO DIGITAL ED 12-50mm f/3.5-6.3 EZ              | <b>36147*</b><br>O1250-Z<br><b>* 36059</b> O1250-Z f or use with NA-GH5/EM1X |                                                                   |                                               | <b>36161</b><br>Macro port with M77 thread<br><b>OPTIONAL ACCESSORIES</b><br><b>83251+83203</b><br>M77 to Bayonet Converter II<br>+Wet Wide Lens Compact (WWL-C)<br><i>*No vignetting at 15mm</i><br><b>83251 + 86201</b><br>M77 to Bayonet Converter II<br>+Macro to Wideangle Lens 1 (MWL-1) |
|                 |                                                              |                                                                              |                                                                   |                                               | <b>36137</b><br>4" Wide angle port<br><b>OPTIONAL ACCESSORIES</b><br><b>25105</b><br>M67 Flip diopter holder for 36137                                                                                                                                                                         |
|                 | Olympus M.ZUIKO DIGITAL 14-42mm F3.5-5.6 II R                | <b>36143</b><br>O1442-Z                                                      |                                                                   |                                               | <b>36136</b><br>Macro port 56<br><b>OPTIONAL ACCESSORIES</b><br><b>83201 (*1)</b><br>Wet Wide Lens 1 (WWL-1)                                                                                                                                                                                   |
|                 |                                                              | <b>36067</b><br>O1442-F                                                      |                                                                   |                                               | <b>36137</b><br>4" Wide angle port<br><b>OPTIONAL ACCESSORIES</b><br><b>25105</b><br>M67 Flip diopter holder for 36137                                                                                                                                                                         |
|                 |                                                              |                                                                              |                                                                   |                                               | <b>36166*</b><br>N85 Macro port 56 with focus knob<br><i>*From 15mm, slightly vignetting using with 16501 NA-BMPCCII Housing</i><br><b>83201 (*1)</b><br>Wet Wide Lens 1 (WWL-1)                                                                                                               |
|                 | Olympus M.ZUIKO DIGITAL ED 14-42mm F3.5-5.6 EZ               | <b>36047</b><br>O1442EZ-Z                                                    |                                                                   |                                               | <b>36165 + 83201 (*1)</b><br>N85 Power zoom macro port 29<br>Wet Wide Lens 1 (WWL-1)                                                                                                                                                                                                           |
|                 | Panasonic LUMIX G VARIO 12-32mm F3.5-5.6 ASPH. MEGA O.I.S.   | <b>36046</b><br>P1232-Z                                                      |                                                                   | <b>36620</b><br>Mini extension ring 20        | <b>36131</b><br>3.5" Wide angle port                                                                                                                                                                                                                                                           |
|                 |                                                              |                                                                              |                                                                   |                                               | <b>36165 + 83201 (*1)</b><br>N85 Power zoom macro port 29<br>Wet Wide Lens 1 (WWL-1)                                                                                                                                                                                                           |
|                 |                                                              |                                                                              |                                                                   |                                               | <b>36165 + 83250 + 83203</b><br>N85 Power zoom macro port 29<br>+M67 to Bayonet Converter II<br>+Wet Wide Lens Compact (WWL-C)                                                                                                                                                                 |

Remarks: (\*1) Most recommended

(\*2) 36052 before SN: A297188 is incompatible with NA-EM1X

(\*3) 36401 before SN: A393237 is incompatible with NA-EM1X

Update: 2020-03-30

## N85 PORT SYSTEM FOR PANASONIC & OLYMPUS & BMPCC M4/3 SYSTEM

|                 | LENS                                                                      | GEAR                                                                                 | PORT ADAPTOR                                                      | EXTENSION RING                                                          | LENS / PORT                                                                                                            |
|-----------------|---------------------------------------------------------------------------|--------------------------------------------------------------------------------------|-------------------------------------------------------------------|-------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------|
| MACRO / WIDE    | Olympus M.Zuiko Digital ED 30mm f3.5 Macro                                |                                                                                      |                                                                   | <b>36135</b><br>Macro port 45<br><i>*Incompatible with macro optics</i> | <b>86201</b><br>Macro to Wideangle Lens 1 (MWL-1)                                                                      |
|                 | Panasonic Lumix G Macro 30mm f/2.8 Asph. Mega O.I.S.                      |                                                                                      |                                                                   | <b>36135</b><br>Macro port 45<br><i>*Incompatible with macro optics</i> | <b>86201</b><br>Macro to Wideangle Lens 1 (MWL-1)                                                                      |
|                 | Laowa 24mm f/14 2X Macro Probe<br><i>*With Speedbooster on GH5 camera</i> | <b>19155</b><br>N120 DSLR gear set<br><i>*Support both Standard and Cine version</i> | <b>36064</b><br>N85 to N120 34.7mm Port adaptor with knob         | <b>21271</b><br>Extension ring 70 w/ knob                               | <b>16336</b><br>N120 Port adaptor for Laowa 24mm f/14 2x macro probe                                                   |
| STANDARD / ZOOM | Panasonic LUMIX G X Vario 12-35mm F2.8 I/ II ASPH. POWER O.I.S.           | <b>36148</b><br>P1235-Z                                                              |                                                                   |                                                                         | <b>36133</b><br>6" Wide angle port                                                                                     |
|                 |                                                                           | <b>36042</b><br>P1235-F<br><i>*Compatible with Ver.II lens from A107953</i>          |                                                                   |                                                                         | <b>36164</b><br>6" Wide angle port with focus knob                                                                     |
|                 |                                                                           |                                                                                      | <b>36052(*2)</b><br>N85 to N120 47mm Port adaptor with focus knob | <b>21120</b><br>Extension ring 20 with lock                             | <b>18809 (*1)</b><br>180mm Optical glass wide angle port                                                               |
|                 | Panasonic LEICA DG VARIO-ELMARIT 12-60mm F2.8-4.0 ASPH. POWER O.I.S.      | <b>36058</b><br>PL1260-Z                                                             |                                                                   |                                                                         | <b>36129</b><br>7" Acrylic dome port                                                                                   |
|                 |                                                                           | <b>36068</b><br>PL1260-F                                                             | <b>36401(*3)</b><br>N85 to N120 55mm Port adaptor with knob       | <b>21110</b><br>Extension ring 10 with screws                           | <b>18809</b><br>180mm Optical glass wide angle port                                                                    |
|                 | Panasonic LUMIX G 14mm / F2.5 ASPH                                        |                                                                                      |                                                                   |                                                                         | <b>36131</b><br>3.5" Wide angle port                                                                                   |
|                 |                                                                           |                                                                                      |                                                                   |                                                                         | <b>36151 + 83201 (*1)</b><br>N10 Pancake port<br>Wet Wide Lens 1 (WWL-1)                                               |
|                 | Panasonic LUMIX G VARIO 14-42mm F3.5-5.6 ASPH. MEGA O.I.S.                | <b>36141</b><br>P1442-Z                                                              |                                                                   |                                                                         | <b>36121</b><br>Flat port 72<br><i>OPTIONAL ACCESSORIES</i><br><b>25104</b><br>M67 Flip diopter holder for 36121       |
|                 |                                                                           |                                                                                      |                                                                   |                                                                         | <b>36137</b><br>4" Wide angle port<br><i>OPTIONAL ACCESSORIES</i><br><b>25105</b><br>M67 Flip diopter holder for 36137 |
|                 | Panasonic LUMIX G VARIO 14-42mm F3.5-5.6 II ASPH. MEGA O.I.S.             | <b>36057</b><br>P1442II-Z                                                            |                                                                   |                                                                         | <b>36139 + 83201 (*1)</b><br>Macro port 35<br>Wet Wide Lens 1 (WWL-1)                                                  |
|                 | Panasonic LUMIX G X VARIO PZ 14-42mm F3.5-5.6 ASPH. Power O.I.S.          | <b>36146</b><br>P1442X-PZ<br><i>* 36061 for use with NA-GH5</i>                      |                                                                   |                                                                         | <b>36165 + 83201 (*1)</b><br>N85 Power zoom macro port 29<br>Wet Wide Lens 1 (WWL-1)                                   |
|                 | Panasonic LUMIX G VARIO 14-45mm F3.5-5.6 ASPH. MEGA O.I.S.                | <b>36053</b><br>P1445-Z                                                              |                                                                   |                                                                         | <b>36121</b><br>Flat port 72<br><i>OPTIONAL ACCESSORIES</i><br><b>25104</b><br>M67 Flip diopter holder for 36121       |
|                 |                                                                           |                                                                                      |                                                                   |                                                                         | <b>36137</b><br>4" Wide angle port<br><i>OPTIONAL ACCESSORIES</i><br><b>25105</b><br>M67 Flip diopter holder for 36137 |

Remarks: (\*1) Most recommended

(\*2) 36052 before SN: A297188 is incompatible with NA-EM1X

(\*3) 36401 before SN: A393237 is incompatible with NA-EM1X

Update: 2020-03-30

## N85 PORT SYSTEM FOR PANASONIC & OLYMPUS & BMPCC M4/3 SYSTEM

|                | LENS                                                                       | GEAR                                 | PORT ADAPTOR                                                                                   | EXTENSION RING                                                     | LENS / PORT                                                                                                                       |
|----------------|----------------------------------------------------------------------------|--------------------------------------|------------------------------------------------------------------------------------------------|--------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------|
| WIDE / ZOOM    | Olympus M.ZUIKO DIGITAL ED<br>9-18mm F4.0-5.6                              | 36143<br>0918-Z                      |                                                                                                |                                                                    | 36137<br>4" Wide angle port                                                                                                       |
|                |                                                                            |                                      | 36052(*2)<br>N85 to N120<br>47mm Port adaptor<br>with focus knob                               | 21120<br>Extension ring 20 with lock                               | 18809 (*1)<br>180mm Optical glass wide angle port                                                                                 |
|                |                                                                            |                                      | 36401(*3)<br>N85 to N120<br>55mm Port adaptor<br>with knob                                     | 21110<br>Extension ring 10 with screws                             | 18809<br>180mm Optical glass wide angle port                                                                                      |
|                | Olympus M.ZUIKO DIGITAL ED<br>12mm f/2.0                                   |                                      |                                                                                                | 36620<br>Mini extension ring 20                                    | 36048 (*1)<br>N85 140mm Optical glass fisheye port                                                                                |
|                |                                                                            |                                      |                                                                                                |                                                                    | 36132<br>4.33" Dome port<br><i>*Incompatible with NA-EM1X</i>                                                                     |
|                |                                                                            |                                      |                                                                                                | 36620<br>Mini extension ring 20                                    | 36131<br>3.5" Wide angle port                                                                                                     |
|                | Olympus M.ZUIKO DIGITAL ED<br>7-14mm F2.8 PRO                              | 36054<br>0714-Z<br>36055<br>0714-F   | 36401(*3)<br>N85 to N120<br>55mm Port adaptor<br>with knob                                     |                                                                    | 18809 (*1)<br>180mm Optical glass wide angle port                                                                                 |
|                | Panasonic LUMIX G VARIO<br>7-14mm/F4.0 ASPH                                | 36044<br>P714-Z<br>36043<br>P714-F   |                                                                                                |                                                                    | 36133<br>6" Wide angle port                                                                                                       |
|                |                                                                            |                                      |                                                                                                |                                                                    | 36164<br>6" Wide angle port with Focus knob                                                                                       |
|                |                                                                            |                                      | 36052(*2)<br>N85 to N120<br>47mm Port adaptor                                                  |                                                                    | 18809 (*1)<br>180mm Optical glass wide angle port                                                                                 |
| FISHEYE / ZOOM | Panasonic Leica DG Vario Elmarit<br>8-18mm f/2.8-4.0 ASPH                  | 36062<br>PL818-Z<br>36063<br>PL818-F |                                                                                                |                                                                    | 36129<br>7" Acrylic dome port                                                                                                     |
|                |                                                                            |                                      | 36401(*3)<br>N85 to N120<br>55mm Port adaptor<br>with knob                                     | 21120<br>Extension ring 20 with lock                               | 18809 (*1)<br>180mm Optical glass wide angle port                                                                                 |
|                | OLYMPUS M.ZUIKO DIGITAL ED<br>8mm F1.8 Fisheye PRO                         | 36056<br>08-F                        |                                                                                                | 36617<br>Mini extension ring 17<br>36620<br>Mini extension ring 20 | 36048 (*1)<br>N85 140mm Optical glass fisheye port                                                                                |
|                |                                                                            |                                      |                                                                                                |                                                                    | 36132<br>4.33" Dome port                                                                                                          |
|                | Panasonic LUMIX G FISHEYE<br>8mm / F3.5                                    | 36041<br>P8-F                        |                                                                                                |                                                                    | 36132<br>4.33" Dome port<br><i>*Incompatible with NA-EM1X</i>                                                                     |
|                |                                                                            |                                      |                                                                                                |                                                                    | 36131<br>3.5" Wide angle port<br><i>*Slightly vignetting in 4:3 aspect ratio</i>                                                  |
|                |                                                                            |                                      |                                                                                                |                                                                    | 36048 (*1)<br>N85 140mm Optical glass fisheye port<br><i>*Incompatible with NA-EM1X</i><br><i>*Vignetting in 4:3 aspect ratio</i> |
|                | Panasonic X VARIO PZ 14-42mm with<br>Fisheye Conversion Lens [DMW-GFC1]    | 36146<br>P1442X-PZ                   |                                                                                                | 36630<br>Mini extension ring 30                                    | 36132<br>4.33" Dome port                                                                                                          |
|                |                                                                            |                                      |                                                                                                |                                                                    |                                                                                                                                   |
|                |                                                                            |                                      |                                                                                                |                                                                    |                                                                                                                                   |
| EF LENSES      | EF mount lenses with Metabones<br>EF-MFT mount T Speed Booster ULTRA 0.71x |                                      | 36064*<br>N85 to N120<br>34.7mm Port adaptor<br>with knob<br><i>*Incompatible with NA-EM1X</i> | — See Canon N120 Port System                                       |                                                                                                                                   |

Remarks: (\*1) Most recommended

(\*2) 36052 before SN: A297188 is incompatible with NA-EM1X

(\*3) 36401 before SN: A393237 is incompatible with NA-EM1X

Update: 2020-03-30

## N85 PORT SYSTEM FOR SONY E-MOUNT SYSTEM

|                 | LENS                                                                              | GEAR               | PORT ADAPTOR                                                          | EXTENSION RING                         | LENS / PORT                                                                                                                                             |
|-----------------|-----------------------------------------------------------------------------------|--------------------|-----------------------------------------------------------------------|----------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------|
| MACRO           | Sony SEL30M35<br>E 30mm F3.5 Macro                                                | 36171<br>SE30-F    |                                                                       |                                        | 36128<br>Macro port 45 with focus knob<br><i>*Incompatible with Wet Optics</i>                                                                          |
|                 |                                                                                   |                    |                                                                       |                                        | 36135<br>Macro port 45<br><i>*Incompatible with Wet Optics</i>                                                                                          |
|                 | Sony SEL50M28<br>FE 50mm F2.8 Macro                                               |                    | 36206(*2)<br>N85 to N120<br>50mm Port adaptor<br>with zoom/focus knob |                                        | 18704<br>Macro port 41                                                                                                                                  |
|                 | Sony SEL90M28G<br>FE 90mm F2.8 Macro G OSS                                        | 36175<br>SFE90-F   | 36205<br>N85 to N100<br>65mm Port adaptor<br>with zoom/focus knob     |                                        | 37123<br>N100 Macro port 55<br><i>*Compatible from SN:A175724 onwards</i>                                                                               |
|                 |                                                                                   |                    | 36204(*2)<br>N85 to N120<br>60mm Port adaptor                         |                                        | 18701<br>Macro port 60                                                                                                                                  |
|                 |                                                                                   |                    | 36206(*2)<br>N85 to N120<br>50mm Port adaptor<br>with zoom/focus knob | 21110<br>Extension ring 10 with screws | 18701<br>Macro port 60                                                                                                                                  |
|                 | Sony A-mount Adaptor [LA-EA1] with<br>SAL30M28 DT 30mmF2.8 Macro SAM              |                    |                                                                       |                                        | 36202<br>EA30 port<br><i>*Incompatible with wet optics</i>                                                                                              |
| STANDARD / ZOOM | Metabones EF Lens to NEX Smart Adapter II<br>with Canon EF-S 60mm f/2.8 Macro USM | 36203<br>EEF60-F   |                                                                       |                                        | 36203<br>EEF60 port                                                                                                                                     |
|                 | Carl Zeiss Touit 2.8/50M                                                          |                    |                                                                       | 36630<br>Mini extension ring 30        | 36135<br>Macro port 45                                                                                                                                  |
|                 | Sony SEL16F28<br>E 16mm F2.8                                                      |                    |                                                                       |                                        | 36126<br>E16 pancake port                                                                                                                               |
|                 |                                                                                   |                    |                                                                       |                                        | 36125<br>E mount 4.33" fisheye port                                                                                                                     |
|                 | Sony SELP1650<br>E PZ 16-50mm F3.5-5.6 OSS                                        | 36172<br>SE1650-PZ |                                                                       |                                        | 36128 + 83201<br>Macro port 45 with knob<br>Wet Wide Lens - 1 (WWL-1)<br><i>*No vignetting at 20mm</i>                                                  |
|                 |                                                                                   |                    |                                                                       |                                        | 36228 + 83250 + 83203<br>N85 Macro port 40 with knob<br>+M67 to Bayonet Converter II<br>+Wet Wide Lens Compact (WWL-C)<br><i>*No vignetting at 17mm</i> |
|                 | Sony SEL1670Z<br>Vario-Tessar T* E 16-70mm F4 ZA OSS                              | 36174<br>SE1670-Z  |                                                                       |                                        | 36129<br>7" Acrylic dome port                                                                                                                           |
|                 |                                                                                   |                    | 36206(*2)<br>N85 to N120<br>50mm Port adaptor<br>with zoom/focus knob | 21120<br>Extension ring 20 with lock   | 18809<br>180mm Optical glass wide angle port                                                                                                            |
|                 |                                                                                   |                    |                                                                       |                                        | 18705 + 86201<br>Macro port 45<br><i>+Macro to Wideangle Lens 1 (MWL-1)</i>                                                                             |
|                 | Sony SEL1855<br>E 18-55mm F3.5-5.6 OSS                                            | 36122<br>SE1855-Z  |                                                                       |                                        | 36121<br>Flat port 72<br>OPTIONAL ACCESSORIES<br>25104<br>M67 Flip diopter holder for 36121                                                             |
|                 |                                                                                   |                    |                                                                       |                                        | 36137<br>4" Wide angle port<br>OPTIONAL ACCESSORIES<br>25105<br>M67 Flip diopter holder for 36137                                                       |

## N85 PORT SYSTEM FOR SONY E-MOUNT SYSTEM

|              | LENS                                                                                                                           | GEAR                     | PORT ADAPTOR                                                                 | EXTENSION RING                                | LENS / PORT                                                                                  |
|--------------|--------------------------------------------------------------------------------------------------------------------------------|--------------------------|------------------------------------------------------------------------------|-----------------------------------------------|----------------------------------------------------------------------------------------------|
| MACRO / WIDE | Sigma 19mm F2.8 DN   A                                                                                                         |                          |                                                                              | <b>36135</b><br>Macro port 45                 | <b>83201 (*1)</b><br>Wet Wide Lens 1 (WWL-1)                                                 |
|              | Carl Zeiss Touit 2.8/50M                                                                                                       |                          |                                                                              | <b>36630</b><br>Mini extension ring 30        | <b>36135 + 86201 (*1)</b><br>Macro port 45<br>Macro to Wideangle Lens 1 (MWL-1)<br>FOV: 115° |
| WIDE / ZOOM  | Sony SEL1018<br>E 10-18mm F4 OSS                                                                                               | <b>36173</b><br>SE1018-Z |                                                                              |                                               | <b>36129</b><br>7" Acrylic dome port                                                         |
|              |                                                                                                                                |                          | <b>36204(*2)</b><br>N85 to N120<br>60mm Port adaptor                         |                                               | <b>18809 (*1)</b><br>180mm Optical glass wide angle port                                     |
|              |                                                                                                                                |                          | <b>36206(*2)</b><br>N85 to N120<br>50mm Port adaptor<br>with zoom/focus knob | <b>21110</b><br>Extension ring 10 with screws | <b>18809</b><br>180mm Optical glass wide angle port                                          |
|              | Carl Zeiss Touit 2.8/12                                                                                                        |                          | <b>36204(*2)</b><br>N85 to N120<br>60mm Port adaptor                         |                                               | <b>18809</b><br>180mm Optical glass wide angle port                                          |
|              |                                                                                                                                |                          | <b>36206(*2)</b><br>N85 to N120<br>50mm Port adaptor<br>with zoom/focus knob | <b>21110</b><br>Extension ring 10 with screws | <b>18809</b><br>180mm Optical glass wide angle port                                          |
|              | Sony SEL16F28 with<br>Ultra-wide Converter [VCL-ECU1]                                                                          |                          |                                                                              |                                               | <b>36125</b><br>E mount 4.33" fisheye port                                                   |
|              | Sony SEL16F28 with<br>Fisheye Converter [VCL-ECF1]                                                                             |                          |                                                                              |                                               | <b>36125</b><br>E mount 4.33" fisheye port                                                   |
| NIKONOS      | Tokina AT-X 107 AF DX Fisheye<br>AF 10-17mm f/3.5-4.5<br>(Canon mount) with Metabones<br>EF Lens to NEX Smart Adapter III / IV | <b>19529</b><br>TC1017-Z | <b>36206(*2)</b><br>N85 to N120<br>50mm Port adaptor<br>with zoom/focus knob |                                               | <b>18804</b><br>4.33" Acrylic dome port<br>for Tokina 10-17 Lens                             |
|              | U/W Nikkor 15 mm f/2.8                                                                                                         |                          |                                                                              |                                               | Optional accessories<br><b>36317</b><br>Filter holder for Nikonos adaptor                    |
|              | U/W Nikkor 20 mm f/2.8                                                                                                         |                          |                                                                              |                                               |                                                                                              |
|              | U/W Nikkor 28 mm f/3.5                                                                                                         |                          |                                                                              |                                               |                                                                                              |
|              | U/W Nikkor 35mm f/2.5                                                                                                          |                          |                                                                              |                                               |                                                                                              |
|              | U/W Nikkor 80mm f/4                                                                                                            |                          |                                                                              |                                               |                                                                                              |
|              | Sea & Sea 12mm f/3.5 Fisheye<br>for Nikonos                                                                                    |                          |                                                                              |                                               |                                                                                              |
|              |                                                                                                                                |                          | <b>36201</b><br>Nikonos to NEX adaptor                                       |                                               |                                                                                              |

## N85 PORT SYSTEM FOR CANON EF-M SYSTEM

|                 | LENS                                                        | GEAR                      | PORT BASE                                              | EXTENSION RING                              | LENS / PORT                                                                                                      |
|-----------------|-------------------------------------------------------------|---------------------------|--------------------------------------------------------|---------------------------------------------|------------------------------------------------------------------------------------------------------------------|
| MACRO           | EF-EOS M adaptor with<br>Canon EF-S 60mm f2.8 Macro USM     | <b>36192</b><br>CMEF60-F  |                                                        |                                             | <b>36182</b><br>Macro port for CMEF60                                                                            |
|                 |                                                             | <b>19521</b><br>C60-F     | <b>36184(*2)</b><br>N85 to N120<br>41.5mm Port adaptor |                                             | <b>18704</b><br>Macro port 41                                                                                    |
|                 | EF-EOS M adaptor with<br>Canon EF 100mm f/2.8L Macro IS USM | <b>19523</b><br>C100IS-F  | <b>36184(*2)</b><br>N85 to N120<br>41.5mm Port adaptor |                                             | <b>18703</b><br>Macro port 94                                                                                    |
|                 |                                                             |                           | <b>36204</b><br>N85 to N120<br>60mm Port adaptor       | <b>21130</b><br>Extension ring 30 with lock | <b>18704</b><br>Macro port 41                                                                                    |
| STANDARD / ZOOM | Canon EF-M 15-45mm<br>f/3.5-6.3 IS STM                      | <b>36195</b><br>CM1545-Z  |                                                        |                                             | <b>36135 + 83201</b><br>Macro port 45<br>Wet Wide Lens 1 (WWL-1)<br>*No vignetting at 18mm (4:3)                 |
|                 | Canon EF-M 18-55mm<br>f/3.5-5.6 IS STM                      | <b>36191</b><br>CM1855-Z  |                                                        |                                             | <b>83250 + 83203</b><br>+M67 to Bayonet Converter II<br>+Wet Wide Lens Compact (WWL-C)<br>*No vignetting at 17mm |
|                 | Canon EF-M 22mm<br>f/2 STM                                  |                           |                                                        |                                             | <b>36181</b><br>4" Semi-dome port                                                                                |
|                 |                                                             |                           |                                                        |                                             | <b>36131</b><br>3.5" Wide angle port                                                                             |
| WIDE / ZOOM     | Canon EF-M 11-22mm<br>f/4-5.6 IS STM                        | <b>36194</b><br>CM1122-Z  |                                                        |                                             | <b>36126 + 83201</b><br>E16 pancake port<br>Wet Wide Lens 1 (WWL-1)                                              |
|                 |                                                             |                           |                                                        |                                             | <i>OPTIONAL ACCESSORIES</i><br><b>83213</b><br>M67 to bayonet mount converter                                    |
|                 |                                                             |                           |                                                        |                                             | <b>36129</b><br>7" Acrylic dome port                                                                             |
|                 |                                                             |                           |                                                        |                                             | <b>36133</b><br>6" Wide angle port                                                                               |
|                 |                                                             |                           |                                                        |                                             | <b>36181</b><br>4" Semi-dome port                                                                                |
|                 |                                                             |                           | <b>36204</b><br>N85 to N120<br>60mm Port adaptor       |                                             | <b>18809 (*1)</b><br>180mm Optical glass wide angle port                                                         |
|                 | EF-EOS M adaptor with<br>Canon EF 8-15mm f/4L Fisheye USM   | <b>36193</b><br>CMEF815-Z |                                                        |                                             | <b>36183</b><br>4.33" Dome port for CMEF815                                                                      |
|                 |                                                             | <b>19537</b><br>C815-Z    | <b>36184(*2)</b><br>N85 to N120<br>41.5mm Port adaptor | <b>21130</b><br>Extension ring 30 with lock | <b>18811 (*1)</b><br>N120 140mm Optical glass fisheye<br>port with removable shade                               |
| EF MOUNT        | Canon EF mount lenses with<br>Canon EF-EOS M adaptor        |                           | <b>36184(*2)</b><br>N85 to N120<br>41.5mm Port adaptor | — See Canon N120 Port System                |                                                                                                                  |

## N85 PORT SYSTEM FOR FUJIFILM XT1&XT2 SYSTEM

|                 | LENS                       | GEAR                     | PORT ADAPTOR                                               | EXTENSION RING                         | LENS / PORT                                                                                                                          |
|-----------------|----------------------------|--------------------------|------------------------------------------------------------|----------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|
| MACRO           | Carl Zeiss Touit 2.8/50M   | <b>36422</b><br>XZ50-A   |                                                            | <b>36620</b><br>Mini extension ring 20 | <b>36135</b><br>Macro port 45                                                                                                        |
|                 |                            |                          |                                                            | <b>36630</b><br>Mini extension ring 30 | <b>36139</b><br>Macro port 35                                                                                                        |
|                 | FUJINON XF60mmF2.4 R Macro | <b>36423</b><br>X60-A    |                                                            |                                        | <b>36163</b><br>Macro port 65                                                                                                        |
|                 |                            |                          |                                                            | <b>36620</b><br>Mini extension ring 20 | <b>36135</b><br>Macro port 45                                                                                                        |
| STANDARD / ZOOM | FUJINON XF18-55F2.8-4.0    | <b>36442</b><br>X1855-A  |                                                            |                                        |                                                                                                                                      |
|                 |                            | <b>36443</b><br>X1855-Z1 | <b>36401</b><br>N85 to N120<br>55mm Port adaptor with knob |                                        | <b>18809 (*1)</b><br>180mm Optical glass wide angle port                                                                             |
|                 |                            | <b>36444</b><br>X1855-Z2 |                                                            |                                        | <b>36164</b><br>6" Wide angle port with focus knob                                                                                   |
| WIDE / ZOOM     | FUJINON XF10-24mmF4 R OIS  | <b>36421</b><br>X1024-A  |                                                            |                                        |                                                                                                                                      |
|                 |                            | <b>36441</b><br>X1024-Z  | <b>36401</b><br>N85 to N120 55mm Port adaptor              |                                        | <b>18809</b><br>180mm Optical glass wide angle port                                                                                  |
|                 | FUJINON XF18mmF2           | <b>36445</b><br>X18-A    |                                                            |                                        | <b>36126</b><br>E16 Pancake port<br><i>OPTIONAL ACCESSORIES</i><br><b>83201</b><br>Wet Wide Lens 1 (WWL-1)                           |
|                 | FUJINON XF23mmF2           | <b>36446</b><br>X23-A    |                                                            |                                        | <b>36139</b><br>Macro port 35<br><i>OPTIONAL ACCESSORIES</i><br><b>83201</b><br>Wet Wide Lens 1 (WWL-1)                              |
|                 |                            |                          |                                                            | <b>36617</b><br>Mini extension ring 17 | <b>36126</b><br>E16 Pancake port<br><i>OPTIONAL ACCESSORIES</i><br><b>83201</b><br>Wet Wide Lens 1 (WWL-1)                           |
| MACRO / WIDE    | Carl Zeiss Touit 2.8/50M   |                          | <b>36620</b><br>Mini extension ring 20                     | <b>36135</b><br>Macro port 45          | <b>86201(*1)</b><br>Macro to Wideangle Lens 1 (MWL-1)<br><i>OPTIONAL ACCESSORIES</i><br><b>86222</b><br>Double Flip Holder for MWL-1 |
|                 |                            |                          | <b>36630</b><br>Mini extension ring 30                     | <b>36139</b><br>Macro port 35          | <b>86201</b><br>Macro to Wideangle Lens 1 (MWL-1)<br><i>OPTIONAL ACCESSORIES</i><br><b>86222</b><br>Double Flip Holder for MWL-1     |

Remarks: (\*1) Most recommended

Optional accessories:

2501 M67 Flip diopter holder for M67 macro ports is recommended to use with Nauticam wet macro lenses

Update: 2019-09-27



## N120 PORT SYSTEM FOR C200 & EVA1 & RED™ SYSTEM (Canon mount)

|                 | LENS                                      | ZOOM GEAR              | FOCUS GEAR                                                                   | EXTENSION RING                                                                                                                                                                                                           | LENS / PORT                                                                                                                                                                                                                                                                                               |
|-----------------|-------------------------------------------|------------------------|------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| MACRO           | Canon EF-S 60mm<br>f/2.8 Macro USM        |                        | 19521<br>C60-F                                                               |                                                                                                                                                                                                                          | 18704<br>Macro port 41                                                                                                                                                                                                                                                                                    |
|                 | Canon EF 100mm<br>f/2.8L Macro IS USM     |                        | 19523<br>C100IS-F                                                            |                                                                                                                                                                                                                          | 18703<br>Macro port 94                                                                                                                                                                                                                                                                                    |
| MACRO / WIDE    | Laowa 24mm<br>f/14 2X Macro Probe         |                        | 16335*<br>Cine gear set<br>*Support both<br>Standard and Cine version lenses | 21170<br>Extension ring 70 with lock<br>*Compatible from SN:A201966 onwards                                                                                                                                              | 16336<br>N120 Port adaptor<br>for Laowa 24mm f/14 2x macro probe                                                                                                                                                                                                                                          |
| STANDARD / ZOOM | Canon EF 24-70mm<br>f/2.8L II USM         | 16313<br>RC2470II-Z    | 16314<br>RC2470II-F                                                          | 21170<br>Extension ring 70 with lock                                                                                                                                                                                     | 18802<br>8.5" Acrylic dome port<br>18812 (*1)<br>230mm Optical glass fisheye port II                                                                                                                                                                                                                      |
|                 | Sigma 17-70mm<br>F2.8-4 DC Macro OS HSM C | 16331<br>RSC1770OSC-Z  | 16331<br>RSC1770OSC-F                                                        | 21140<br>Extension ring 40 with lock                                                                                                                                                                                     | 18802<br>8.5" Acrylic dome port<br>18812 (*1)<br>230mm Optical glass fisheye port II                                                                                                                                                                                                                      |
|                 | Sigma 18-35mm<br>F1.8 DC HSM   A          | 16326<br>RSC1835f.18-Z | 16326<br>RSC1835f.18-F                                                       | 21180<br>Extension ring 80 with lock<br>21150+21150<br>Extension ring 100 with lock<br>21180<br>Extension ring 80 with lock<br>21180<br>Extension ring 80 with lock<br>21130+21135<br>Extension ring 30 +35<br>with lock | 18802<br>8.5" Acrylic dome port<br>18815<br>250mm Optical glass wide angle port II<br>18812<br>230mm Optical glass fisheye port II<br>18809 (*1)<br>180mm optical glass wide angle port<br>85201 (*1)<br>0.36x Wide Angle Conversion Port<br>*Zoom from 20mm<br>85202<br>0.36x Wide Angle Conversion Port |
|                 | Canon EF-S 18-55mm<br>f/3.5-5.6 IS STM    | 16330<br>RC1855STM-Z   | 16330<br>RC1855STM-F                                                         | 21125<br>N120 Extension Ring 25 with Lock                                                                                                                                                                                | 85201<br>0.36x Wide Angle Conversion Port<br>*Zoom from 20mm                                                                                                                                                                                                                                              |
|                 | Canon EF 28-70mm<br>f/3.5-4.5 II          | 16334<br>RC2870II-Z    | 16334<br>RC2870II-F                                                          | 21125<br>N120 Extension Ring 25 with Lock                                                                                                                                                                                | 85201(*1)<br>0.36x Wide Angle Conversion Port                                                                                                                                                                                                                                                             |
|                 | Canon EF 24-105mm<br>f/4L IS USM          | 16337<br>RC24105-Z     | 16337<br>RC24105-F                                                           | 21170<br>Extension ring 70 with lock                                                                                                                                                                                     | 18802<br>8.5" Acrylic dome port<br>18812<br>230mm Optical glass fisheye port II<br>18809 (*1)<br>180mm optical glass wide angle port                                                                                                                                                                      |
|                 | Canon EF-S 10-22mm<br>f/3.5-4.5 USM       | 16303<br>RC1022-Z      | 16304<br>RC1022-F                                                            | 21160<br>Extension ring 60 with lock<br>21120<br>Extension ring 20 with lock<br>21160<br>Extension ring 60 with lock<br>21160<br>Extension ring 60 with lock                                                             | 18802<br>8.5" Acrylic dome port<br>23211<br>8.5" white balance acrylic dome port<br>18815<br>250mm Optical glass wide angle port II<br>18812 (*1)<br>230mm Optical glass fisheye port II                                                                                                                  |
|                 | Canon EF 11-24mm<br>f/4L USM              | 16315<br>RC1124-Z      | 16316<br>RC1124-F                                                            | 21150<br>Extension ring 50 with lock<br>*Compatible from SN:A213191 onwards<br>21170<br>Extension ring 70 with lock<br>*Compatible from SN:A201966 onwards<br>21271<br>Extension ring 70                                 | 18815 (*1)<br>250mm Optical glass wide angle port II<br>18812<br>230mm Optical glass fisheye port II<br>18812<br>230mm Optical glass fisheye port II                                                                                                                                                      |

**N120 PORT SYSTEM**  
**FOR C200 & EVA1 & RED™ SYSTEM (Canon mount)**

| LENS                               |                      | ZOOM GEAR            | FOCUS GEAR                                                                  | EXTENSION RING                                                              |                                      | LENS / PORT |                                                      |
|------------------------------------|----------------------|----------------------|-----------------------------------------------------------------------------|-----------------------------------------------------------------------------|--------------------------------------|-------------|------------------------------------------------------|
| Canon EF 16-35mm<br>f/2.8L II USM  | 16311<br>RC1635II-Z  | 16312<br>RC1635II-F  | 21170<br>Extension ring 70 with lock                                        | 21180<br>Extension ring 80 with lock                                        | 21180<br>Extension ring 80 with lock | 18802       | 8.5" Acrylic dome port                               |
|                                    |                      |                      |                                                                             |                                                                             |                                      | 18815       | 250mm Optical glass wide angle port II               |
|                                    |                      |                      |                                                                             |                                                                             |                                      | 18812 (*1)  | 230mm Optical glass fisheye port II                  |
|                                    |                      |                      |                                                                             |                                                                             |                                      | 18809       | 180mm optical glass wide angle port                  |
| Canon EF 16-35mm<br>F4L IS USM     | 19527<br>RC1635II-Z  | 19542<br>RC1635II-F  | 21130<br>Extension ring 30 with lock                                        | 21170<br>Extension ring 70 with lock                                        | 21180<br>Extension ring 80 with lock | 85204       | Wide Angle Conversion Port - 2                       |
|                                    |                      |                      |                                                                             |                                                                             |                                      | 18802       | 8.5" Acrylic dome port                               |
|                                    |                      |                      |                                                                             |                                                                             |                                      | 18815       | 250mm optical glass wide angle port II               |
|                                    |                      |                      |                                                                             |                                                                             |                                      | 18812 (*1)  | 230mm Optical glass fisheye port II                  |
| Canon EF 16-35mm<br>f/2.8L III USM | 16317<br>RC1635f4-Z  | 16318<br>RC1635f4-F  | 21170<br>Extension ring 70 with lock                                        | 21180<br>Extension ring 80 with lock                                        | 21180<br>Extension ring 80 with lock | 18809       | 180mm optical glass wide angle port                  |
|                                    |                      |                      |                                                                             |                                                                             |                                      | 85201       | 0.36x Wide Angle Conversion Port<br>* Zoom from 20mm |
|                                    |                      |                      |                                                                             |                                                                             |                                      | 85204       | Wide Angle Conversion Port - 2                       |
|                                    |                      |                      |                                                                             |                                                                             |                                      | 18802       | 8.5" Acrylic dome port                               |
| Zeiss Distagon T* 2.8/15 ZE        | 16325<br>RC1635III-Z | 16325<br>RC1635III-F | 21190<br>Extension ring 90 with lock                                        | 21190<br>Extension ring 90 with lock                                        | 21190<br>Extension ring 90 with lock | 18815       | 250mm Optical glass wide angle port II               |
|                                    |                      |                      |                                                                             |                                                                             |                                      | 18812 (*1)  | 230mm Optical glass fisheye port II                  |
|                                    |                      |                      |                                                                             |                                                                             |                                      | 18809       | 180mm optical glass wide angle port                  |
|                                    |                      |                      |                                                                             |                                                                             |                                      | 85201       | 0.36x Wide Angle Conversion Port<br>* Zoom from 20mm |
| Zeiss Milvus 2.8/18 ZE             | 16329<br>ZMC-F       | 16329<br>ZMC-F       | 21150<br>Extension ring 50 with lock                                        | 21150<br>Extension ring 50 with lock                                        | 21150<br>Extension ring 50 with lock | 85204       | Wide Angle Conversion Port - 2                       |
|                                    |                      |                      |                                                                             |                                                                             |                                      | 18812       | 230mm Optical glass fisheye port II                  |
|                                    |                      |                      |                                                                             |                                                                             |                                      | 18809       | 180mm optical glass wide angle port                  |
|                                    |                      |                      |                                                                             |                                                                             |                                      | 18812       | 230mm Optical glass fisheye port II                  |
| Zeiss Milvus 2.8/21 ZE             | 16329<br>ZMC-F       | 16329<br>ZMC-F       | 21150<br>Extension ring 50 with lock                                        | 21150<br>Extension ring 50 with lock                                        | 21150<br>Extension ring 50 with lock | 18809       | 180mm optical glass wide angle port                  |
|                                    |                      |                      |                                                                             |                                                                             |                                      | 18812       | 230mm Optical glass fisheye port II                  |
|                                    |                      |                      |                                                                             |                                                                             |                                      | 18809       | 180mm optical glass wide angle port                  |
|                                    |                      |                      |                                                                             |                                                                             |                                      | 18812       | 230mm Optical glass fisheye port II                  |
| Sigma 8-16mm<br>F4.5-5.6 DC HSM    | 16305<br>RSC816-Z    | 16306<br>RSC816-F    | 21150<br>Extension ring 50 with lock                                        | 21150<br>Extension ring 50 with lock                                        | 21150<br>Extension ring 50 with lock | 18802       | 8.5" Acrylic dome port                               |
|                                    |                      |                      |                                                                             |                                                                             |                                      | 18815       | 250mm Optical glass wide angle port II               |
|                                    |                      |                      |                                                                             |                                                                             |                                      | 18812 (*1)  | 230mm Optical glass fisheye port II                  |
|                                    |                      |                      |                                                                             |                                                                             |                                      | 18809       | 180mm optical glass wide angle port                  |
| Sigma 12-24mm<br>F4 DG HSM   Art   | 16327<br>RSC1224A-Z  | 16327<br>RSC1224A-F  | 21160<br>Extension ring 60 with lock<br>*Compatible from SN:A143566 onwards | 21150<br>Extension ring 50 with lock<br>*Compatible from SN:A213191 onwards | 21150<br>Extension ring 50 with lock | 18812 (*1)  | 230mm Optical glass fisheye port II                  |
|                                    |                      |                      |                                                                             |                                                                             |                                      | 18815       | 250mm Optical glass wide angle port II               |
|                                    |                      |                      |                                                                             |                                                                             |                                      | 18809       | 180mm optical glass wide angle port                  |
|                                    |                      |                      |                                                                             |                                                                             |                                      | 18812       | 230mm Optical glass fisheye port II                  |

## N120 PORT SYSTEM FOR C200 & EVA1 & RED™ SYSTEM (Canon mount)

|                | LENS                                                                        | ZOOM GEAR              | FOCUS GEAR             | EXTENSION RING                                                                     | LENS / PORT                                         |
|----------------|-----------------------------------------------------------------------------|------------------------|------------------------|------------------------------------------------------------------------------------|-----------------------------------------------------|
| WIDE / ZOOM    | Tokina AT-X 116 PRO DX<br>AF 11-16mm f/2.8                                  | 16309<br>RTC1116-Z     | 16310<br>RTC1116-F     | 21160<br>Extension ring 60 with lock                                               | 18802<br>8.5" Acrylic dome port                     |
|                |                                                                             |                        |                        | 21160<br>Extension ring 60 with lock                                               | 18815<br>250mm Optical glass wide angle port II     |
|                |                                                                             |                        |                        | 21160<br>Extension ring 60 with lock                                               | 18812 (*1)<br>230mm Optical glass fisheye port II   |
|                |                                                                             |                        |                        | 21160<br>Extension ring 60 with lock                                               | 18809<br>180mm Optical glass wide angle port        |
|                | Tokina AT-X 11-20 F2.8 PRO DX<br>AF 11-20mm F2.8                            | 16328<br>RTC1120-Z     | 16328<br>RTC1120-F     | 21160<br>Extension ring 60 with lock                                               | 18802<br>8.5" Acrylic dome port                     |
|                |                                                                             |                        |                        | 21160<br>Extension ring 60 with lock                                               | 18815<br>250mm Optical glass wide angle port II     |
|                |                                                                             |                        |                        | 21160<br>Extension ring 60 with lock                                               | 18812 (*1)<br>230mm Optical glass fisheye port II   |
|                |                                                                             |                        |                        | 21160<br>Extension ring 60 with lock                                               | 18809<br>180mm Optical glass wide angle port        |
|                | Sigma 14-24mm<br>F2.8 DG HSM   Art                                          | 16333<br>RSC1424A-Z    | 16333<br>RSC1424A-F    | 21170<br>Extension ring 70 with lock<br><i>*Compatible from SN:A201966 onwards</i> | 18802<br>8.5" Acrylic dome port                     |
| FISHEYE / ZOOM |                                                                             |                        |                        | 21170<br>Extension ring 70 with lock<br><i>*Compatible from SN:A201966 onwards</i> | 18815<br>250mm Optical glass wide angle port II     |
|                |                                                                             |                        |                        | 21170<br>Extension ring 70 with lock<br><i>*Compatible from SN:A201966 onwards</i> | 18812 (*1)<br>230mm Optical glass fisheye port II   |
|                |                                                                             |                        |                        | 21160<br>Extension ring 60 with lock<br><i>*Compatible from SN:A143566 onwards</i> | 18809<br>180mm Optical glass wide angle port        |
|                | Canon EF 8-15mm<br>f/4L Fisheye USM                                         | 16301<br>RC815-Z       | 16302<br>RC815-F       | 21130<br>Extension ring 30 with lock                                               | 18802<br>8.5" Acrylic dome port                     |
|                |                                                                             |                        |                        | 21130<br>Extension ring 30 with lock                                               | 18812<br>230mm Optical glass fisheye port II        |
|                |                                                                             |                        |                        | 21130<br>Extension ring 30 with lock                                               | 18810 (*1)<br>N120 140mm Optical glass fisheye port |
|                | Canon EF 8-15mm f/4L Fisheye USM<br>with Kenko 1.4x Teleplus Pro 300<br>DGX | 16322<br>RC815-Z+1.4   | 16323<br>RC815-F+1.4   | 21150<br>Extension ring 50 with lock                                               | 18802<br>8.5" Acrylic dome port                     |
|                |                                                                             |                        |                        | 21150<br>Extension ring 50 with lock                                               | 18812<br>230mm Optical glass fisheye port II        |
|                |                                                                             |                        |                        | 21150<br>Extension ring 50 with lock                                               | 18810 (*1)<br>N120 140mm Optical glass fisheye port |
|                | Tokina AT-X 107 AF DX Fisheye<br>AF 10-17mm f/3.5-4.5                       | 16307<br>RTC1017-Z     | 16308<br>RTC1017-F     |                                                                                    | 18804<br>4.33" Acrylic dome port                    |
|                |                                                                             |                        |                        | 21120<br>Extension ring 20 with lock                                               | 18802<br>8.5" Acrylic dome port                     |
|                |                                                                             |                        |                        | 21120<br>Extension ring 20 with lock                                               | 18812<br>230mm Optical glass fisheye port II        |
|                |                                                                             |                        |                        | 21110<br>Extension ring 10 with screws                                             | 18810 (*1)<br>N120 140mm Optical glass fisheye port |
|                | Tokina AT-X 107 AF DX Fisheye<br>with Kenko 1.4x Teleplus Pro 300 DGX       | 16320<br>RTC1017-Z+1.4 | 16321<br>RTC1017-F+1.4 | 21120<br>Extension ring 20 with lock                                               | 18804<br>4.33" Acrylic dome port                    |
|                |                                                                             |                        |                        | 21140<br>Extension ring 40 with lock                                               | 18802<br>8.5" Acrylic dome port                     |
|                |                                                                             |                        |                        | 21140<br>Extension ring 40 with lock                                               | 18812<br>230mm Optical glass fisheye port II        |
|                |                                                                             |                        |                        | 21130<br>Extension ring 30 with lock                                               | 18810 (*1)<br>N120 140mm Optical glass fisheye port |
|                |                                                                             |                        |                        |                                                                                    |                                                     |

## N100 PORT SYSTEM FOR FUJIFILM XH1/XT3 SYSTEM

|                 | LENS                                                                                                       | GEAR               | PORT ADAPTOR                               | EXTENSION RING                                                                 | LENS / PORT                                                                                                      |
|-----------------|------------------------------------------------------------------------------------------------------------|--------------------|--------------------------------------------|--------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------|
| MACRO           | Carl Zeiss Touit 2.8/50M                                                                                   |                    |                                            | 37401<br>N100 Extension ring 30                                                | 37127<br>N100 Flat port 32                                                                                       |
|                 |                                                                                                            |                    |                                            | 36471<br>N100 to N85 20mm Port adaptor                                         | 36135<br>Macro port 45                                                                                           |
|                 | FUJINON XF60mmF2.4 R Macro                                                                                 |                    |                                            | 37401<br>N100 Extension ring 30                                                | 37127<br>N100 Flat port 32                                                                                       |
|                 |                                                                                                            |                    |                                            | 36471<br>N100 to N85 20mm Port adaptor                                         | 36135<br>Macro port 45                                                                                           |
|                 | FUJINON XF80mm                                                                                             | 36473<br>X80-F     |                                            |                                                                                | 37125<br>N100 Macro port 110                                                                                     |
| STANDARD / ZOOM | FUJINON XF18-55F2.8-4.0                                                                                    | 36474<br>X1855-Z3  |                                            | 37403<br>N100 Extension ring 50                                                | 37129<br>N100 180mm Optical glass wide angle port                                                                |
|                 |                                                                                                            |                    | 37304<br>N100 to N120 55mm<br>Port adaptor |                                                                                | 18809<br>180mm Optical glass wide angle port                                                                     |
|                 |                                                                                                            |                    |                                            | 37401<br>N100 Extension ring 30                                                | 85203<br>N100 0.36x Wide Angle Conversion Port<br><i>*workable zoom range is from 18 to 30mm</i>                 |
|                 | Fujifilm XC 15-45mm f3.5-5.6 OIS PZ                                                                        | 36476<br>X1545PZ-Z |                                            |                                                                                | 36478 + 83201<br>N100 Flat port 40<br>+Wet Wide Lens 1 (WWL-1)                                                   |
|                 |                                                                                                            |                    |                                            |                                                                                | 83250 + 83203<br>+M67 to Bayonet Converter II<br>+Wet Wide Lens Compact (WWL-C)<br><i>*No vignetting at 15mm</i> |
|                 |                                                                                                            |                    |                                            |                                                                                | 36478 + 86201<br>N100 Flat port 40 +<br>+ Macro to Wideangle Lens 1 (MWL-1)                                      |
| WIDE / ZOOM     | FUJINON XF10-24mmF4 R OIS                                                                                  | 36475<br>X1024-Z   |                                            | 37403<br>N100 Extension ring 50                                                | 37129<br>N100 180mm Optical glass wide angle port                                                                |
|                 |                                                                                                            |                    | 37304<br>N100 to N120 55mm<br>port adaptor |                                                                                | 18809<br>180mm Optical glass wide angle port                                                                     |
|                 | FUJINON XF18mmF2                                                                                           |                    |                                            |                                                                                | 36472<br>N100 Flat port 13<br>OPTIONAL ACCESSORIES<br>83201<br>Wet Wide Lens 1 (WWL-1)                           |
|                 | FUJINON XF23mmF2                                                                                           |                    |                                            |                                                                                | 37127<br>N100 Flat port 32<br>OPTIONAL ACCESSORIES<br>83201<br>Wet Wide Lens 1 (WWL-1)                           |
|                 | FUJIFILM XF 8-16mm f2.8 R LM WR<br><i>*Incompatible with a setup of<br/>N100 Extension rings and 37129</i> | 36477<br>X816-Z    | 37304<br>N100 to N120 55mm<br>port adaptor | 21110<br>Extension ring 10 with screws<br>21130<br>Extension ring 30 with lock | 18809<br>180mm Optical glass wide angle port<br>18812(*1)<br>230mm Optical glass fisheye port II                 |
| MACRO / WIDE    | Carl Zeiss Touit 2.8/50M                                                                                   |                    | 37401<br>N100 Extension ring 30            | 37127<br>N100 Flat port 32                                                     | 86201(*1)<br>Macro to Wideangle Lens 1 (MWL-1)<br>OPTIONAL ACCESSORIES<br>86222<br>Double Flip Holder for MWL-1  |
|                 |                                                                                                            |                    | 36471<br>N100 to N85 20mm<br>port adaptor  | 36135<br>Macro port 45                                                         | 86201<br>Macro to Wideangle Lens 1 (MWL-1)<br>OPTIONAL ACCESSORIES<br>86222<br>Double Flip Holder for MWL-1      |

## N120 PORT SYSTEM FOR FUJIFILM GF-MOUNT SYSTEM

|                 | LENS                            | GEAR                     | EXTENSION RING                              | LENS / PORT                                                                                                  |
|-----------------|---------------------------------|--------------------------|---------------------------------------------|--------------------------------------------------------------------------------------------------------------|
| MACRO           | Fujinon GF 120mm f4R macro Lens | <b>19823</b><br>GF120-F  | <b>21160</b><br>Extension ring 60 with lock | <b>18701</b><br>Macro port 60                                                                                |
|                 |                                 |                          |                                             |                                                                                                              |
| STANDARD / ZOOM | Fujinon GF 32-64mm F4           | <b>19822</b><br>GF3264-Z | <b>21160</b><br>Extension ring 60 with lock | <b>18815</b><br>250mm Optical glass wide angle port II<br>* Minimum focus distance is 0.5m                   |
|                 | Fujinon GF 63mm f2.8R           |                          | <b>21140</b><br>Extension ring 40 with lock | <b>18701</b><br>Macro port 60                                                                                |
| WIDE / ZOOM     | FUJINON GF 23mmF4 R LM WR       |                          | <b>21155</b><br>Extension ring 55 with lock | <b>18815 (*1)</b><br>250mm Optical glass wide angle port II<br>FOV: 100°<br>*Minimum focus distance is 0.24m |
|                 |                                 |                          | <b>21135</b><br>Extension ring 35 with lock | <b>18812</b><br>230mm Optical glass fisheye port II<br>*Minimum focus distance is 0.46m                      |
|                 |                                 |                          | <b>21120</b><br>Extension ring 20 with lock | <b>85204</b><br>Wide Angle Conversion Port - 2<br>FOV: 120°                                                  |
|                 | FUJINON GF 45mmF2.8 R WR        |                          | <b>21130</b><br>Extension ring 30 with lock | <b>85201</b><br>0.36x Wide Angle Conversion Port<br>FOV: 109°                                                |
|                 |                                 |                          |                                             | <b>18701</b><br>Macro port 60                                                                                |