

N120 PORT SYSTEM FOR NIKON F SYSTEM

	LENS	GEAR	PORT BASE	EXTENSION RING	LENS / PORT
MACRO	Nikon AF Micro 60mm f/2.8D		18211 Compact port base		18301 Compact port 30
	Nikon AF-S Micro NIKKOR 60mm f/2.8G ED	19121 N60G-F	18211 Compact port base		18701 Macro port 60
					18305 Compact port 30 with M67 thread
	Nikon AF-S DX Micro NIKKOR 85mm f/3.5G ED VR	19129 N85VR-F	18211 Compact port base		18305 Compact port 30 with M67 thread
	Nikon AF Micro 105mm f/2.8D		18211 Compact port base	18540 Compact port extension 40	18301 Compact port 30
				18520 Compact port extension 20	18302 Compact port 50
	Nikon AF-S VR Micro Nikkor 105mm f/2.8G IF-ED	19122 N105VR-F	18211 Compact port base		18702 Macro port 87
				21130 Extension ring 30 with lock	18701 Macro port 60
					18306 Compact port 50 with M67 thread
		Sigma 50mm F2.8 EX DG Macro		18211 Compact port base	18520 Compact port extension 20
	Sigma 70mm F2.8 EX DG Macro		18211 Compact port base	18550 Compact port extension 50	18301 Compact port 30
				18530 Compact port extension 30	18302 Compact port 50
	Sigma 105mm F2.8 EX DG OS HSM Macro	19147 SN105-F		21130 Extension ring 30 with lock	18701 Macro port 60
MACRO / WIDE	Laowa 24mm f/14 2X Macro Probe	19155 N120 DSLR gear set <i>*Support both Standard and Cine version</i>		21271 Extension ring 70 w/ knob	16336 N120 Port adaptor for Laowa 24mm f/14 2x macro probe
	Nikon AF-S DX Micro NIKKOR 40mm f/2.8D DX	19152 N40G-F		18705 Macro port 45	86201 Macro to Wideangle Lens 1 (MWL-1)
	Nikon AF-S Micro NIKKOR 60mm f/2.8G ED	19121 N60G-F		18701 Macro port 60	86201 Macro to Wideangle Lens 1 (MWL-1) OPTIONAL ACCESSORIES 86222 Double flip holder for MWL-1
STANDARD / ZOOM	Nikon AF-S DX NIKKOR 18-55mm f/3.5-5.6G VR	19123 N1855VR-Z	18211 Compact port base		18301 Compact port 30
	Nikon AF-S DX Zoom-Nikkor 18-55mm f/3.5-5.6G ED II	19124 N1855II-Z	18211 Compact port base		18301 Compact port 30
	Nikon AF-S DX NIKKOR 18-55mm f/3.5-5.6G VR II	19144 N1855VRII-Z	18211 Compact port base		18304 Compact port 15 with M67 thread OPTIONAL ACCESSORIES 86201 Macro to Wideangle Lens 1 (MWL-1)
				21135 N120 Extension ring 35 with lock	85201(*1) 0.36x Wide Angle Conversion Port
	Nikon AF-S NIKKOR 24-85mm f/3.5-4.5G ED VR	19139 N2485-Z		21150 Extension ring 50 with lock	18802 8.5" Acrylic dome port
	Sigma 17-70mm F2.8-4.5 DC Macro HSM	19132 SN1770-Z		21150 Extension ring 50 with lock	18802 8.5" Acrylic dome port
Sigma 17-70mm F2.8-4 DC Macro OS HSM	19133 SN1770OS-Z		21150 Extension ring 50 with lock	18802 8.5" Acrylic dome port	

Remarks: (*1) Most recommended

Optional accessory:

#25101 M67 Flip Diopter Holder is recommended to use with macro ports

N120 PORT SYSTEM FOR NIKON F SYSTEM

	LENS	GEAR	PORT BASE	EXTENSION RING	LENS / PORT
STANDARD / ZOOM	Sigma 17-70mm F2.8-4 DC Macro OS HSM C	19140 SN17700SC-Z		21140 Extension ring 40 with lock	18802 8.5" Acrylic dome port
	Sigma 18-35mm F1.8 DC HSM A	19146 SN1835f1.8-Z		21180 Extension ring 80 with lock	18802 8.5" Acrylic dome port
				21150+21150 Extension ring 50+50	18815 250mm Optical glass wide angle port II
				21180 Extension ring 80 with lock	18812 230mm Optical glass fisheye port II
			21180 Extension ring 80 with lock	18809 (*1) 180mm Optical glass wide angle port	
	Nikon AF Nikkor 28-70mm f/3.5-4.5D	19148 N2870f3.5D-Z		21135 N120 Extension ring 35 with lock	85201(*1) 0.36x Wide Angle Conversion Port
WIDE	Nikon AF-S Nikkor 28mm f/1.8 G			21120 N120 Extension ring 20 with lock	85201 0.36x Wide Angle Conversion Port
	Nikon AF Nikkor 28mm f/2.8D				85201 0.36x Wide Angle Conversion Port
WIDE / ZOOM	Nikon AF-S DX NIKKOR 10-24mm f/3.5-4.5G ED	19135 N1024-Z		21150 Extension ring 50 with lock	18802 8.5" Acrylic dome port
	Nikon AF-S DX NIKKOR 12-24mm f/4G IF-ED	19125 N1224-Z		21160 Extension ring 60 with lock	18802 8.5" Acrylic dome port
	Nikon AF-S NIKKOR 14-24mm f/2.8G ED	19131 N1424-Z		21170 Extension ring 70 with lock	18802 8.5" Acrylic dome port
				21180 Extension ring 80 with lock	18815 (*1) 250mm Optical glass wide angle port II
				21180 Extension ring 80 with lock	18812 230mm Optical glass fisheye port II
	Nikon AF-S NIKKOR 16-35mm f/4G ED VR	19138 N1635-Z		21170 Extension ring 70 with lock	18802 8.5" Acrylic dome port
				21190 Extension ring 90 with lock	18815 250mm Optical glass wide angle port II
				21190 Extension ring 90 with lock	18812 (*1) 230mm Optical glass fisheye port II
				21180 Extension ring 80 with lock	18809 180mm Optical glass wide angle port
				21170 Extension ring 70 with lock	85201 0.36x Wide Angle Conversion Port * zoom from 18 mm
			21150 Extension ring 50 with lock *slightly vignetting at 16mm	85204 Wide Angle Conversion Port - 2	
		19142 N1635-F		21270 Extension ring 70 with lock	18802 8.5" Acrylic dome port
				21240 N120 Extension ring 40 with focus kn	85204 Wide Angle Conversion Port - 2
	Nikon AF-S 17-35mm f/2.8D IF-ED	19130 N1735-Z		21170 Extension ring 70 with lock	18802 8.5" Acrylic dome port
				21170 Extension ring 70 with lock	18815 250mm Optical glass wide angle port II
				21170 Extension ring 70 with lock	18812 (*1) 230mm Optical glass fisheye port II
				21150 Extension ring 50 with lock	85201 0.36x Wide Angle Conversion Port * zoom from 18 mm
				21130 Extension ring 30 with lock	85204 Wide Angle Conversion Port - 2

Remarks: (*1) Most recommended

Optional accessory:

#25101 M67 Flip Diopter Holder is recommended to use with macro ports

N120 PORT SYSTEM FOR NIKON F SYSTEM

	LENS	GEAR	PORT BASE	EXTENSION RING	LENS / PORT
WIDE / ZOOM	Nikon AF-S NIKKOR 18-35mm f/3.5-4.5G ED	19141 N1835-Z		21160 Extension ring 60 with lock	18802 8.5" Acrylic dome port
				21160 Extension ring 60 with lock	18815 250mm Optical glass wide angle port II
				21160 Extension ring 60 with lock	18812 (*1) 230mm Optical glass fisheye port II
				21160 Extension ring 60 with lock	18809 180mm Optical glass wide angle port
				21140 Extension ring 40 with lock	85201 0.36x Wide Angle Conversion Port
	Sigma 8-16mm F4.5-5.6 DC HSM	19136 SN816-Z		21150 Extension ring 50 with lock	18802 8.5" Acrylic dome port
				21150 Extension ring 50 with lock	18815 250mm Optical glass wide angle port II
				21150 Extension ring 50 with lock	18812 (*1) 230mm Optical glass fisheye port II
				21140 Extension ring 40 with lock	18809 180mm Optical glass wide angle port
	Sigma 10-20mm F4-5.6 EX DC HSM	19126 SN1020-Z		21150 Extension ring 50 with lock	18802 8.5" Acrylic dome port
				21150 Extension ring 50 with lock	18815 250mm Optical glass wide angle port II
				21150 Extension ring 50 with lock	18812 (*1) 230mm Optical glass fisheye port II
				21140 Extension ring 40 with lock	18809 180mm Optical glass wide angle port
	Sigma 14-24mm F2.8 DG HSM Art	19153 SN1424A-Z		21170 Extension ring 70 with lock <i>*Compatible from SN:A201966 onwards</i>	18802 8.5" Acrylic dome port
				21170 Extension ring 70 with lock <i>*Compatible from SN:A201966 onwards</i>	18815 250mm Optical glass wide angle port II
21170 Extension ring 70 with lock <i>*Compatible from SN:A201966 onwards</i>				18812 (*1) 230mm Optical glass fisheye port II	
21160 Extension ring 60 with lock <i>*Compatible from SN:A143566 onwards</i>				18809 180mm Optical glass wide angle port	
Sigma 12-24mm F4 DG HSM Art	19149 SN1224A-Z		21160 Extension ring 60 with lock <i>*Compatible from SN:A143566 onwards</i>	18812 (*1) 230mm Optical glass fisheye port II	
			21150 Extension ring 50 with lock <i>*Compatible from SN:A213191 onwards</i>	18815 250mm Optical glass wide angle port II	
WIDE / ZOOM	Sigma 20mm F1.4 DG HSM A			21170 Extension ring 70 with lock	18802 8.5" Acrylic dome port
				21170 Extension ring 70 with lock	18815 250mm Optical glass wide angle port II
				21170 Extension ring 70 with lock	18812 (*1) 230mm Optical glass fisheye port II
				21160 Extension ring 60 with lock	18809 180mm Optical glass wide angle port

Remarks: (*1) Most recommended

Optional accessory:

#25101 M67 Flip Diopter Holder is recommended to use with macro ports

N120 PORT SYSTEM FOR NIKON F SYSTEM

	LENS	GEAR	PORT BASE	EXTENSION RING	LENS / PORT
WIDE / ZOOM	Tokina AT-X 116 PRO DX AF 11-16mm f/2.8	19128 TN1116-Z		21150 Extension ring 50 with lock	18802 8.5" Acrylic dome port
				21160 Extension ring 60 with lock	18815 250mm Optical glass wide angle port II
				21160 Extension ring 60 with lock	18812 (*1) 230mm Optical glass fisheye port II
				21150 Extension ring 50 with lock	18809 180mm Optical glass wide angle port
	Tokina AT-X 124 AF PRO DX AF 12-24mm f/4	19134 TN1224-Z		21150 Extension ring 50 with lock	18802 8.5" Acrylic dome port
				21160 Extension ring 60 with lock	18815 250mm Optical glass wide angle port II
				21160 Extension ring 60 with lock	18812 (*1) 230mm Optical glass fisheye port II
				21160 Extension ring 60 with lock	18809 180mm Optical glass wide angle port
	Zeiss Distagon T* 2.8/15 ZF.2	19145 ZN15-F		21155* Extension ring 55 with lock <i>*Compatible from SN:A055053 onwards</i>	18812 230mm Optical glass fisheye port II
FISHEYE / ZOOM	Nikon AF-S Fisheye NIKKOR 8-15mm f/3.5-4.5E ED	19150 N815-Z		21120 Extension ring 20 with lock	18802 8.5" Acrylic dome port
				21130 Extension ring 30 with lock	18803 4.33" Acrylic dome port
				21120 Extension ring 20 with lock	18812 230mm Optical glass fisheye port II
				21120 Extension ring 20 with lock	18811 (*1) N120 140mm Optical glass fisheye port with removable shade
	Nikon AF-S Fisheye 8-15mm f/3.5-4.5E ED with Kenko 1.4x Teleplus Pro 300 DGX	19151 N815-Z + 1.4		21140 Extension ring 40 with lock	18802 8.5" Acrylic dome port
				21150 Extension ring 50 with lock	18803 4.33" Acrylic dome port
				21140 Extension ring 40 with lock	18812 230mm Optical glass fisheye port II
				21140 Extension ring 40 with lock	18811 (*1) N120 140mm Optical glass fisheye port with removable shade
	Nikon AF DX Fisheye 10.5mm f/2.8G ED	19137 N10.5-F			18802 8.5" Acrylic dome port
				21110 Extension ring 10 with screws	18803 4.33" Acrylic dome port
	Nikon AF Fisheye 16mm f/2.8D				18812 230mm Optical glass fisheye port II
					18810 (*1) N120 140mm Optical glass fisheye port
				18802 8.5" Acrylic dome port	
				18812 230mm Optical glass fisheye port II	
				18810 (*1) N120 140mm Optical glass fisheye port	

Remarks: (*1) Most recommended

Optional accessory:

#25101 M67 Flip Diopter Holder is recommended to use with macro ports

N120 PORT SYSTEM FOR NIKON F SYSTEM

LENS	GEAR	PORT BASE	EXTENSION RING	LENS / PORT
Sigma 10mm F2.8 EX DC HSM Fisheye			21110 Extension ring 10 with screws	18802 8.5" Acrylic dome port
Sigma 15mm F2.8 EX DG Diagonal Fisheye	19143 SN15-F			18802 8.5" Acrylic dome port
				18812 230mm Optical glass fisheye port II
				18810 (*1) N120 140mm Optical glass fisheye port
Tokina AT-X 107 AF DX Fisheye AF 10-17mm f/3.5-4.5	19127 TN1017-Z			18804 4.33" Acrylic dome port for Tokina AT-X 107 AF DX fisheye
			21120 Extension ring 20 with lock	18802 8.5" Acrylic dome port
			21120 Extension ring 20 with lock	18812 230mm Optical glass fisheye port II
			21110 Extension ring 10 with screws	18810 (*1) N120 140mm Optical glass fisheye port
Tokina AT-X 107 AF DX Fisheye with Kenko 1.4x Teleplus Pro 300 DGX	19227 TN1017-Z+1.4		21120 Extension ring 20 with lock	18804 4.33" Acrylic dome port for Tokina AT-X 107 AF DX fisheye
			21140 Extension ring 40 with lock	18802 8.5" Acrylic dome port
			21140 Extension ring 40 with lock	18812 230mm Optical glass fisheye port II
			21130 Extension ring 30 with lock	18810 (*1) N120 140mm Optical glass fisheye port

FISHEYE / ZOOM