


MARELOX



CATALOGUE

CATALOGUE

2022 Q1



Photo: Rente Capozzola



Photo: Rente Capozzola

PAGE OF CONTENT

MIRRORLESS CAMERA HOUSING 3

VIDEO CAMERA 15

EXTENSION RINGS 17

PORTS 20

GEARS 23

SMART OPTICAL FLASH TUBE 26

CUSTOM COLORS 28

MIRRORLESS CAMERA HOUSING

MARELUX



Photo: Aleksander Nordahl



21101

MX-R5 Housing for Canon EOS R5 Mirrorless Digital Camera

Technical Specifications

Material: Anodized Aluminum Alloy

Dimensions: 354(W) x 181mm(H) x 149mm(D)

Weight In Air: 3.06kg

Depth Rating: 100m

Port Mount: Series 5





21102

MX-R6 Housing for Canon EOS R6 Mirrorless Digital Camera

Technical Specifications

Material: Anodized Aluminum Alloy

Dimensions: 354(W) x 181mm(H) x 149mm(D)

Weight In Air: 3.06kg

Depth Rating: 100m

Port Mount: Series 5





21201

MX-A7RIV Housing for Sony Alpha a7R IV Mirrorless Digital Camera

Technical Specifications

Material: Anodized Aluminum Alloy

Dimensions: 334mm(W) x 176mm(H) x 126mm(D)

Weight In Air: 2.76kg

Depth Rating: 100m

Port Mount: Series 5





21202

MX-A1 Housing for Sony Alpha 1 Mirrorless Digital Camera

Technical Specifications

Material: Anodized Aluminum Alloy

Dimensions: 334mm(W)x176mm(H)x 126mm(D)

Weight In Air: 2.82kg

Depth Rating: 100m

Port Mount: Series 5





21203

MX-A7RIII Housing for Sony Alpha a7R III /a7RIII Mirrorless Digital Camera

Technical Specifications

Material: Anodized Aluminum Alloy

Dimensions: 333mm(W) x 176mm(H) x 127mm(D)

Weight In Air: 2.76kg

Depth Rating: 100m

Port Mount: Series 5



21204

MX-FX3 Housing for Sony FX3 Cinema Camera

Technical Specifications

Material: Anodized Aluminum Alloy

Dimensions: 336mm(W) x 170mm(H) x 132mm(D)

Weight In Air: 2.76kg

Depth Rating: 100m

Port Mount: Series 5





21205

MX-A7IV Housing for Sony Alpha a7IV Mirrorless Digital Camera

Technical Specifications

Material: Anodized Aluminum Alloy

Dimensions: 335mm(W) x 177mm(H) x 130mm(D)

Weight In Air: 2.86kg

Depth Rating: 100m

Port Mount: Series 5





21301

MX-Z6II/Z7II Housing for Nikon Z 6II/Z 7II Mirrorless Digital Camera

Technical Specifications

Material: Anodized Aluminum Alloy

Dimensions: 332mm(W) x 176mm(H) x 149mm(D)

Weight In Air: 3.0kg

Depth Rating: 100m

Port Mount: Series 5





MONITORS HOUSING

MX-SHINOBI Housing for Atomos Shinobi 5" HDR monitor

21401

Technical Specifications

Material: Anodized Aluminum Alloy

Dimensions: 217mm(W) x 141mm(H) x 109 mm(D)


Weight In Air: 1.6 kg

Depth Rating: 100m



FEATURES

A 50kg force is applied to secure the camera with the design of the camera baseplate, while being extremely convenient to operate.



Extension ring/Port can be safely locked in place with the built-in locking system on the housing with one simple click

FEATURES

The flash trigger can translate the electric signal from the camera into light signal, with an extremely long battery life of 300,000 triggers on only two CR2032 batteries.



The Dual locking system requires little effort to lock it in place, while making it almost impossible to be unlocked by accident, and it will take only a second to open if needed for a battery change.



Photo: Vladimir mladenovic

VIDEO CAMERA

MARELUX

21501

MX-MiniLF Housing for ALEXA Mini LF / ALEXA MiniCinema Camera

- Technical Specifications
- Material: aluminum alloy
- Dimensions:
222mm(W) x 220mm(H) x 300mm(D)
(Without handles)
- Weight In Air: 8.1Kg
- Depth Rating: 100m
- Port Mount: 5 series



EXTENSION RINGS

MARELUX



Photo: Vladimir mladenovic

EXTENTION RINGS

SERIES 5



32001

**Extension Ring
15 with lock**



32002

**Extension Ring
20 with lock**



32003

**Extension Ring
30 with lock**



32004

**Extension Ring
40 with lock**



32005

**Extension Ring
50 with lock**



32006

**Extension Ring
60 with lock**



32007

**Extension Ring
70 with lock**



32008

**Extension Ring
80 with lock**



32009

**Extension Ring
90 with lock**



32010

**Extension Ring
100 with lock**

EXTENTION RINGS

SERIES5



32101

**Extension Ring 40
with Focus Knob**



32202

**Extension Ring 40
with Focus Knob
(for Sony FX3 Manual Focus)**



31701

**NA-MARELUX
Extension Ring 20
(No support of EF 11-24/F4)**



31702

**SS-MARELUX
Extension Ring 20
(No support of EF 11-24/F4)**

PORTS

MARELOX



Photo: Vladimir mladenovic

MACRO PORT



31301

MacroPort71

TECHNICAL SPECIFICATIONS

Depth Rating: 150m

Port System: 5 Series

Port Opening Diameter: 110 mm

Body Material: Anodized Aluminum Alloy

Port Material: Optical Glass

Weight: 498g



31302

MacroPort97

TECHNICAL SPECIFICATIONS

Depth Rating: 150m

Port System: 5 Series

Port Opening Diameter: 110 mm

Body Material: Anodized Aluminum Alloy

Port Material: Optical Glass

Weight: 537g



31303

MacroPort104

TECHNICAL SPECIFICATIONS

Depth Rating: 150m

Port System: 5 Series


Port Opening Diameter: 110 mm

Body Material: Anodized Aluminum Alloy

Port Material: Optical Glass

Weight: 550g

DOME PORT



31101

**180mm Optical Glass
Wide Angle Port**



31103

**140mm Optical Glass
Fisheye Port**



31104

**230mm Optical
Glass Fisheye Port**



Photo: Václav mládenovic

GEARS

MARELOX

ZOOM GEAR



51101

For Sony SEL1635GM
FE 16-35mm F2.8 G lens



51102

For Sony Vario-Tessar T*
FE 16-35mm F4 ZA OSS lens



51103

For Sony SEL1224GM
FE 12-24mm F2.8 GM lens



51104

For Sony SEL1224G
FE 12-24mm F4 G lens



51201

For Canon RF 15-35mm
f/2.8L IS USM lens



51202

For Canon RF 24-70mm
f/2.8L IS USM lens



51203

For Canon RF 14-35mm
f/4L IS USM lens



51401

For Canon EF 16-35mm
f/2.8 II USM lens



51402

For Canon EF 16-35mm
f/2.8L III USM lens



51403

For Canon EF 24-70mm
f/4L IS USM



51404

For Canon EF 11-24mm
f/4L USM



51405

For Canon EF 16-35mm
f/4L IS USM



51406

For Canon EF 8-15mm
f/4L Fisheye USM



51501

For Nikon Nikkor Z
14-30mm f/4 lens



51502

For Nikon Z
14-24mm f/2.8 S



51601

For Nikon AF-S Fisheye
8-15mm f/3.5-4.5E ED

FOCUS GEAR



52101

For Sony FE 90mm
F2.8 Macro G OSS lens



52102

For Sony Vario-Tessar T*
FE 16-35mm F4 ZA OSS lens



52103

For Sony SEL1635GM
FE 16-35mm F2.8 GM lens



52301

For Nikon AF-S micro
Nikkor 60mm F2.8G ED lens



52302

For Nikon AF-S VR micro
Nikkor 105mm F2.8G IF-ED lens



52401

For Canon EF 100mm
F2.8L Macro IS USM

SMART OPTICAL FLASH TUBE

MARELOX



Photo: Vladimir mladenovic



47701

SOFT Dock for
Sea & Sea YS D3



47702

SOFT Dock for
Sea & Sea YS D2



47703

SOFT Dock for
INON Z240



47704

SOFT Dock for
INON Z330



47705

SOFT Dock for
Retra Flash Pro X

SOFT





Photo:Vladimir mladenovic

CUSTOM COLORS

MARELOX

CUSTOM COLORS' SAMPLE PLATES

Olive Green



Yale Blue



Burgundy



Mocha



Black



Silver Grey



THANKS



Photo: Renee Capozzola

www.marelux.co

info@marelux.co
sales@marelux.co
service@marelux.co