

**N120 PORT SYSTEM FOR NIKON F SYSTEM**

	LENS	GEAR	PORT BASE	EXTENSION RING	LENS / PORT
MACRO	Nikon AF Micro 60mm f/2.8D		18211 Compact port base		18301 Compact port 30
	Nikon AF-S Micro NIKKOR 60mm f/2.8G ED	19121 N60G-F	18211 Compact port base		18701 Macro port 60
					18305 Compact port 30 with M67 thread
	Nikon AF-S DX Micro NIKKOR 85mm f/3.5G ED VR	19129 N85VR-F	18211 Compact port base		18305 Compact port 30 with M67 thread
	Nikon AF Micro 105mm f/2.8D		18211 Compact port base	18540 Compact port extension 40	18301 Compact port 30
				18520 Compact port extension 20	18302 Compact port 50
	Nikon AF-S VR Micro Nikkor 105mm f/2.8G IF-ED	19122 N105VR-F	18211 Compact port base		18702 Macro port 87 OPTIONAL ACCESSORIES 87301 EMWL Set #1
				21130 Extension ring 30 with lock	18701 Macro port 60
					18306 Compact port 50 with M67 thread
		Sigma 50mm F2.8 EX DG Macro		18211 Compact port base	18520 Compact port extension 20
	Sigma 70mm F2.8 EX DG Macro		18211 Compact port base	18550 Compact port extension 50	18301 Compact port 30
				18530 Compact port extension 30	18302 Compact port 50
	Sigma 105mm F2.8 EX DG OS HSM Macro	19147 SN105-F		21130 Extension ring 30 with lock	18701 Macro port 60
MACRO / WIDE	Laowa 24mm f/14 2X Macro Probe	19155 N120 DSLR gear set *Support both Standard and Cine version		21271 Extension ring 70 w/ knob	16336 N120 Port adaptor for Laowa 24mm f/14 2x macro probe
	Nikon AF-S DX Micro NIKKOR 40mm f/2.8D DX	19152 N40G-F		18705 Macro port 45	86201 Macro to Wideangle Lens 1 (MWL-1)
	Nikon AF-S Micro NIKKOR 60mm f/2.8G ED	19121 N60G-F		18701 Macro port 60	86201 Macro to Wideangle Lens 1 (MWL-1) OPTIONAL ACCESSORIES 86222 Double flip holder for MWL-1
STANDARD / ZOOM	Nikon AF-S DX NIKKOR 18-55mm f/3.5-5.6G VR	19123 N1855VR-Z	18211 Compact port base		18301 Compact port 30
	Nikon AF-S DX Zoom-Nikkor 18-55mm f/3.5-5.6G ED II	19124 N1855II-Z	18211 Compact port base		18301 Compact port 30
	Nikon AF-S DX NIKKOR 18-55mm f/3.5-5.6G VR II	19144 N1855VRII-Z	18211 Compact port base		18304 Compact port 15 with M67 thread OPTIONAL ACCESSORIES 86201 Macro to Wideangle Lens 1 (MWL-1)
				21135 N120 Extension ring 35 with lock	85201(*1) 0.36x Wide Angle Conversion Port
	Nikon AF-S NIKKOR 24-85mm f/3.5-4.5G ED VR	19139 N2485-Z		21150 Extension ring 50 with lock	18802 8.5" Acrylic dome port
	Sigma 17-70mm F2.8-4.5 DC Macro HSM	19132 SN1770-Z		21150 Extension ring 50 with lock	18802 8.5" Acrylic dome port
Sigma 17-70mm F2.8-4 DC Macro OS HSM	19133 SN1770OS-Z		21150 Extension ring 50 with lock	18802 8.5" Acrylic dome port	

Remarks: (\*1) Most recommended

Optional accessory:

#25101 M67 Flip Diopter Holder is recommended to use with macro ports

## N120 PORT SYSTEM FOR NIKON F SYSTEM

	LENS	GEAR	PORT BASE	EXTENSION RING	LENS / PORT
STANDARD / ZOOM	Sigma 17-70mm F2.8-4 DC Macro OS HSM C	19140 SN17700SC-Z		21140 Extension ring 40 with lock	18802 8.5" Acrylic dome port
	Sigma 18-35mm F1.8 DC HSM   A	19146 SN1835f1.8-Z		21180 Extension ring 80 with lock	18802 8.5" Acrylic dome port
				21150+21150 Extension ring 50+50	18815 250mm Optical glass wide angle port II
				21180 Extension ring 80 with lock	18812 230mm Optical glass fisheye port II
			21180 Extension ring 80 with lock	18809 (*1) 180mm Optical glass wide angle port	
	Nikon AF Nikkor 28-70mm f/3.5-4.5D	19148 N2870f3.5D-Z		21135 N120 Extension ring 35 with lock	85201(*1) 0.36x Wide Angle Conversion Port
WIDE	Nikon AF-S Nikkor 28mm f/1.8 G			21120 N120 Extension ring 20 with lock	85201 0.36x Wide Angle Conversion Port
	Nikon AF Nikkor 28mm f/2.8D				85201 0.36x Wide Angle Conversion Port
WIDE / ZOOM	Nikon AF-S DX NIKKOR 10-24mm f/3.5-4.5G ED	19135 N1024-Z		21150 Extension ring 50 with lock	18802 8.5" Acrylic dome port
	Nikon AF-S DX NIKKOR 12-24mm f/4G IF-ED	19125 N1224-Z		21160 Extension ring 60 with lock	18802 8.5" Acrylic dome port
	Nikon AF-S NIKKOR 14-24mm f/2.8G ED	19131 N1424-Z		21170 Extension ring 70 with lock	18802 8.5" Acrylic dome port
				21180 Extension ring 80 with lock	18815 (*1) 250mm Optical glass wide angle port II
				21180 Extension ring 80 with lock	18812 230mm Optical glass fisheye port II
	Nikon AF-S NIKKOR 16-35mm f/4G ED VR	19138 N1635-Z		21170 Extension ring 70 with lock	18802 8.5" Acrylic dome port
				21190 Extension ring 90 with lock	18815 250mm Optical glass wide angle port II
				21190 Extension ring 90 with lock	18812 (*1) 230mm Optical glass fisheye port II
				21180 Extension ring 80 with lock	18809 180mm Optical glass wide angle port
				21170 Extension ring 70 with lock	85201 0.36x Wide Angle Conversion Port * zoom from 18 mm
		19142 N1635-F		21270 Extension ring 70 with lock	18802 8.5" Acrylic dome port
				21240 N120 Extension ring 40 with focus kn	85204 Wide Angle Conversion Port - 2
	Nikon AF-S 17-35mm f/2.8D IF-ED	19130 N1735-Z		21170 Extension ring 70 with lock	18802 8.5" Acrylic dome port
				21170 Extension ring 70 with lock	18815 250mm Optical glass wide angle port II
				21170 Extension ring 70 with lock	18812 (*1) 230mm Optical glass fisheye port II
				21150 Extension ring 50 with lock	85201 0.36x Wide Angle Conversion Port * zoom from 18 mm
				21130 Extension ring 30 with lock	85204 Wide Angle Conversion Port - 2

Remarks: (\*1) Most recommended

Optional accessory:

#25101 M67 Flip Diopter Holder is recommended to use with macro ports

**N120 PORT SYSTEM FOR NIKON F SYSTEM**

	LENS	GEAR	PORT BASE	EXTENSION RING	LENS / PORT
WIDE / ZOOM	Nikon AF-S NIKKOR 18-35mm f/3.5-4.5G ED	19141 N1835-Z		21160 Extension ring 60 with lock	18802 8.5" Acrylic dome port
				21160 Extension ring 60 with lock	18815 250mm Optical glass wide angle port II
				21160 Extension ring 60 with lock	18812 (*1) 230mm Optical glass fisheye port II
				21160 Extension ring 60 with lock	18809 180mm Optical glass wide angle port
				21140 Extension ring 40 with lock	85201 0.36x Wide Angle Conversion Port
	Sigma 8-16mm F4.5-5.6 DC HSM	19136 SN1816-Z		21150 Extension ring 50 with lock	18802 8.5" Acrylic dome port
				21150 Extension ring 50 with lock	18815 250mm Optical glass wide angle port II
				21150 Extension ring 50 with lock	18812 (*1) 230mm Optical glass fisheye port II
				21140 Extension ring 40 with lock	18809 180mm Optical glass wide angle port
	Sigma 10-20mm F4-5.6 EX DC HSM	19126 SN1020-Z		21150 Extension ring 50 with lock	18802 8.5" Acrylic dome port
				21150 Extension ring 50 with lock	18815 250mm Optical glass wide angle port II
				21150 Extension ring 50 with lock	18812 (*1) 230mm Optical glass fisheye port II
				21140 Extension ring 40 with lock	18809 180mm Optical glass wide angle port
	Sigma 14-24mm F2.8 DG HSM   Art	19153 SN1424A-Z		21170 Extension ring 70 with lock <i>*Compatible from SN:A201966 onwards</i>	18802 8.5" Acrylic dome port
				21170 Extension ring 70 with lock <i>*Compatible from SN:A201966 onwards</i>	18815 250mm Optical glass wide angle port II
21170 Extension ring 70 with lock <i>*Compatible from SN:A201966 onwards</i>				18812 (*1) 230mm Optical glass fisheye port II	
21160 Extension ring 60 with lock <i>*Compatible from SN:A143566 onwards</i>				18809 180mm Optical glass wide angle port	
Sigma 12-24mm F4 DG HSM   Art	19149 SN1224A-Z		21160 Extension ring 60 with lock <i>*Compatible from SN:A143566 onwards</i>	18812 (*1) 230mm Optical glass fisheye port II	
			21150 Extension ring 50 with lock <i>*Compatible from SN:A213191 onwards</i>	18815 250mm Optical glass wide angle port II	
WIDE / ZOOM	Sigma 20mm F1.4 DG HSM   A			21170 Extension ring 70 with lock	18802 8.5" Acrylic dome port
				21170 Extension ring 70 with lock	18815 250mm Optical glass wide angle port II
				21170 Extension ring 70 with lock	18812 (*1) 230mm Optical glass fisheye port II
				21160 Extension ring 60 with lock	18809 180mm Optical glass wide angle port

**N120 PORT SYSTEM FOR NIKON F SYSTEM**

	LENS	GEAR	PORT BASE	EXTENSION RING	LENS / PORT
WIDE / ZOOM	Tokina AT-X 116 PRO DX AF 11-16mm f/2.8	19128 TN1116-Z		21150 Extension ring 50 with lock	18802 8.5" Acrylic dome port
				21160 Extension ring 60 with lock	18815 250mm Optical glass wide angle port II
				21160 Extension ring 60 with lock	18812 (*1) 230mm Optical glass fisheye port II
				21150 Extension ring 50 with lock	18809 180mm Optical glass wide angle port
	Tokina AT-X 124 AF PRO DX AF 12-24mm f/4	19134 TN1224-Z		21150 Extension ring 50 with lock	18802 8.5" Acrylic dome port
				21160 Extension ring 60 with lock	18815 250mm Optical glass wide angle port II
				21160 Extension ring 60 with lock	18812 (*1) 230mm Optical glass fisheye port II
				21160 Extension ring 60 with lock	18809 180mm Optical glass wide angle port
	Zeiss Distagon T* 2.8/15 ZF.2	19145 ZN15-F		21155* Extension ring 55 with lock <i>*Compatible from SN:A055053 onwards</i>	18812 230mm Optical glass fisheye port II
FISHEYE / ZOOM	Nikon AF-S Fisheye NIKKOR 8-15mm f/3.5-4.5E ED	19150 N815-Z		21120 Extension ring 20 with lock	18802 8.5" Acrylic dome port
				21130 Extension ring 30 with lock	18803 4.33" Acrylic dome port
				21120 Extension ring 20 with lock	18812 230mm Optical glass fisheye port II
				21120 Extension ring 20 with lock	18811 (*1) N120 140mm Optical glass fisheye port with removable shade
	Nikon AF-S Fisheye 8-15mm f/3.5-4.5E ED with Kenko 1.4x Teleplus Pro 300 DGX	19151 N815-Z + 1.4		21140 Extension ring 40 with lock	18802 8.5" Acrylic dome port
				21150 Extension ring 50 with lock	18803 4.33" Acrylic dome port
				21140 Extension ring 40 with lock	18812 230mm Optical glass fisheye port II
				21140 Extension ring 40 with lock	18811 (*1) N120 140mm Optical glass fisheye port with removable shade
	Nikon AF DX Fisheye 10.5mm f/2.8G ED	19137 N10.5-F			18802 8.5" Acrylic dome port
				21110 Extension ring 10 with screws	18803 4.33" Acrylic dome port
	Nikon AF Fisheye 16mm f/2.8D				18812 230mm Optical glass fisheye port II
					18810 (*1) N120 140mm Optical glass fisheye port
				18802 8.5" Acrylic dome port	
				18812 230mm Optical glass fisheye port II	
				18810 (*1) N120 140mm Optical glass fisheye port	

Remarks: (\*1) Most recommended

Optional accessory:

#25101 M67 Flip Diopter Holder is recommended to use with macro ports

## N120 PORT SYSTEM FOR NIKON F SYSTEM

LENS	GEAR	PORT BASE	EXTENSION RING	LENS / PORT
Sigma 10mm F2.8 EX DC HSM Fisheye			<b>21110</b> Extension ring 10 with screws	<b>18802</b> 8.5" Acrylic dome port
Sigma 15mm F2.8 EX DG Diagonal Fisheye	<b>19143</b> SN15-F			<b>18802</b> 8.5" Acrylic dome port
				<b>18812</b> 230mm Optical glass fisheye port II
				<b>18810 (*1)</b> N120 140mm Optical glass fisheye port
Tokina AT-X 107 AF DX Fisheye AF 10-17mm f/3.5-4.5	<b>19127</b> TN1017-Z			<b>18804</b> 4.33" Acrylic dome port for Tokina AT-X 107 AF DX fisheye
			<b>21120</b> Extension ring 20 with lock	<b>18802</b> 8.5" Acrylic dome port
			<b>21120</b> Extension ring 20 with lock	<b>18812</b> 230mm Optical glass fisheye port II
			<b>21110</b> Extension ring 10 with screws	<b>18810 (*1)</b> N120 140mm Optical glass fisheye port
Tokina AT-X 107 AF DX Fisheye with Kenko 1.4x Teleplus Pro 300 DGX	<b>19227</b> TN1017-Z+1.4		<b>21120</b> Extension ring 20 with lock	<b>18804</b> 4.33" Acrylic dome port for Tokina AT-X 107 AF DX fisheye
			<b>21140</b> Extension ring 40 with lock	<b>18802</b> 8.5" Acrylic dome port
			<b>21140</b> Extension ring 40 with lock	<b>18812</b> 230mm Optical glass fisheye port II
			<b>21130</b> Extension ring 30 with lock	<b>18810 (*1)</b> N120 140mm Optical glass fisheye port

FISHEYE / ZOOM

**N120 PORT SYSTEM FOR CANON SYSTEM**

	LENS	GEAR	PORT BASE	EXTENSION RING	LENS / PORT
MACRO	Canon EF-S 60mm f2.8 Macro USM	19521 C60-F	18211 Port base		18704 Macro port 41 <i>OPTIONAL ACCESSORIES</i> 87302 EMWL Set #2
					18303 Compact port 15
	Canon EF 100mm f2.8 Macro USM	19522 C100-F	18211 Port base		18702 Macro port 87
					18306 Compact port 50 with M67 thread
	Canon EF 100mm f/2.8L Macro IS USM	19523 C100IS-F	18211 Port base	18530 Compact port extension 30	18703 Macro port 94 <i>OPTIONAL ACCESSORIES</i> 87302 EMWL Set #2
					18305 Compact port 30 with M67 thread
	Canon EF 180mm f/3.5L Macro USM				18530+18540 Compact port ext. 30+40
Sigma 50mm F2.8 EX DG Macro		18211 Port base	18520 Compact port extension 20	18303 Compact port 15	
Sigma 70mm F2.8 EX DG Macro		18211 Port base	18550 Compact port extension 50	18301 Compact port 30	
			18530 Compact port extension 30	18302 Compact port 50	
Sigma 105mm F2.8 EX DG OS HSM Macro	19553 SC105-F		21130 Extension ring 30 with lock	18701 Macro port 60	
MACRO / WIDE	Laowa 24mm f/14 2X Macro Probe	19155 N120 DSLR gear set <i>*Support both standard and Cine version</i>		21271 Extension ring 70 w/ knob	16336 N120 Port adaptor for Laowa 24mm f/14 2x macro probe
	Canon EF 40mm f2.8 STM			18706 N120 Macro port 12	86201 Macro to Wideangle Lens 1 (MWL-1) <i>*Compatible for APS-C system, FOV: 135°</i> <i>OPTIONAL ACCESSORIES</i> 86222 Double flip holder for MWL-1
STANDARD / ZOOM	Canon EF-S 18-55mm f/3.5-5.6 IS	19532 C1855IS-Z	18211 Port base		18303 Compact port 15
	Canon EF-S 18-55mm f/3.5-5.6 IS STM	19547 C1855ISSTM-Z	18211 Port base	21130 Extension ring 30 with lock	18303 Compact port 15
					85201 0.36x Wide Angle Conversion Port
	Canon EF-S 18-135mm f/3.5-5.6 IS	19524 C18135IS-Z		21160 Extension ring 60 with lock	18802 8.5" Acrylic dome port
	Canon EF 24mm f/1.4L II USM			21140 Extension ring 40 with lock	18802 8.5" Acrylic dome port
	Canon EF 24-70mm f/2.8L II USM	19543 C2470II-Z		21170 Extension ring 70 with lock	18802 8.5" Acrylic dome port
Canon EF 24-70mm f/4L IS USM	19544 C2470f4-Z		21170 Extension ring 70 with lock	18802 8.5" Acrylic dome port	
Canon EF 24-105mm f/4L IS USM	19545 C24105-Z		21170 Extension ring 70 with lock	18802 8.5" Acrylic dome port	

**N120 PORT SYSTEM FOR CANON SYSTEM**

	LENS	GEAR	PORT BASE	EXTENSION RING	LENS / PORT
STANDARD / ZOOM	Canon EF 24-105mm f/4L IS II USM	19562 C24105II-Z		21170 Extension ring 70 with lock	18802 8.5" Acrylic dome port
				21170 Extension ring 70 with lock	18812 230mm Optical glass fisheye port II
				21170 Extension ring 70 with lock	18809 (*1) 180mm Optical glass wide angle port
	Sigma 17-70mm F2.8-4.5 DC Macro	19533 SC1770-Z		21150 Extension ring 50 with lock	18802 8.5" Acrylic dome port
				21150 Extension ring 50 with lock	18802 8.5" Acrylic dome port
	Sigma 17-70mm F2.8-4 DC Macro OS HSM	19534 SC1770OS-Z		21150 Extension ring 50 with lock	18802 8.5" Acrylic dome port
	Sigma 17-70mm F2.8-4 DC Macro OS HSM C	19540 SC1770OSC-Z		21140 Extension ring 40 with lock	18802 8.5" Acrylic dome port
	Sigma 18-35mm F1.8 DC HSM   A	19552 SC1835f.18-Z		21180 Extension ring 80 with lock	18802 8.5" Acrylic dome port
				21150+21150 Extension ring 50+50	18815 250mm Optical glass wide angle port II
				21180 Extension ring 80 with lock	18812 230mm Optical glass fisheye port II
21180 Extension ring 80 with lock				18809 (*1) 180mm Optical glass wide angle port	
21130+21135 Extension ring 30 +35 with lock				85201(*1) 0.36x Wide Angle Conversion Port	
				85202 0.36x Wide Angle Conversion Port	
WIDE / ZOOM	Canon EF-S 10-18mm f/4.5-5.6 IS STM	19549 C1018-Z		21150 Extension ring 50 with lock	18802 8.5" Acrylic dome port
				21150 Extension ring 50 with lock	18815 250mm Optical glass wide angle port II
				21150 Extension ring 50 with lock	18812 (*1) 230mm Optical glass fisheye port II
				21140 Extension ring 40 with lock	18809 180mm Optical glass wide angle port
					85204 Wide Angle Conversion Port - 2
	Canon EF-S 10-22mm f/3.5-4.5 USM	19525 C1022-Z		21160 Extension ring 60 with lock	18802 8.5" Acrylic dome port
				21160 Extension ring 60 with lock	18815 250mm Optical glass wide angle port II
				21160 Extension ring 60 with lock	18812 (*1) 230mm Optical glass fisheye port II
				21150 Extension ring 50 with lock	18809 180mm Optical glass wide angle port
				21110 Extension ring 10 with screws	85204 Wide Angle Conversion Port - 2
Tokina AT-X 11-20 F2.8 PRO DX AF 11-20mm F2.8	19573 CT1120-Z		21160 Extension ring 60 with lock	18802 8.5" Acrylic dome port	
			21160 Extension ring 60 with lock	18815 250mm Optical glass wide angle port II	
			21160 Extension ring 60 with lock	18812 (*1) 230mm Optical glass fisheye port II	
			21160 Extension ring 60 with lock	18809 180mm Optical glass wide angle port	
			21120 Extension ring 20 with lock	85204 Wide Angle Conversion Port - 2	

**N120 PORT SYSTEM FOR CANON SYSTEM**

LENS	GEAR	PORT BASE	EXTENSION RING	LENS / PORT
Canon EF 11-24mm f/4L USM	19550 C1124-Z		21150 Extension ring 50 with lock <i>*Compatible from SN:A213191 onwards</i>	18815 (*1) 250mm Optical glass wide angle port II
			21170 Extension ring 70 with lock <i>*Compatible from SN:A201966 onwards</i>	18812 230mm Optical glass fisheye port II
	19551 C1124-F		21271 Extension ring 70 with focus knob	18812 230mm Optical glass fisheye port II
Canon EF 16-35mm f/2.8L II USM	19527 C1635II-Z		21170 Extension ring 70 with lock	18802 8.5" Acrylic dome port
			21180 Extension ring 80 with lock	18815 250mm Optical glass wide angle port II
			21180 Extension ring 80 with lock	18812 (*1) 230mm Optical glass fisheye port II
			21170 Extension ring 70 with lock	18809 180mm Optical glass wide angle port
			21130 Extension Ring 30	85204 Wide Angle Conversion Port - 2
	19542 C1635II-F		21270 Extension ring 70 with Focus kno	18802 8.5" Acrylic dome port
			21230 N120 Extension ring 30 with focu	85204 Wide Angle Conversion Port - 2
Canon EF 16-35mm f4L IS USM	19548 C1635f4-Z		21170 Extension ring 70 with lock	18802 8.5" Acrylic dome port
			21180 Extension ring 80 with lock	18815 250mm Optical glass wide angle port II
			21180 Extension ring 80 with lock	18812 (*1) 230mm Optical glass fisheye port II
			21170 Extension ring 70 with lock	18809 180mm Optical glass wide angle port
			21160 Extension ring 60 with lock	85201 0.36x Wide Angle Conversion Port
	19560 C1635f4-F		21130 Extension ring 30 with lock	85204 Wide Angle Conversion Port - 2
			21271 Extension ring 70 w/ knob	18812 230mm Optical glass fisheye port II
			19572 WC1635f4-F	21235 N120 Extension ring 35 with knob
Canon EF 16-35mm f/2.8L III USM	19554 C1635III-Z		21190 Extension ring 90 with lock	18802 8.5" Acrylic dome port
			21190 Extension ring 90 with lock	18815 250mm Optical glass wide angle port II
			21190 Extension ring 90 with lock	18812 (*1) 230mm Optical glass fisheye port II
			21180 Extension ring 80 with lock	18809 180mm Optical glass wide angle port
			21170 Extension ring 70 with lock	85201 0.36x Wide Angle Conversion Port
	19555 C1635III-F		21150 Extension ring 50 with lock	85204 Wide Angle Conversion Port - 2
			21271 + 21120 Extension ring 70 + 20	18812 (*1) 230mm Optical glass fisheye port II
			21250 N120 Extension ring 50 with focu	85204 Wide Angle Conversion Port - 2

WIDE / ZOOM



## N120 PORT SYSTEM FOR CANON SYSTEM

	LENS	GEAR	PORT BASE	EXTENSION RING	LENS / PORT	
WIDE / ZOOM	Canon EF 17-40mm f/4L USM	19528 C1740-Z		21150 Extension ring 50 with lock	18802 8.5" Acrylic dome port	
				21170 Extension ring 70 with lock	18815 250mm Optical glass wide angle port II	
				21170 Extension ring 70 with lock	18812 (*1) 230mm Optical glass fisheye port II	
				21160 Extension ring 60 with lock	18809 180mm Optical glass wide angle port	
				21140 Extension ring 40	85201 0.36x Wide Angle Conversion Port	
STANDARD / WIDE	Canon EF 28mm f/1.8 USM				85201 0.36x Wide Angle Conversion Port	
	Canon EF 28mm f/2.8 IS USM				85201 0.36x Wide Angle Conversion Port	
	Canon EF 28-70mm f/3.5-4.5 II	19557 C2870f3.5II-Z		21125 N120 Extension ring 25	85201(*1) 0.36x Wide Angle Conversion Port	
				19566 C2870f3.5II-F	21230 Extension ring 30 with focus knob	85201 0.36x Wide Angle Conversion Port <i>*zoom from 30mm</i>
	Canon EF 28-80mm f/3.5-5.6 II	19558 C2880f3.5II-Z		21130 Extension ring 30 with lock	85201 0.36x Wide Angle Conversion Port	
				21120 Extension ring 20 with lock	18705 + 86201 Macro port 45 + Macro to Wideangle Lens 1 (MWL-1)	
Canon EF 28-80mm f/3.5-5.6 V USM	19559 C2880f3.5V-Z		21130 Extension ring 30 with lock	85201 0.36x Wide Angle Conversion Port		
			21120 Extension ring 20 with lock	18705 + 86201 Macro port 45 + Macro to Wideangle Lens 1 (MWL-1)		
Canon EF 35mm f/2 IS USM				85201 0.36x Wide Angle Conversion Port		
WIDE / ZOOM	Sigma 8-16mm F4.5-5.6 DC HSM	19536 SC816-Z		21150 Extension ring 50 with lock	18802 8.5" Acrylic dome port	
				21150 Extension ring 50 with lock	18815 250mm Optical glass wide angle port II	
				21150 Extension ring 50 with lock	18812 (*1) 230mm Optical glass fisheye port II	
				21140 Extension ring 40 with lock	18809 180mm Optical glass wide angle port	
	Sigma 14mm F1.8 DG HSM   Art	19563 SC14A-F			21170 Extension ring 70 with lock <i>*Compatible from SN:A201966 onwards</i>	18802 8.5" Acrylic dome port
					21170 Extension ring 70 with lock <i>*Compatible from SN:A201966 onwards</i>	18812 (*1) 230mm Optical glass fisheye port II
	Sigma 14-24mm F2.8 DG HSM   Art	19564 SC1424A-Z			21170 Extension ring 70 with lock <i>*Compatible from SN:A201966 onwards</i>	18802 8.5" Acrylic dome port
					21170 Extension ring 70 with lock <i>*Compatible from SN:A201966 onwards</i>	18815 250mm Optical glass wide angle port II
					21170 Extension ring 70 with lock <i>*Compatible from SN:A201966 onwards</i>	18812 (*1) 230mm Optical glass fisheye port II
					21160 Extension ring 60 with lock <i>*Compatible from SN:A143566 onwards</i>	18809 180mm Optical glass wide angle port

**N120 PORT SYSTEM FOR CANON SYSTEM**

LENS	GEAR	PORT BASE	EXTENSION RING	LENS / PORT
Sigma 12-24mm F4 DG HSM   Art	19556 SC1224A-Z		21160* Extension ring 60 with lock <i>*Compatible from SN:A143566 onwards</i>	18812 (*1) 230mm Optical glass fisheye port II
			21150* Extension ring 50 with lock <i>*Compatible from SN:A213191 onwards</i>	18815 250mm Optical glass wide angle port II
Sigma 10-20mm F4-5.6 EX DC HSM	19535 SC1020-Z		21150 Extension ring 50 with lock	18802 8.5" Acrylic dome port
			21150 Extension ring 50 with lock	18815 250mm Optical glass wide angle port II
			21150 Extension ring 50 with lock	18812 (*1) 230mm Optical glass fisheye port II
			21140 Extension ring 40 with lock	18809 180mm Optical glass wide angle port
Sigma 20mm F1.4 DG HSM   A			21170 Extension ring 70 with lock	18802 8.5" Acrylic dome port
			21170 Extension ring 70 with lock	18815 250mm Optical glass wide angle port II
			21170 Extension ring 70 with lock	18812 (*1) 230mm Optical glass fisheye port II
			21160 Extension ring 60 with lock	18809 180mm Optical glass wide angle port
Tokina AT-X 116 PRO DX AF 11-16mm f/2.8	19530 TC1116-Z		21160 Extension ring 60 with lock	18802 8.5" Acrylic dome port
			21160 Extension ring 60 with lock	18815 250mm Optical glass wide angle port II
			21160 Extension ring 60 with lock	18812 (*1) 230mm Optical glass fisheye port II
			21160 Extension ring 60 with lock	18809 180mm Optical glass wide angle port
			21110 Extension ring 10 with screws	85204 Wide Angle Conversion Port - 2
Tokina AT-X 124 AF PRO DX AF 12-24mm f/4	19531 TC1224-Z		21150 Extension ring 50 with lock	18802 8.5" Acrylic dome port
			21160 Extension ring 60 with lock	18815 250mm Optical glass wide angle port II
			21160 Extension ring 60 with lock	18812 (*1) 230mm Optical glass fisheye port II
			21160 Extension ring 60 with lock	18809 180mm Optical glass wide angle port
Zeiss Distagon T* 2.8/15 ZE	16319 ZC15-F		21155* Extension ring 55 with lock <i>*Compatible from SN:A055053 onwards</i>	18812 230mm Optical glass fisheye port II
Zeiss Milvus 2.8/18 ZE	16329 ZMC-F		21150 Extension ring 50 with lock	18812 230mm Optical glass fisheye port II
			21150 Extension ring 50 with lock	18809 180mm Optical glass wide angle port
Zeiss Milvus 2.8/21 ZE	16329 ZMC-F		21150 Extension ring 50 with lock	18812 230mm Optical glass fisheye port II
			21150 Extension ring 50 with lock	18809 180mm Optical glass wide angle port

WIDE / ZOOM

**N120 PORT SYSTEM FOR CANON SYSTEM**

LENS	GEAR	PORT BASE	EXTENSION RING	LENS / PORT			
Canon EF 8-15mm f/4L Fisheye USM	19537 C815-Z		21130 Extension ring 30 with lock	18802 8.5" Acrylic dome port			
			21130 Extension ring 30 with lock	18812 230mm Optical glass fisheye port II			
			21130 Extension ring 30 with lock	18811 (*1) N120 140mm Optical glass fisheye port with removable shade			
	19541 C815-F		21230 Extension ring 30	18802 8.5" Acrylic dome port			
			Canon EF 8-15mm f/4L Fisheye USM with Kenko 1.4x Teleplus Pro 300 DGX	19538 C815-Z+1.4	21150 Extension ring 50 with lock	18802 8.5" Acrylic dome port	
					21150 Extension ring 50 with lock	18812 230mm Optical glass fisheye port II	
21150 Extension ring 50 with lock	18811 (*1) N120 140mm Optical glass fisheye port with removable shade						
Canon EF 15mm f/2.8 Fisheye		21110 Extension ring 10 with screws		18802 8.5" Acrylic dome port			
		Sigma 10mm F2.8 EX DC HSM Fisheye		21110 Extension ring 10 with screws	18802 8.5" Acrylic dome port		
				Sigma 15mm F2.8 EX DG Diagonal Fisheye	19546 SC15-F	18802 8.5" Acrylic dome port	
18812 230mm Optical glass fisheye port II							
18810 (*1) N120 140mm Optical glass fisheye port							
Tokina AT-X 107 AF DX Fisheye AF 10-17mm f/3.5-4.5	19529 TC1017-Z		18804 4.33" Acrylic dome port for Tokina 10-17 Le				
			21120 Extension ring 20 with lock	18802 8.5" Acrylic dome port			
			21120 Extension ring 20 with lock	18812 230mm Optical glass fisheye port II			
			21110 Extension ring 10 with screws	18810 (*1) N120 140mm Optical glass fisheye port			
			Tokina AT-X 107 AF DX Fisheye with Kenko 1.4x Teleplus Pro 300 DGX	19629 TC1017-Z+1.4		21120 Extension ring 20 with lock	18804 4.33" Acrylic dome port for Tokina 10-17 Le
						21140 Extension ring 40 with lock	18802 8.5" Acrylic dome port
21140 Extension ring 40 with lock	18812 230mm Optical glass fisheye port II						
21130 Extension ring 30 with lock	18810 (*1) N120 140mm Optical glass fisheye port						

FISHEYE / ZOOM

## N120 PORT SYSTEM FOR NIKON Z SYSTEM

	LENS	GEAR	EXTENSION RING	LENS / PORT
STANDARD / ZOOM	Nikkor Z 35mm f1.8 S		21110 Extension ring 10 with screws	18706 N120 Macro port 12  83201 Wet Wide Lens 1 (WWL-1) <i>Slight vignetting</i>  85201(*1) 0.36x Wide Angle Conversion Port
	Nikkor Z 24-70mm f/4 S	19154 NZ2470-Z	21140 Extension ring 40 with lock  21140 Extension ring 40 with lock  21140 Extension ring 40 with lock  21120 Extension ring 20 with lock	18802 8.5" Acrylic dome port  18812 230mm Optical glass fisheye port II  18809 (*1) 180mm Optical glass wide angle port  85201 0.36x Wide Angle Conversion Port <i>*work from 28-32mm</i>
WIDE / ZOOM	Nikkor Z 14-30mm f/4 S	19156 NZ1430-Z <i>*same as 19154</i>	21150 Extension ring 50 with lock  21150 Extension ring 50 with lock	18802 8.5" Acrylic dome port  18812(*1) 230mm Optical glass fisheye port II  85204 Wide Angle Conversion Port - 2
F - MOUNT	F mount lenses with Nikon FTZ mount adapter		See N120 Nikon F-mount Port System	
SONY E - MOUNT	Techart Sony E to Nikon Z Autofocus Adapter (TZE-01) with Sony SEL2870 FE 28-70mm F3.5-5.6 OSS	19158 NE2870-Z	21120 Extension ring 20 with lock	85201 0.36x Wide Angle Conversion Port

## N120 PORT SYSTEM FOR CANON RF SYSTEM

	LENS	GEAR	EXTENSION RING	LENS / PORT
STANDARD / ZOOM	Canon RF 24-70mm f/2.8L IS USM	19567 CR2470-Z	21160 Extension ring 60 with lock	18802 8.5" Acrylic dome port
			21150+21125 Extension ring 50+25 with lock	18815 250mm Optical glass wide angle port II
	21160 Extension ring 60 with lock		18812 230mm Optical glass fisheye port II	
	21160 Extension ring 60 with lock		18809 (*1) 180mm Optical glass wide angle port	
		19568 CR2470-F	21250+21110 Extension ring 50 with focus knob +Extension ring 10 with screws	18809 180mm Optical glass wide angle port
	Canon RF 24-105mm f/4L IS USM	19565 CR24105-Z	21140 Extension ring 40 with lock	18802 8.5" Acrylic dome port
		21140 Extension ring 40 with lock	18812 230mm Optical glass fisheye port II	
		21140 Extension ring 40 with lock	18809 (*1) 180mm Optical glass wide angle port	
WIDE / ZOOM	Canon RF 15-35mm f/2.8L IS USM	19569 CR1535-Z	21170 Extension ring 70 with lock	18802 8.5" Acrylic dome port
			21180 Extension ring 80 with lock	18815 250mm Optical glass wide angle port II
	21170 Extension ring 70 with lock		18812(*1) 230mm Optical glass fisheye port II	
	21170 Extension ring 70 with lock		18809 180mm Optical glass wide angle port	
		19570 CR1535-F	21135 N120 Extension Ring 35 with lock	18812 230mm Optical glass fisheye port II
		19571 WCR1535-F	21271 Extension ring 70 with focus knob	85204 Wide Angle Conversion Port - 2
		21235 N120 Extension ring 35 with focus knob	18812 230mm Optical glass fisheye port II	
			85204 Wide Angle Conversion Port - 2	
EF - MOUNT	EF mount lenses with Canon mount adaptor EF to EOS R	See N120 Canon EF-mount Port System		

## N120 PORT SYSTEM FOR PANASONIC L SYSTEM

	LENS	GEAR	EXTENSION RING	LENS / PORT
STANDARD / ZOOM	Panasonic Lumix S 20-60mm f/3.5-5.6	19731 PL2060-Z	21130 Extension ring 30 with lock	18802 8.5" Acrylic dome port 18809 (*1) 180mm Optical glass wide angle port 18812 230mm Optical glass fisheye port II
	Panasonic Lumix S PRO 24-70mm f/2.8	19730 PL2470-Z	21170 Extension ring 70 with lock  21190 Extension ring 90 with lock	18802 8.5" Acrylic dome port 18809 (*1) 180mm Optical glass wide angle port 18812 230mm Optical glass fisheye port II 18815 250mm Optical glass wide angle port II
	Panasonic Lumix S 24-105 f4	19721 PS24105-Z	21150 Extension ring 50 with lock 21150 Extension ring 50 with lock 21150 Extension ring 50 with lock 21135 N120 Extension Ring 35 with lock	18802 8.5" Acrylic dome port 18812 230mm Optical glass fisheye port II 18809 (*1) 180mm Optical glass wide angle port
	Canon EF 28-70mm f/3.5-4.5 II with Sigma MC-21 Converter	19724 PS24105-F  19725 Gear Set	21250 N120 Extension Ring 50 with focus knob  21230 Extension ring 30 with focus knob	85201 0.36x Wide Angle Conversion Port *work from 28-33mm 18809 180mm Optical glass wide angle port
WIDE / ZOOM	Leica Super-Vario-Elmar-SL 16-35mm f/3.5-4.5 ASPH	19722 LS1635-Z	21170 Extension ring 70 with lock 21170 Extension ring 70 with lock 21170 Extension ring 70 with lock 21160 Extension ring 60 with lock	18802 8.5" Acrylic dome port 18812(*1) 230mm Optical glass fisheye port II 18815 250mm Optical glass wide angle port II 18809 180mm Optical glass wide angle port
	Panasonic Lumix S PRO 16-35mm f/4	19723 LS1635-F  19728 PL1635-Z 19729 PL1635-F	21271 Extension ring 70 with focus knob  21250 N120 Extension Ring 50 with focus knob	18812 230mm Optical glass fisheye port II 85204 (*1) Wide Angle Conversion Port - 2 18812 230mm Optical glass fisheye port II
	Sigma 14mm F1.8 DG HSM   Art(*2)	19563 SC14A-F	21170 Extension ring 70 with lock *Compatible from SN:A201966 onwards 21170 Extension ring 70 with lock *Compatible from SN:A201966 onwards	18802 8.5" Acrylic dome port 18812 (*1) 230mm Optical glass fisheye port II

Remarks: (\*1) Most recommended

(\*2) MC-21 is not necessary for native L-Mount lenses

(\*3) MC-21 can not be used in combination with teleconverter, Operations using other non-compatible lenses are not guaranteed.

## N120 PORT SYSTEM FOR PANASONIC L SYSTEM

LENS	GEAR	EXTENSION RING	LENS / PORT
Sigma 20mm F1.4 DG HSM   Art(*2)		<b>21170</b> Extension ring 70 with lock	<b>18802</b> 8.5" Acrylic dome port
		<b>21170</b> Extension ring 70 with lock	<b>18815</b> 250mm Optical glass wide angle port II
		<b>21170</b> Extension ring 70 with lock	<b>18812 (*1)</b> 230mm Optical glass fisheye port II
		<b>21160</b> Extension ring 60 with lock	<b>18809</b> 180mm Optical glass wide angle port
Sigma 14-24mm F2.8 DG HSM   Art	<b>19564</b> SC1424A-Z	<b>21170</b> Extension ring 70 with lock <i>*Compatible from SN:A201966 onwards</i>	<b>18802</b> 8.5" Acrylic dome port
		<b>21170</b> Extension ring 70 with lock <i>*Compatible from SN:A201966 onwards</i>	<b>18815</b> 250mm Optical glass wide angle port II
		<b>21170</b> Extension ring 70 with lock <i>*Compatible from SN:A201966 onwards</i>	<b>18812 (*1)</b> 230mm Optical glass fisheye port II
		<b>21160</b> Extension ring 60 with lock <i>*Compatible from SN:A143566 onwards</i>	<b>18809</b> 180mm Optical glass wide angle port
	<b>19726</b> SLE1424-Z	<b>21125</b> N120 Extension Ring 25 with Lock	<b>85204</b> WACP-2 <i>*zoom from 20mm</i>
Sigma 14-24mm F2.8 DG DN Art	<b>19726</b> SLE1424-Z	<b>21160</b> Extension ring 60 with lock	<b>18802</b> 8.5" Acrylic dome port
		<b>21160</b> Extension ring 60 with lock	<b>18815</b> 250mm Optical glass wide angle port II
		<b>21160</b> Extension ring 60 with lock	<b>18812 (*1)</b> 230mm Optical glass fisheye port II
		<b>21150</b> Extension ring 50 with lock	<b>18809</b> 180mm Optical glass wide angle port
		<b>21125</b> N120 Extension Ring 25 with Lock	<b>85204</b> Wide Angle Conversion Port - 2 <i>*zoom from 20mm</i>
		<b>21250</b> N120 Extension Ring 50 with focus knob	<b>18812 (*1)</b> 230mm Optical glass fisheye port II
	<b>19727</b> SLE1424-F		<b>18809</b> 180mm Optical glass wide angle port
Sigma 12-24mm F4 DG HSM   Art	<b>19556</b> SC1224A-Z	<b>21160*</b> Extension ring 60 with lock <i>*Compatible from SN:A143566 onwards</i>	<b>18812 (*1)</b> 230mm Optical glass fisheye port II
		<b>21150</b> Extension ring 50 with lock <i>*Compatible from SN:A213191 onwards</i>	<b>18815</b> 250mm Optical glass wide angle port II
EF mount lenses with Sigma MC-21 Converter (EF-L)		See N120 Canon EF-mount Port System	

SIGMA'S EF MOUNT LENSES WITH MOUNT CONVERTER MC-21(EF-L) \*3

EF - MOUNT

Remarks: (\*1) Most recommended  
 (\*2) MC-21 is not necessary for native L-Mount lenses  
 (\*3) MC-21 can not be used in combination with teleconverter, Operations using other non-compatible lenses are not guaranteed.

**N100 PORT SYSTEM**  
**FOR SONY A7RIII/A9/A7II/A7R II/A7S II/A7RIV SYSTEM**

	LENS	GEAR	PORT ADAPTOR	EXTENSION RING	LENS / PORT
MACRO	Sony SEL50M28 FE 50mm F2.8 Macro			<b>37402</b> N100 Extension ring 40	<b>37127</b> N100 Flat port 32 <i>*not compatible with wet diopters</i> <i>*slightly vignette at infinity</i>
	Sony SEL90M28G FE 90mm F2.8 Macro G OSS	<b>37147</b> SE90-F			<b>37126</b> N100 Macro port 105 <b>OPTIONAL ACCESSORIES</b> <b>87303</b> EMWL Set #3
MACRO / WIDE	Laowa 24mm f/14 2X Macro Probe	<b>19155</b> N120 DSLR gear set <i>*Supports both</i> <i>Standard and Cine version</i>	<b>37305*</b> N100 to N120 35.5mm Port adaptor II	<b>21271</b> Extension ring 70 w/ knob	<b>16336</b> N120 Port adaptor
STANDARD / ZOOM	Sony SEL2470GM FE 24-70mm F2.8 GM	<b>37151</b> SFE2470GM-Z  <b>37152</b> SFE2470GM-F	<b>37305*</b> N100 to N120 35.5mm Port adaptor II	<b>21160</b> Extension ring 60 with lock	<b>18809</b> 180mm Optical glass wide angle port
	Sony SEL2470Z Vario-Tessar T* FE 24-70mm F4 ZA OSS	<b>37149</b> SE2470-Z  <b>37148</b> SE2470-F		<b>37305*</b> N100 to N120 35.5mm Port adaptor II	<b>21130</b> Extension ring 30 with lock
	Sony SEL28F20 FE 28mm F2	<b>37150</b> SE28-F			
	Sony SEL2870 FE 28-70mm F3.5-5.6 OSS	<b>37141</b> SE2870-Z			<b>37124</b> Flat port 66 with M77 thread <b>OPTIONAL ACCESSORIES</b> <b>86201</b> Macro to Wideangle Lens 1 (MWL-1)
	Tamron 28-75mm f/2.8 Di III RXD	<b>37159</b> STE2875-Z  <b>37160</b> STE2875-F	<b>37305*</b> N100 to N120 35.5mm Port adaptor II	<b>21150</b> Extension ring 50 with lock	<b>18802</b> 8.5" Acrylic dome port
				<b>21135</b> Extension ring 35 with lock	<b>18809</b> 180mm Optical glass wide angle port  <b>18812 (*1)</b> 230mm Optical glass fisheye port II
	Sony SEL35F28Z Sonnar T* FE 35mm F2.8 ZA				<b>85201</b> 0.36x Wide Angle Conversion Port <i>*working range : 28mm-45mm</i>
Sony SEL35F28Z Sonnar T* FE 35mm F2.8 ZA				<b>37122</b> 4" Wide angle port	
Sony SEL55F18Z AE Sonnar T* FE 55mm F1.8 ZA				<b>37130 + 83201</b> N100 Flat port 23 + Wet Wide Lens 1 (WWL-1)	
Sony SEL55F18Z AE Sonnar T* FE 55mm F1.8 ZA				<b>37123</b> N100 Macro port 55	
WIDE / ZOOM	Sony SEL1224GM FE 12-24mm F2.8 GM	<b>37161</b> SFE1224GM-Z  <b>37162</b> SFE1224GM-F	<b>37305*</b> N100 to N120 35.5mm Port adaptor II	<b>21155*</b> Extension ring 55 with lock <i>*Compatible from SN:A055053 onwards</i>	<b>18812</b> 230mm Optical glass fisheye port II
	Sony SEL1224G FE 12-24mm F4 G	<b>37153</b> SFE1224-Z  <b>37154</b> SFE1224-F		<b>37305*</b> N100 to N120 35.5mm Port adaptor II	<b>21140</b> Extension ring 40 with lock



**N100 PORT SYSTEM**  
**FOR SONY A7RIII/A9/A7II/A7RII/A7SII/A7RIV SYSTEM**

	LENS	GEAR	PORT ADAPTOR	EXTENSION RING	LENS / PORT
WIDE / ZOOM	Sigma 14-24mm F2.8 DG DN	19726 SLE1424-Z	37305* N100 to N120 35.5mm Port adaptor II	21160 Extension ring 60 with lock 21150 Extension ring 50 with lock 21150 Extension ring 50 with lock 21140 Extension ring 40 with lock 21125 N120 Extension Ring 25 with Lock	18802 8.5" Acrylic dome port 18815 250mm Optical glass wide angle port II 18812 (*1) 230mm Optical glass fisheye port II 18809 180mm Optical glass wide angle port 85204 Wide Angle Conversion Port - 2 <i>*zoom from 20mm</i>
		19727 SLE1424-F	37305* N100 to N120 35.5mm Port adaptor II	21250 N120 Extension Ring 50 with focus knob	18812 (*1) 230mm Optical glass fisheye port II <i>*zoom from 20mm</i>
	Sony SEL1635GM FE 16-35mm F2.8 GM	37155 SFE1635GM-Z 37156 SFE1636GM-F	37305* N100 to N120 35.5mm Port adaptor II	21170 Extension ring 70 with lock 21160 Extension ring 60 with lock 21130 Extension ring 30 with lock	18812 (*1) 230mm Optical glass fisheye port II 18809 180mm Optical glass wide angle port 85204 Wide Angle Conversion Port - 2
	Sony SEL1635Z Vario-Tessar T* FE 16-35mm F4 ZA OSS	37145 SE1635-Z 37146 SE1635-F	37305* N100 to N120 35.5mm Port adaptor II	37401+37403 N100 Extension ring 30+50 21160 Extension ring 60 with lock 21150 Extension ring 50 with lock 21110 Extension ring 10 with screws	37129 N100 180mm Optical glass wide angle port 18812 (*1) 230mm Optical glass fisheye port II 18809 180mm Optical glass wide angle port 85204 Wide Angle Conversion Port - 2
	Tamron 17-28mm f/2.8 Di III RXD	37157 STE1728-Z 37158 STE1728-F	37305* N100 to N120 35.5mm Port adaptor II	21140 Extension ring 40 with lock	18802 8.5" Acrylic dome port 18809 180mm Optical glass wide angle port 18812 (*1) 230mm Optical glass fisheye port II 85204 Wide Angle Conversion Port - 2
	Zeiss Batis 2.8/18		37305* N100 to N120 35.5mm Port adaptor II	21120 Extension ring 20 with lock	18809 180mm Optical glass wide angle port
	Sony SEL28F20 + SEL075UWC FE 28mm F2 + FE Ultra wide adaptor		37305* N100 to N120 35.5mm Port adaptor II	21130 Extension ring 30 with lock	18809 180mm Optical glass wide angle port
	Sony SEL28F20 + SEL057FEC FE 28mm F2 + FE Fisheye adaptor		37305* N100 to N120 35.5mm Port adaptor II	21130 Extension ring 30 with lock	18810 N120 140mm Optical glass fisheye port
	Metabones EF Lens to NEX Smart Adapter III w/ Sigma 15mm F2.8 EX DG Diagonal Fisheye	19546 SC15-F	37305* N100 to N120 35.5mm Port adaptor II		18810 N120 140mm Optical glass fisheye port
	NIKONOS	U/W Nikkor 15 mm f/2.8		37202 Nikonos adaptor for NA-A7II/A9/A7RIII/A7RIV	
U/W Nikkor 20 mm f/2.8					
U/W Nikkor 80mm f/4					
Sea & Sea 12mm f/3.5 Fisheye for Nikonos					
EF mount Lenses	EF mount lenses with Metabones EF Lens to NEX Smart Adapter III / IV/V		37305* N100 to N120 35.5mm Port adaptor II	See Canon N120 Port System	

## N100 PORT SYSTEM FOR NIKON Z50 SYSTEM

	LENS	GEAR	PORT ADAPTOR	EXTENSION RING	LENS / PORT
Z-MOUNT	NIKKOR Z DX 16-50mm f/3.5-6.3 VR	37602 Z1650PZ-Z		37601 N100 Flat port 29	83250 + 83203 M67 to bayonet converter II + WWL-C <i>*work from 16mm-50mm</i>
				37601 N100 Flat port 29	83250 + 83201 M67 to bayonet converter II + WWL-1 <i>*no vignetting from 20mm.</i>
F-MOUNT	F mount lenses with Nikon FTZ mount adapter		37305 N100 to N120 35.5mm Port adaptor II	See N120 Nikon F-mount Port System	

Remark: \* It requires to replace the tripod socket cover on the FTZ mount adapter with product #25220 from nauticam in order to fit the mount adapter into the N120 port mount system.

## N85 PORT SYSTEM FOR PANASONIC & OLYMPUS & BMPCC M4/3 SYSTEM

	LENS	GEAR	PORT ADAPTOR	EXTENSION RING	LENS / PORT
<b>MACRO</b>	Olympus M.Zuiko Digital ED 30mm f3.5 Macro				<b>36135</b> Macro port 45 <i>*Incompatible with wet diopters</i>
	Olympus M.Zuiko Digital ED 60mm f2.8 Macro	<b>36149</b> O60-F			<b>36163</b> Macro port 65 <b>OPTIONAL ACCESSORIES</b> <b>87301</b> EMWL Set #1
				<b>36620</b> Mini extension ring 20	<b>36135</b> Macro port 45
				<b>36630</b> Mini extension ring 30	<b>36139</b> Macro port 35
	Panasonic Lumix G Macro 30mm f/2.8 Asph. Mega O.I.S.				<b>36135</b> Macro port 45 <i>*Incompatible with wet diopters</i>
Panasonic LEICA DG MACRO-ELMARIT 45mm F2.8 ASPH. MEGA O.I.S.	<b>36145</b> P45-F			<b>36135</b> Macro port 45 <b>OPTIONAL ACCESSORIES</b> <b>87303</b> EMWL Set #3	
<b>MACRO / WIDE</b>	Olympus M.Zuiko Digital ED 30mm f3.5 Macro			<b>36135</b> Macro port 45 <i>*Incompatible with macro optics</i>	<b>86201</b> Macro to Wideangle Lens 1 (MWL-1)
	Panasonic Lumix G Macro 30mm f/2.8 Asph. Mega O.I.S.			<b>36135</b> Macro port 45 <i>*Incompatible with macro optics</i>	<b>86201</b> Macro to Wideangle Lens 1 (MWL-1)
	Laowa 24mm f/14 2X Macro Probe <i>*With Speedbooster on GH5 camera</i>	<b>19155</b> N120 DSLR gear set <i>*Support both Standard and Cine version</i>	<b>36064</b> N85 to N120 34.7mm Port adaptor with knob	<b>21271</b> Extension ring 70 w/ knob	<b>16336</b> N120 Port adaptor for Laowa 24mm f/14 2x macro probe
<b>STANDARD / ZOOM</b>	Olympus M.ZUIKO DIGITAL ED 12-40mm f/2.8 PRO	<b>36045</b> O1240-Z			<b>36129</b> 7" Acrylic dome port
			<b>36052(*2)</b> N85 to N120 47mm Port adaptor with focus knob	<b>21120</b> Extension ring 20 with lock	<b>18809 (*1)</b> 180mm Optical glass wide angle port
					<b>85201</b> 0.36x Wide Angle Conversion Port <i>*Working range : 14-26mm 16:9 aspect ratio:12-26mm</i>
		<b>36065</b> O1240-F	<b>36401(*3)</b> N85 to N120 55mm Port adaptor with knob	<b>21110</b> Extension ring 10 with screws	<b>18809</b> 180mm Optical glass wide angle port
					<b>85201</b> 0.36x Wide Angle Conversion Port <i>*Working range : 14-32mm 16:9 aspect ratio: 12-32mm</i>
	Olympus M.Zuiko Digital ED 12-45mm f/4 PRO	<b>36069</b> O1245-Z		<b>36620+36620</b> Mini extension ring 20+20	<b>36139 + 81301/81302</b> Macro port 35 + CMC-1/CMC-2
					<b>36129</b> 7" Acrylic dome port
			<b>36401(*3)</b> N85 to N120 55mm Port adaptor with knob		<b>18809</b> 180mm Optical glass wide angle port
			<b>36064*</b> N85 to N120 34.7mm port adaptor with knob <i>*Incompatible with NA-EM1X</i>		<b>85201</b> 0.36x Wide Angle Conversion Port <i>*Working range : 14-29mm</i>
		<b>36070</b> O1245-F	<b>36052(*2)</b> N85 to N120 47mm Port adaptor with focus knob	<b>21110</b> Extension ring 10 with screws	<b>18809</b> 180mm Optical glass wide angle port

Remarks: (\*1) Most recommended  
(\*2) 36052 before SN: A297188 is incompatible with NA-EM1X  
(\*3) 36401 before SN: A393237 is incompatible with NA-EM1X

## N85 PORT SYSTEM FOR PANASONIC & OLYMPUS & BMPCC M4/3 SYSTEM

LENS	GEAR	PORT ADAPTOR	EXTENSION RING	LENS / PORT
Olympus M.ZUIKO DIGITAL ED 12-50mm f/3.5-6.3 EZ	36147* O1250-Z * 36059 O1250-Z f or use with NA-GH5/EM1X			36161 Macro port with M77 thread OPTIONAL ACCESSORIES 83251+83203 M77 to Bayonet Converter II +Wet Wide Lens Compact (WWL-C) *No vignetting at 15mm 83251 + 86201 M77 to Bayonet Converter II +Macro to Wideangle Lens 1 (MWL-1)
				36137 4" Wide angle port OPTIONAL ACCESSORIES 25105 M67 Flip diopter holder for 36137
Olympus M.ZUIKO DIGITAL 14-42mm F3.5-5.6 II R	36143 O1442-Z			36136 Macro port 56 OPTIONAL ACCESSORIES 83201 (*1) Wet Wide Lens 1 (WWL-1)
				36137 4" Wide angle port OPTIONAL ACCESSORIES 25105 M67 Flip diopter holder for 36137
	36067 O1442-F			36166* N85 Macro port 56 with focus knob *From 15mm, slightly vignetting using with 16501 NA-BMPCCII Housing 83201 (*1) Wet Wide Lens 1 (WWL-1)
Olympus M.ZUIKO DIGITAL ED 14-42mm F3.5-5.6 EZ	36047 O1442EZ-Z			36165 + 83201 (*1) N85 Power zoom macro port 29 Wet Wide Lens 1 (WWL-1)
Panasonic LUMIX G VARIO 12-32mm F3.5-5.6 ASPH. MEGA O.I.S.	36046 P1232-Z	36620 Mini extension ring 20		36131 3.5" Wide angle port
				36165 + 83201 (*1) N85 Power zoom macro port 29 Wet Wide Lens 1 (WWL-1)
				36165 + 83250 + 83203 N85 Power zoom macro port 29 +M67 to Bayonet Converter II +Wet Wide Lens Compact (WWL-C)
Panasonic LUMIX G X Vario 12-35mm F2.8 I/ II ASPH. POWER O.I.S.	36148 P1235-Z			36133 6" Wide angle port
		36064* N85 to N120 34.7mm port adaptor with knob *Incompatible with NA-EM1X		85201 0.36x Wide Angle Conversion Port *Working range : 14-22mm 16:9 Aspect ratio : 12-22mm
		36042 P1235-F *Compatible with Ver.II lens from A107953		36164 6" Wide angle port with focus knob
		36052(*2) N85 to N120 47mm Port adaptor with focus knob	21120 Extension ring 20 with lock	18809 (*1) 180mm Optical glass wide angle port
Panasonic LEICA DG VARIO-ELMARIT 12-60mm F2.8-4.0 ASPH. POWER O.I.S.	36058 PL1260-Z			36129 7" Acrylic dome port
		36068 PL1260-F	36401(*3) N85 to N120 55mm Port adaptor with knob	21110 Extension ring 10 with screws
Panasonic LUMIX G 14mm / F2.5 ASPH				36131 3.5" Wide angle port
				36151 + 83201 (*1) N10 Pancake port Wet Wide Lens 1 (WWL-1)

Remarks: (\*1) Most recommended  
(\*2) 36052 before SN: A297188 is incompatible with NA-EM1X  
(\*3) 36401 before SN: A393237 is incompatible with NA-EM1X

## N85 PORT SYSTEM FOR PANASONIC & OLYMPUS & BMPCC M4/3 SYSTEM

	LENS	GEAR	PORT ADAPTOR	EXTENSION RING	LENS / PORT
STANDARD / ZOOM	Panasonic LUMIX G VARIO 14-42mm F3.5-5.6 ASPH. MEGA O.I.S.	36141 P1442-Z			<b>36121</b> Flat port 72 <i>OPTIONAL ACCESSORIES</i> <b>25104</b> M67 Flip diopter holder for 36121  <b>36137</b> 4" Wide angle port <i>OPTIONAL ACCESSORIES</i> <b>25105</b> M67 Flip diopter holder for 36137
	Panasonic LUMIX G VARIO 14-42mm F3.5-5.6 II ASPH. MEGA O.I.S.	36057 P1442II-Z			<b>36139 + 83201 (*1)</b> Macro port 35 Wet Wide Lens 1 (WWL-1)
	Panasonic LUMIX G X VARIO PZ 14-42mm F3.5-5.6 ASPH. Power O.I.S.	36146 P1442X-PZ * <b>36061</b> for use with NA-GH5			<b>36165 + 83201 (*1)</b> N85 Power zoom macro port 29 Wet Wide Lens 1 (WWL-1)
	Panasonic LUMIX G VARIO 14-45mm F3.5-5.6 ASPH. MEGA O.I.S.	36053 P1445-Z			<b>36121</b> Flat port 72 <i>OPTIONAL ACCESSORIES</i> <b>25104</b> M67 Flip diopter holder for 36121  <b>36137</b> 4" Wide angle port <i>OPTIONAL ACCESSORIES</i> <b>25105</b> M67 Flip diopter holder for 36137
WIDE / ZOOM	Olympus M.ZUIKO DIGITAL ED 9-18mm F4.0-5.6	36143 O918-Z			<b>36137</b> 4" Wide angle port  <b>36052(*2)</b> — <b>21120</b> — <b>18809 (*1)</b> N85 to N120 — Extension ring 20 with lock — 180mm Optical glass wide angle port 47mm Port adaptor with focus knob  <b>36401(*3)</b> — <b>21110</b> — <b>18809</b> N85 to N120 — Extension ring 10 with screws — 180mm Optical glass wide angle port 55mm Port adaptor with knob
	Olympus M.ZUIKO DIGITAL ED 12mm f/2.0			<b>36620</b> Mini extension ring 20	<b>36048 (*1)</b> N85 140mm Optical glass fisheye port  <b>36132</b> 4.33" Dome port <i>*Incompatible with NA-EM1X</i>
	Olympus M.ZUIKO DIGITAL ED 7-14mm F2.8 PRO	36054 O714-Z			<b>36131</b> 3.5" Wide angle port
		36055 O714-F	<b>36401(*3)</b> N85 to N120 55mm Port adaptor with knob		<b>18809 (*1)</b> 180mm Optical glass wide angle port
	Panasonic LUMIX G VARIO 7-14mm/F4.0 ASPH	36044 P714-Z			<b>36133</b> 6" Wide angle port
		36043 P714-F			<b>36164</b> 6" Wide angle port with Focus knob  <b>36052(*2)</b> — <b>18809 (*1)</b> N85 to N120 — 180mm Optical glass wide angle port 47mm Port adaptor
Panasonic Leica DG Vario Elmarit 8-18mm f/2.8-4.0 ASPH	36062 PL818-Z			<b>36129</b> 7" Acrylic dome port	
	36063 PL818-F	<b>36401(*3)</b> N85 to N120 55mm Port adaptor with knob	<b>21120</b> Extension ring 20 with lock	<b>18809 (*1)</b> 180mm Optical glass wide angle port	

## N85 PORT SYSTEM FOR PANASONIC & OLYMPUS & BMPCC M4/3 SYSTEM

	LENS	GEAR	PORT ADAPTOR	EXTENSION RING	LENS / PORT
FISHEYE / ZOOM	OLYMPUS M.ZUIKO DIGITAL ED 8mm F1.8 Fisheye PRO	36056 O8-F		36617 Mini extension ring 17  36620 Mini extension ring 20	36048 (*1) N85 140mm Optical glass fisheye port  36132 4.33" Dome port
	Panasonic LUMIX G FISHEYE 8mm / F3.5	36041 P8-F			36132 4.33" Dome port <i>*Incompatible with NA-EM1X</i>  36131 3.5" Wide angle port <i>*Slightly vignetting in 4:3 aspect ratio</i>  36048 (*1) N85 140mm Optical glass fisheye port <i>*Incompatible with NA-EM1X</i> <i>*Vignetting in 4:3 aspect ratio</i>
	Panasonic X VARIO PZ 14-42mm with Fisheye Conversion Lens [DMW-GFC1]	36146 P1442X-PZ <i>*36061 for use with NA-GH5</i>		36630 Mini extension ring 30	36132 4.33" Dome port
EF LENSES	EF mount lenses with Metabones EF-MFT mount T Speed Booster ULTRA 0.71x		36064* N85 to N120 34.7mm Port adaptor with knob <i>*Incompatible with NA-EM1X</i>	— See Canon N120 Port System	

Remarks: (\*1) Most recommended  
(\*2) 36052 before SN: A297188 is incompatible with NA-EM1X  
(\*3) 36401 before SN: A393237 is incompatible with NA-EM1X

## N85 PORT SYSTEM FOR SONY E-MOUNT SYSTEM

	LENS	GEAR	PORT ADAPTOR	EXTENSION RING	LENS / PORT
<b>MACRO</b>	Sony SEL30M35 E 30mm F3.5 Macro	36171 SE30-F			<b>36128</b> Macro port 45 with focus knob <i>*Incompatible with Wet Optics</i>
				<b>36135</b> Macro port 45 <i>*Incompatible with Wet Optics</i>	
	Sony SEL50M28 FE 50mm F2.8 Macro		<b>36207(*2)</b> N85 to N120 50mm Port Adaptor II with zoom/focus knob		<b>18704</b> Macro port 41
	Sony SEL90M28G FE 90mm F2.8 Macro G OSS	36175 SFE90-F	<b>36205</b> N85 to N100 65mm Port adaptor with zoom/focus knob		<b>37123</b> N100 Macro port 55 <i>*Compatible from SN:A175724 onwards</i>
			<b>36204(*2)</b> N85 to N120 60mm Port adaptor		<b>18701</b> Macro port 60
			<b>36207(*2)</b> N85 to N120 50mm Port Adaptor II with zoom/focus knob	<b>21110</b> Extension ring 10 with screws	<b>18701</b> Macro port 60
Sony A-mount Adaptor [LA-EA1] with SAL30M28 DT 30mm F2.8 Macro SAM				<b>36202</b> EA30 port <i>*Incompatible with wet optics</i>	
Metabones EF Lens to NEX Smart Adapter II with Canon EF-S 60mm f/2.8 Macro USM	<b>36203</b> EEF60-F			<b>36203</b> EEF60 port	
Carl Zeiss Touit 2.8/50mm			<b>36630</b> Mini extension ring 30	<b>36135</b> Macro port 45	
<b>STANDARD / ZOOM</b>	Sony SEL16F28 E 16mm F2.8				<b>36126</b> E16 pancake port
					<b>36125</b> E mount 4.33" fisheye port
	Sony SELP1650 E PZ 16-50mm F3.5-5.6 OSS	36172 SE1650-PZ			<b>36128 + 83201</b> Macro port 45 with knob Wet Wide Lens - 1 (WWL-1) <i>*No vignetting at 20mm</i>
					<b>36228 + 83250 + 83203</b> N85 Macro port 40 with knob +M67 to Bayonet Converter II +Wet Wide Lens Compact (WWL-C) <i>*No vignetting at 17mm</i>
	Sony SEL1670Z Vario-Tessar T* E 16-70mm F4 ZA OSS	36174 SE1670-Z			<b>36129</b> 7" Acrylic dome port
			<b>36207(*2)</b> N85 to N120 50mm Port Adaptor II with zoom/focus knob	<b>21120</b> Extension ring 20 with lock	<b>18809</b> 180mm Optical glass wide angle port
				<b>18705 + 86201</b> Macro port 45 +Macro to Wideangle Lens 1 (MWL-1)	
Sony SEL1855 E 18-55mm F3.5-5.6 OSS	36122 SE1855-Z			<b>36121</b> Flat port 72 <i>OPTIONAL ACCESSORIES</i>	
				<b>25104</b> M67 Flip diopter holder for 36121	
				<b>36137</b> 4" Wide angle port <i>OPTIONAL ACCESSORIES</i>	
				<b>25105</b> M67 Flip diopter holder for 36137	

## N85 PORT SYSTEM FOR SONY E-MOUNT SYSTEM

	LENS	GEAR	PORT ADAPTOR	EXTENSION RING	LENS / PORT
MACRO / WIDE	Sigma 19mm F2.8 DN   A			<b>36135</b> Macro port 45	<b>83201 (*1)</b> Wet Wide Lens 1 (WWL-1)
	Carl Zeiss Touit 2.8/50M			<b>36630</b> Mini extension ring 30	<b>36135 + 86201 (*1)</b> Macro port 45 Macro to Wideangle Lens 1 (MWL-1) FOV: 115°
WIDE / ZOOM	Sony SEL1018 E 10-18mm F4 OSS	<b>36173</b> SE1018-Z			<b>36129</b> 7" Acrylic dome port
			<b>36204(*2)</b> N85 to N120 60mm Port adaptor		<b>18809 (*1)</b> 180mm Optical glass wide angle port
			<b>36207(*2)</b> N85 to N120 50mm Port Adaptor II with zoom/focus knob	<b>21110</b> Extension ring 10 with screws	<b>18809</b> 180mm Optical glass wide angle port
	Carl Zeiss Touit 2.8/12		<b>36204(*2)</b> N85 to N120 60mm Port adaptor		<b>18809</b> 180mm Optical glass wide angle port
			<b>36207(*2)</b> N85 to N120 50mm Port Adaptor II with zoom/focus knob	<b>21110</b> Extension ring 10 with screws	<b>18809</b> 180mm Optical glass wide angle port
	Sony SEL16F28 with Ultra-wide Converter [VCL-ECU1]				<b>36125</b> E mount 4.33" fisheye port
Sony SEL16F28 with Fisheye Converter [VCL-ECF1]				<b>36125</b> E mount 4.33" fisheye port	
Tokina AT-X 107 AF DX Fisheye AF 10-17mm f/3.5-4.5 (Canon mount) with Metabones EF Lens to NEX Smart Adapter III / IV	<b>19529</b> TC1017-Z		<b>36207(*2)</b> N85 to N120 50mm Port Adaptor II with zoom/focus knob		<b>18804</b> 4.33" Acrylic dome port for Tokina 10-17 Lens
NIKONOS	U/W Nikkor 15 mm f/2.8				<i>Optional accessories</i> <b>36317</b> Filter holder for Nikonos adaptor
	U/W Nikkor 20 mm f/2.8				
	U/W Nikkor 28 mm f/3.5		<b>36201</b> Nikonos to NEX adaptor		
	U/W Nikkor 35mm f/2.5				
	U/W Nikkor 80mm f/4				
	Sea & Sea 12mm f/3.5 Fisheye for Nikonos				



## N85 PORT SYSTEM FOR CANON EF-M SYSTEM

	LENS	GEAR	PORT BASE	EXTENSION RING	LENS / PORT
MACRO	EF-EOS M adaptor with Canon EF-S 60mm f2.8 Macro USM	36192 CMEF60-F			36182 Macro port for CMEF60
		19521 C60-F	36184(*2) N85 to N120 41.5mm Port adaptor		18704 Macro port 41
	EF-EOS M adaptor with Canon EF 100mm f/2.8L Macro IS USM	19523 C100IS-F	36184(*2) N85 to N120 41.5mm Port adaptor		18703 Macro port 94
			36204 N85 to N120 60mm Port adaptor	21130 Extension ring 30 with lock	18704 Macro port 41
STANDARD / ZOOM	Canon EF-M 15-45mm f/3.5-6.3 IS STM	36195 CM1545-Z			36135 + 83201 Macro port 45 Wet Wide Lens 1 (WWL-1) *No vignetting at 18mm (4:3)
	Canon EF-M 18-55mm f/3.5-5.6 IS STM	36191 CM1855-Z			83250 + 36135+ 83203 +M67 to Bayonet Converter II +N85 Macro port 45 +Wet Wide Lens Compact (WWL-C) *No vignetting at 17mm
	Canon EF-M 22mm f/2 STM				36181 4" Semi-dome port
WIDE / ZOOM	Canon EF-M 11-22mm f/4-5.6 IS STM	36194 CM1122-Z			36131 3.5" Wide angle port
					36126 + 83201 E16 pancake port Wet Wide Lens 1 (WWL-1) OPTIONAL ACCESSORIES 83213 M67 to bayonet mount converter
	EF-EOS M adaptor with Canon EF 8-15mm f/4L Fisheye USM	36193 CMEF815-Z			36129 7" Acrylic dome port
EF MOUNT	Canon EF mount lenses with Canon EF-EOS M adaptor	19537 C815-Z	36184(*2) N85 to N120 41.5mm Port adaptor	21130 Extension ring 30 with lock	36133 6" Wide angle port
					36181 4" Semi-dome port
			36204 N85 to N120 60mm Port adaptor		18809 (*1) 180mm Optical glass wide angle port
					36183 4.33" Dome port for CMEF815
					18811 (*1) N120 140mm Optical glass fisheye port with removable shade
					See Canon N120 Port System

**N85 PORT SYSTEM FOR FUJIFILM XT1&XT2 SYSTEM**

	LENS	GEAR	PORT ADAPTOR	EXTENSION RING	LENS / PORT
MACRO	Carl Zeiss Touit 2.8/50M	36422 XZ50-A		36620 Mini extension ring 20	36135 Macro port 45
				36630 Mini extension ring 30	36139 Macro port 35
	FUJINON XF60mmF2.4 R Macro	36423 X60-A			36163 Macro port 65
				36620 Mini extension ring 20	36135 Macro port 45
STANDARD / ZOOM	FUJINON XF18-55F2.8-4.0	36442 X1855-A			
		36443 X1855-Z1	36401 N85 to N120 55mm Port adaptor with knob		18809 (*1) 180mm Optical glass wide angle port
		36444 X1855-Z2			36164 6" Wide angle port with focus knob
WIDE / ZOOM	FUJINON XF10-24mmF4 R OIS	36421 X1024-A			
		36441 X1024-Z	36401 N85 to N120 55mm Port adaptor		18809 180mm Optical glass wide angle port
	FUJINON XF18mmF2	36445 X18-A			36126 E16 Pancake port OPTIONAL ACCESSORIES 83201 Wet Wide Lens 1 (WWL-1)
	FUJINON XF23mmF2	36446 X23-A			36139 Macro port 35 OPTIONAL ACCESSORIES 83201 Wet Wide Lens 1 (WWL-1)
			36617 Mini extension ring 17		36126 E16 Pancake port OPTIONAL ACCESSORIES 83201 Wet Wide Lens 1 (WWL-1)
MACRO / WIDE	Carl Zeiss Touit 2.8/50M		36620 Mini extension ring 20	36135 Macro port 45	86201(*1) Macro to Wideangle Lens 1 (MWL-1) OPTIONAL ACCESSORIES 86222 Double Flip Holder for MWL-1
			36630 Mini extension ring 30	36139 Macro port 35	86201 Macro to Wideangle Lens 1 (MWL-1) OPTIONAL ACCESSORIES 86222 Double Flip Holder for MWL-1

Remarks: (\*1) Most recommended

Optional accessories:

2501 M67 Flip diopter holder for M67 macro ports is recommended to use with Nauticam wet macro lenses

Update: 2019-09-27

**N120 PORT SYSTEM**  
**FOR C200 & EVA1 & RED™ SYSTEM (Canon mount)**

	LENS	ZOOM GEAR	FOCUS GEAR	EXTENSION RING	LENS / PORT
MACRO	Canon EF-S 60mm f/2.8 Macro USM		19521 C60-F		18704 Macro port 41
	Canon EF 100mm f/2.8L Macro IS USM		19523 C100IS-F		18703 Macro port 94 OPTIONAL ACCESSORIES 87302 EMWL Set #2
MACRO / WIDE	Laowa 24mm f/14 2X Macro Probe		16335* Cine gear set *Support both Standard and Cine version lenses	21170 Extension ring 70 with lock *Compatible from SN:A201966 onwards	16336 N120 Port adaptor for Laowa 24mm f/14 2x macro probe
STANDARD / ZOOM	Canon EF 24-70mm f/2.8L II USM	16313 RC2470II-Z	16314 RC2470II-F	21170 Extension ring 70 with lock	18802 8.5" Acrylic dome port 18812 (*1) 230mm Optical glass fisheye port II
	Sigma 17-70mm F2.8-4 DC Macro OS HSM C	16331 RSC17700SC-Z	16331 RSC17700SC-F	21140 Extension ring 40 with lock	18802 8.5" Acrylic dome port 18812 (*1) 230mm Optical glass fisheye port II
	Sigma 18-35mm F1.8 DC HSM  A	16326 RSC1835f.18-Z	16326 RSC1835f.18-F	21180 Extension ring 80 with lock 21150+21150 Extension ring 100 with lock 21180 Extension ring 80 with lock 21180 Extension ring 80 with lock 21130+21135 Extension ring 30 +35 with lock	18802 8.5" Acrylic dome port 18815 250mm Optical glass wide angle port II 18812 230mm Optical glass fisheye port II 18809 (*1) 180mm optical glass wide angle port 85201 (*1) 0.36x Wide Angle Conversion Port *Zoom from 20mm 85202 0.36x Wide Angle Conversion Port
	Canon EF-S 18-55mm f/3.5-5.6 IS STM	16330 RC1855STM-Z	16330 RC1855STM-F	21125 N120 Extension Ring 25 with Lock	85201 0.36x Wide Angle Conversion Port *Zoom from 20mm
	Canon EF 28-70mm f/3.5-4.5 II	16334 RC2870II-Z	16334 RC2870II-F	21125 N120 Extension Ring 25 with Lock	85201(*1) 0.36x Wide Angle Conversion Port
	Canon EF 24-105mm f/4L IS USM	16337 RC24105-Z	16337 RC24105-F	21170 Extension ring 70 with lock	18802 8.5" Acrylic dome port 18812 230mm Optical glass fisheye port II 18809 (*1) 180mm optical glass wide angle port
	Canon EF-S 10-22mm f/3.5-4.5 USM	16303 RC1022-Z	16304 RC1022-F	21160 Extension ring 60 with lock 21120 Extension ring 20 with lock 21160 Extension ring 60 with lock 21160 Extension ring 60 with lock 21110 Extension ring 10 with screws	18802 8.5" Acrylic dome port 23211 8.5" white balance acrylic dome port 18815 250mm Optical glass wide angle port II 18812 (*1) 230mm Optical glass fisheye port II 85204 Wide Angle Conversion Port - 2
	Canon EF-S 10-18mm f/4.5-5.6 IS STM	16340 RC1018-Z	16340 RC1018-F		85204 Wide Angle Conversion Port - 2
	Canon EF 11-24mm f/4L USM	16315 RC1124-Z	16316 RC1124-F	21150 Extension ring 50 with lock *Compatible from SN:A213191 onwards 21170 Extension ring 70 with lock *Compatible from SN:A201966 onwards 21271 Extension ring 70	18815 (*1) 250mm Optical glass wide angle port II 18812 230mm Optical glass fisheye port II 18812 230mm Optical glass fisheye port II

**N120 PORT SYSTEM**  
**FOR C200 & EVA1 & RED™ SYSTEM (Canon mount)**

LENS	ZOOM GEAR	FOCUS GEAR	EXTENSION RING	LENS / PORT
Canon EF 16-35mm f/2.8L II USM	16311 RC1635II-Z	16312 RC1635II-F	21170 Extension ring 70 with lock	18802 8.5" Acrylic dome port
			21180 Extension ring 80 with lock	18815 250mm Optical glass wide angle port II
			21180 Extension ring 80 with lock	18812 (*1) 230mm Optical glass fisheye port II
			21170 Extension ring 70 with lock	18809 180mm optical glass wide angle port
			21130 Extension ring 30 with lock	85204 Wide Angle Conversion Port - 2
Canon EF 16-35mm f/4L IS USM	16317 RC1635f4-Z	16318 RC1635f4-F	21170 Extension ring 70 with lock	18802 8.5" Acrylic dome port
			21180 Extension ring 80 with lock	18815 250mm optical glass wide angle port II
			21180 Extension ring 80 with lock	18812 (*1) 230mm Optical glass fisheye port II
			21170 Extension ring 70 with lock	18809 180mm optical glass wide angle port
			21160 Extension ring 60 with lock	85201 0.36x Wide Angle Conversion Port * Zoom from 20mm
Canon EF 16-35mm f/2.8L III USM	16325 RC1635III-Z	16325 RC1635III-F	21190 Extension ring 90 with lock	18802 8.5" Acrylic dome port
			21190 Extension ring 90 with lock	18815 250mm Optical glass wide angle port II
			21190 Extension ring 90 with lock	18812 (*1) 230mm Optical glass fisheye port II
			21180 Extension ring 80 with lock	18809 180mm optical glass wide angle port
			21170 Extension ring 70 with lock	85201 0.36x Wide Angle Conversion Port * Zoom from 20mm
Zeiss Distagon T* 2.8/15 ZE	16319 ZC15-F	21155* Extension ring 55 with lock <i>*Compatible from SN:A055053 onwards</i>	18812 230mm Optical glass fisheye port II	
			21150 Extension ring 50 with lock	18812 230mm Optical glass fisheye port II
				18809 180mm optical glass wide angle port
				18812 230mm Optical glass fisheye port II
				18809 180mm optical glass wide angle port
Zeiss Milvus 2.8/18 ZE	16329 ZMC-F	21150 Extension ring 50 with lock	18812 230mm Optical glass fisheye port II	
			21150 Extension ring 50 with lock	18809 180mm optical glass wide angle port
				18812 230mm Optical glass fisheye port II
				18809 180mm optical glass wide angle port
				Zeiss Milvus 2.8/21 ZE
21150 Extension ring 50 with lock	18809 180mm optical glass wide angle port			
	18812 230mm Optical glass fisheye port II			
	18809 180mm optical glass wide angle port			
	Sigma 8-16mm F4.5-5.6 DC HSM	16305 RSC816-Z	16306 RSC816-F	
21150 Extension ring 50 with lock				18815 250mm Optical glass wide angle port II
21150 Extension ring 50 with lock				18812 (*1) 230mm Optical glass fisheye port II
21140 Extension ring 40 with lock				18809 180mm optical glass wide angle port
Sigma 12-24mm F4 DG HSM   Art				16327 RSC1224A-Z
	21150 Extension ring 50 with lock <i>*Compatible from SN:A213191 onwards</i>	18815 250mm Optical glass wide angle port II		

WIDE / ZOOM

**N120 PORT SYSTEM**  
**FOR C200 & EVA1 & RED™ SYSTEM (Canon mount)**

	LENS	ZOOM GEAR	FOCUS GEAR	EXTENSION RING	LENS / PORT
WIDE / ZOOM	Tokina AT-X 116 PRO DX AF 11-16mm f/2.8	16309 RTC1116-Z	16310 RTC1116-F	21160 Extension ring 60 with lock	18802 8.5" Acrylic dome port
				21160 Extension ring 60 with lock	18815 250mm Optical glass wide angle port II
				21160 Extension ring 60 with lock	18812 (*1) 230mm Optical glass fisheye port II
				21160 Extension ring 60 with lock	18809 180mm Optical glass wide angle port
				21110 Extension ring 10 with screws	85204 Wide Angle Conversion Port - 2
	Tokina AT-X 11-20 F2.8 PRO DX AF 11-20mm F2.8	16328 RTC1120-Z	16328 RTC1120-F	21160 Extension ring 60 with lock	18802 8.5" Acrylic dome port
				21160 Extension ring 60 with lock	18815 250mm Optical glass wide angle port II
				21160 Extension ring 60 with lock	18812 (*1) 230mm Optical glass fisheye port II
				21160 Extension ring 60 with lock	18809 180mm Optical glass wide angle port
			21120 Extension ring 20 with lock	85204 Wide Angle Conversion Port - 2	
FISHEYE / ZOOM	Sigma 14-24mm F2.8 DG HSM   Art	16333 RSC1424A-Z	16333 RSC1424A-F	21170 Extension ring 70 with lock <i>*Compatible from SN:A201966 onwards</i>	18802 8.5" Acrylic dome port
				21170 Extension ring 70 with lock <i>*Compatible from SN:A201966 onwards</i>	18815 250mm Optical glass wide angle port II
				21170 Extension ring 70 with lock <i>*Compatible from SN:A201966 onwards</i>	18812 (*1) 230mm Optical glass fisheye port II
				21160 Extension ring 60 with lock <i>*Compatible from SN:A143566 onwards</i>	18809 180mm Optical glass wide angle port
	Canon EF 8-15mm f/4L Fisheye USM	16301 RC815-Z	16302 RC815-F	21130 Extension ring 30 with lock	18802 8.5" Acrylic dome port
				21130 Extension ring 30 with lock	18812 230mm Optical glass fisheye port II
				21130 Extension ring 30 with lock	18810 (*1) N120 140mm Optical glass fisheye port
	Canon EF 8-15mm f/4L Fisheye USM with Kenko 1.4x Teleplus Pro 300 DGX	16322 RC815-Z+1.4	16323 RC815-F+1.4	21150 Extension ring 50 with lock	18802 8.5" Acrylic dome port
				21150 Extension ring 50 with lock	18812 230mm Optical glass fisheye port II
			21150 Extension ring 50 with lock	18810 (*1) N120 140mm Optical glass fisheye port	
FISHEYE / ZOOM	Tokina AT-X 107 AF DX Fisheye AF 10-17mm f/3.5-4.5	16307 RTC1017-Z	16308 RTC1017-F		18804 4.33" Acrylic dome port
				21120 Extension ring 20 with lock	18802 8.5" Acrylic dome port
				21120 Extension ring 20 with lock	18812 230mm Optical glass fisheye port II
				21110 Extension ring 10 with screws	18810 (*1) N120 140mm Optical glass fisheye port
	Tokina AT-X 107 AF DX Fisheye with Kenko 1.4x Teleplus Pro 300 DGX	16320 RTC1017-Z+1.4	16321 RTC1017-F+1.4	21120 Extension ring 20 with lock	18804 4.33" Acrylic dome port
				21140 Extension ring 40 with lock	18802 8.5" Acrylic dome port
				21140 Extension ring 40 with lock	18812 230mm Optical glass fisheye port II
				21130 Extension ring 30 with lock	18810 (*1) N120 140mm Optical glass fisheye port

**N100 PORT SYSTEM FOR FUJIFILM XH1/XT3 SYSTEM**

	LENS	GEAR	PORT ADAPTOR	EXTENSION RING	LENS / PORT
MACRO	Carl Zeiss Touit 2.8/50M			37401 N100 Extension ring 30	37127 N100 Flat port 32
				36471 N100 to N85 20mm Port adaptor	36135 Macro port 45
	FUJINON XF60mmF2.4 R Macro			37401 N100 Extension ring 30	37127 N100 Flat port 32
				36471 N100 to N85 20mm Port adaptor	36135 Macro port 45
	FUJINON XF80mm	36473 X80-F			37125 N100 Macro port 110
STANDARD / ZOOM	FUJINON XF18-55F2.8-4.0	36474 X1855-Z3		37403 N100 Extension ring 50	37129 N100 180mm Optical glass wide angle port
			37304 N100 to N120 55mm Port adaptor		18809 180mm Optical glass wide angle port
				37401 N100 Extension ring 30	85203 N100 0.36x Wide Angle Conversion Port <i>*workable zoom range is from 18 to 30mm</i>
	Fujifilm XC 15-45mm f3.5-5.6 OIS PZ	36476 X1545PZ-Z			36478 + 83201 N100 Flat port 40 +Wet Wide Lens 1 (WWL-1)
				83250 + 83203 +M67 to Bayonet Converter II +Wet Wide Lens Compact (WWL-C) <i>*No vignetting at 15mm</i>	
				36478 + 86201 N100 Flat port 40 + + Macro to Wideangle Lens 1 (MWL-1)	
WIDE / ZOOM	FUJINON XF10-24mmF4 R OIS	36475 X1024-Z		37403 N100 Extension ring 50	37129 N100 180mm Optical glass wide angle port
			37304 N100 to N120 55mm port adaptor		18809 180mm Optical glass wide angle port
	FUJINON XF18mmF2				36472 N100 Flat port 13 OPTIONAL ACCESSORIES 83201 Wet Wide Lens 1 (WWL-1)
	FUJINON XF23mmF2				37127 N100 Flat port 32 OPTIONAL ACCESSORIES 83201 Wet Wide Lens 1 (WWL-1)
	FUJIFILM XF 8-16mm f2.8 R LM WR	36477 X816-Z		37304 N100 to N120 55mm port adaptor	21110 Extension ring 10 with screws
				21130 Extension ring 30 with lock	18809 180mm Optical glass wide angle port
					18812(*1) 230mm Optical glass fisheye port II
MACRO / WIDE	Carl Zeiss Touit 2.8/50M		37401 N100 Extension ring 30	37127 N100 Flat port 32	86201(*1) Macro to Wideangle Lens 1 (MWL-1) OPTIONAL ACCESSORIES 86222 Double Flip Holder for MWL-1
			36471 N100 to N85 20mm port adaptor	36135 Macro port 45	86201 Macro to Wideangle Lens 1 (MWL-1) OPTIONAL ACCESSORIES 86222 Double Flip Holder for MWL-1

## N120 PORT SYSTEM FOR FUJIFILM GF-MOUNT SYSTEM

	LENS	GEAR	EXTENSION RING	LENS / PORT	
<b>MACRO</b>	Fujinon GF 120mm f4R macro Lens	19823 GF120-F	21160 Extension ring 60 with lock	18701 Macro port 60 <i>OPTIONAL ACCESSORIES</i> 87205 EMWL Focusing unit #4	
<b>MACRO / WIDE</b>	Laowa 17mm f/4 GFX Zero-D	19824 GL17-A	21235 N120 Extension ring 35 with knob	21140 Extension ring 40 with lock	18815 250mm Optical glass wide angle port II
		19825 GL17-F		21150 Extension ring 50 with lock	18812 230mm Optical glass fisheye port II
<b>STANDARD / ZOOM</b>	Fujinon GF 32-64mm F4	19822 GF3264-Z	21160 Extension ring 60 with lock	21140 Extension ring 40 with lock	18815 250mm Optical glass wide angle port II <i>* Minimum focus distanc is 0.5m</i>
	Fujinon GF 63mm f2.8R				18701 Macro port 60
<b>WIDE / ZOOM</b>	FUJINON GF 23mmF4 R LM WR		21160 Extension ring 60 with lock		18815 (*1) 250mm Optical glass wide angle port II FOV: 100° <i>*Minimum focus distance is 0.24m</i>
			21160 Extension ring 60 with lock		18812 230mm Optical glass fisheye port II <i>*Minimum focus distance is 0.38m</i>
		21120 Extension ring 20 with lock		85204 Wide Angle Conversion Port - 2 FOV: 120°	
	FUJINON GF 45mmF2.8 R WR		21130 Extension ring 30 with lock		85201 0.36x Wide Angle Conversion Port FOV: 109°
					18701 Macro port 60