

**N85 PORT SYSTEM FOR  
PANASONIC & OLYMPUS & BMPCC M4/3 SYSTEM**

	LENS	GEAR	PORT ADAPTOR	EXTENSION RING	LENS / PORT
MACRO	Olympus M.Zuiko Digital ED 30mm f3.5 Macro				<b>36135</b> Macro port 45 <i>*Incompatible with wet diopters</i>
	Olympus M.Zuiko Digital ED 60mm f2.8 Macro	<b>36149</b> O60-F		<b>36620</b> Mini extension ring 20	<b>36163</b> Macro port 65 <b>36135</b> Macro port 45
				<b>36630</b> Mini extension ring 30	<b>36139</b> Macro port 35
	Panasonic Lumix G Macro 30mm f/2.8 Asph. Mega O.I.S.				<b>36135</b> Macro port 45 <i>*Incompatible with wet diopters</i>
	Panasonic LEICA DG MACRO-ELMARIT 45mm F2.8 ASPH. MEGA O.I.S.	<b>36145</b> P45-F			<b>36135</b> Macro port 45
STANDARD / ZOOM	Olympus M.ZUIKO DIGITAL ED 12-40mm f/2.8 PRO	<b>36045</b> O1240-Z			<b>36129</b> 7" Acrylic dome port
			<b>36052(*2)</b> N85 to N120 47mm Port adaptor with focus knob	<b>21120</b> Extension ring 20 with lock	<b>18809 (*1)</b> 180mm Optical glass wide angle port
		<b>36065</b> O1240-F	<b>36401(*3)</b> N85 to N120 55mm Port adaptor with knob	<b>21110</b> Extension ring 10 with screws	<b>18809</b> 180mm Optical glass wide angle port
	Olympus M.ZUIKO DIGITAL ED 12-50mm f/3.5-6.3 EZ	<b>36147*</b> O1250-Z <b>*36059</b> O1250-Z f or use with NA-GH5/EM1X			<b>36161</b> Macro port with M77 thread <i>OPTIONAL ACCESSORIES</i> <b>83251+83203</b> M77 to Bayonet Converter II +Wet Wide Lens Compact (WWL-C) <i>*No vignetting at 15mm</i> <b>83251 + 86201</b> M77 to Bayonet Converter II +Macro to Wideangle Lens 1 (MWL-1)
					<b>36137</b> 4" Wide angle port <i>OPTIONAL ACCESSORIES</i> <b>25105</b> M67 Flip diopter holder for 36137
	Olympus M.ZUIKO DIGITAL 14-42mm F3.5-5.6 II R	<b>36143</b> O1442-Z			<b>36136</b> Macro port 56 <i>OPTIONAL ACCESSORIES</i> <b>83201 (*1)</b> Wet Wide Lens 1 (WWL-1)
					<b>36137</b> 4" Wide angle port <i>OPTIONAL ACCESSORIES</i> <b>25105</b> M67 Flip diopter holder for 36137
		<b>36067</b> O1442-F			<b>36166*</b> N85 Macro port 56 with focus knob <i>*From 15mm, slightly vignetting using with 16501 NA-BMPCCII Housing</i> <b>83201 (*1)</b> Wet Wide Lens 1 (WWL-1)
	Olympus M.ZUIKO DIGITAL ED 14-42mm F3.5-5.6 EZ	<b>36047</b> O1442EZ-Z			<b>36165 + 83201 (*1)</b> N85 Power zoom macro port 29 Wet Wide Lens 1 (WWL-1)
	Panasonic LUMIX G VARIO 12-32mm F3.5-5.6 ASPH. MEGA O.I.S.	<b>36046</b> P1232-Z		<b>36620</b> Mini extension ring 20	<b>36131</b> 3.5" Wide angle port <b>36165 + 83201 (*1)</b> N85 Power zoom macro port 29 Wet Wide Lens 1 (WWL-1) <b>36165 + 83250 + 83203</b> N85 Power zoom macro port 29 +M67 to Bayonet Converter II +Wet Wide Lens Compact (WWL-C)

Remarks: (\*1) Most recommended  
(\*2) 36052 before SN: A297188 is incompatible with NA-EM1X  
(\*3) 36401 before SN: A393237 is incompatible with NA-EM1X

**N85 PORT SYSTEM FOR  
PANASONIC & OLYMPUS & BMPCC M4/3 SYSTEM**

	LENS	GEAR	PORT ADAPTOR	EXTENSION RING	LENS / PORT
MACRO / WIDE	Olympus M.Zuiko Digital ED 30mm f3.5 Macro			<b>36135</b> Macro port 45 <i>*Incompatible with macro optics</i>	<b>86201</b> Macro to Wideangle Lens 1 (MWL-1)
	Panasonic Lumix G Macro 30mm f/2.8 Asph. Mega O.I.S.			<b>36135</b> Macro port 45 <i>*Incompatible with macro optics</i>	<b>86201</b> Macro to Wideangle Lens 1 (MWL-1)
	Laowa 24mm f/14 2X Macro Probe <i>*With Speedbooster on GH5 camera</i>	<b>19155</b> N120 DSLR gear set <i>*Support both Standard and Cine version</i>	<b>36064</b> N85 to N120 34.7mm Port adaptor with knob	<b>21271</b> Extension ring 70 w/ knob	<b>16336</b> N120 Port adaptor for Laowa 24mm f/14 2x macro probe
STANDARD / ZOOM	Panasonic LUMIX G X Vario 12-35mm F2.8 I/ II ASPH. POWER O.I.S.			<b>36148</b> P1235-Z	<b>36133</b> 6" Wide angle port
				<b>36042</b> P1235-F <i>*Compatible with Ver.II lens from A107953</i>	<b>36164</b> 6" Wide angle port with focus knob
				<b>36052(*2)</b> N85 to N120 47mm Port adaptor with focus knob	<b>21120</b> Extension ring 20 with lock
	Panasonic LEICA DG VARIO-ELMARIT 12-60mm F2.8-4.0 ASPH. POWER O.I.S.			<b>36058</b> PL1260-Z	<b>36129</b> 7" Acrylic dome port
				<b>36068</b> PL1260-F	<b>36401(*3)</b> N85 to N120 55mm Port adaptor with knob
	Panasonic LUMIX G 14mm / F2.5 ASPH				<b>36131</b> 3.5" Wide angle port
	Panasonic LUMIX G VARIO 14-42mm F3.5-5.6 ASPH. MEGA O.I.S.	<b>36141</b> P1442-Z			<b>36151 + 83201 (*1)</b> N10 Pancake port Wet Wide Lens 1 (WWL-1)
					<b>36121</b> Flat port 72 <i>OPTIONAL ACCESSORIES</i> <b>25104</b> M67 Flip diopter holder for 36121
	Panasonic LUMIX G VARIO 14-42mm F3.5-5.6 ASPH. MEGA O.I.S.	<b>36057</b> P1442II-Z			<b>36137</b> 4" Wide angle port <i>OPTIONAL ACCESSORIES</i> <b>25105</b> M67 Flip diopter holder for 36137
					<b>36139 + 83201 (*1)</b> Macro port 35 Wet Wide Lens 1 (WWL-1)
Panasonic LUMIX G X VARIO PZ 14-42mm F3.5-5.6 ASPH. Power O.I.S.	<b>36146</b> P1442X-PZ <i>* 36061 for use with NA-GH5</i>			<b>36165 + 83201 (*1)</b> N85 Power zoom macro port 29 Wet Wide Lens 1 (WWL-1)	
Panasonic LUMIX G VARIO 14-45mm F3.5-5.6 ASPH. MEGA O.I.S.	<b>36053</b> P1445-Z			<b>36121</b> Flat port 72 <i>OPTIONAL ACCESSORIES</i> <b>25104</b> M67 Flip diopter holder for 36121	
				<b>36137</b> 4" Wide angle port <i>OPTIONAL ACCESSORIES</i> <b>25105</b> M67 Flip diopter holder for 36137	

Remarks: (\*1) Most recommended  
(\*2) 36052 before SN: A297188 is incompatible with NA-EM1X  
(\*3) 36401 before SN: A393237 is incompatible with NA-EM1X

## N85 PORT SYSTEM FOR PANASONIC & OLYMPUS & BMPCC M4/3 SYSTEM

	LENS	GEAR	PORT ADAPTOR	EXTENSION RING	LENS / PORT
WIDE / ZOOM	Olympus M.ZUIKO DIGITAL ED 9-18mm F4.0-5.6	36143 0918-Z			36137 4" Wide angle port
			36052(*2) N85 to N120 47mm Port adaptor with focus knob	21120 Extension ring 20 with lock	18809 (*1) 180mm Optical glass wide angle port
			36401(*3) N85 to N120 55mm Port adaptor with knob	21110 Extension ring 10 with screws	18809 180mm Optical glass wide angle port
	Olympus M.ZUIKO DIGITAL ED 12mm f/2.0			36620 Mini extension ring 20	36048 (*1) N85 140mm Optical glass fisheye port
					36132 4.33" Dome port <i>*Incompatible with NA-EM1X</i>
				36620 Mini extension ring 20	36131 3.5" Wide angle port
	Olympus M.ZUIKO DIGITAL ED 7-14mm F2.8 PRO	36054 0714-Z		36401(*3) N85 to N120 55mm Port adaptor with knob	18809 (*1) 180mm Optical glass wide angle port
		36055 0714-F			
	Panasonic LUMIX G VARIO 7-14mm/F4.0 ASPH	36044 P714-Z			36133 6" Wide angle port
		36043 P714-F		36052(*2) N85 to N120 47mm Port adaptor	36164 6" Wide angle port with Focus knob
				18809 (*1) 180mm Optical glass wide angle port	
Panasonic Leica DG Vario Elmarit 8-18mm f/2.8-4.0 ASPH	36062 PL818-Z			36129 7" Acrylic dome port	
	36063 PL818-F		36401(*3) N85 to N120 55mm Port adaptor with knob	21120 Extension ring 20 with lock	18809 (*1) 180mm Optical glass wide angle port
FISHEYE / ZOOM	OLYMPUS M.ZUIKO DIGITAL ED 8mm F1.8 Fisheye PRO	36056 08-F		36617 Mini extension ring 17	36048 (*1) N85 140mm Optical glass fisheye port
				36620 Mini extension ring 20	36132 4.33" Dome port
	Panasonic LUMIX G FISHEYE 8mm / F3.5	36041 P8-F			36132 4.33" Dome port <i>*Incompatible with NA-EM1X</i>
					36131 3.5" Wide angle port <i>*Slightly vignetting in 4:3 aspect ratio</i>
					36048 (*1) N85 140mm Optical glass fisheye port <i>*Incompatible with NA-EM1X</i> <i>*Vignetting in 4:3 aspect ratio</i>
Panasonic X VARIO PZ 14-42mm with Fisheye Conversion Lens [DMW-GFC1]	36146 P1442X-PZ <i>*36061 for use with NA-GH5</i>			36630 Mini extension ring 30	36132 4.33" Dome port
EF LENSES	EF mount lenses with Metabones EF-MFT mount T Speed Booster ULTRA 0.71x		36064* N85 to N120 34.7mm Port adaptor with knob <i>*Incompatible with NA-EM1X</i>	— See Canon N120 Port System	

Remarks: (\*1) Most recommended

(\*2) 36052 before SN: A297188 is incompatible with NA-EM1X

(\*3) 36401 before SN: A393237 is incompatible with NA-EM1X